

Aldrich Organometallic, Inorganic, Silicate, Boron, and Deuterium Compounds FT-IR Spectral Library, Edition 2

Index of Compounds

No.	Compound Description	No.	Compound Description
1066	((R)-(+)-2,2'-Bis(diphenylphosphino)-1,1'-binaph)(1,5-cyclooctadiene)rhodium(I) perchlorate, 97%	245	(2-Bromovinyl)trimethylsilane, 98%, predominantly trans
1068	((R)-(+)-2,2'-Bis(diphenylphosphino)-1,1'-binaphthyl)palladium(II) chloride, 98%	596	(2-Methylene-1,3-propanediyl)bis(trichlorosilane), 98%
1067	((S)-(-)-2,2'-Bis(diphenylphosphino)-1,1'-binaph)(1,5-cyclooctadiene)rhodium(I) perchlorate, 97%	691	(2-Methylpropyl)boronic acid, 98%
1139	(-)-(R)-1-((S)-2-(Diphenylphosphino)ferrocenyl)ethyl methyl ether, 98%	429	(3-(Diethylamino)propyl)trimethoxysilane, 96%
1145	(-)-(R)-N,N-Dimethyl-1-((S)-1',2-bis(diphenylphosphino)ferrocenyl)ethylamine, 95%	308	(3-(Heptafluoroisopropoxy)propyl)trichlorosilane, 97%
1141	(-)-(R)-N,N-Dimethyl-1-((S)-2-(diphenylphosphino)ferrocenyl)ethylamine, 95%	483	(3-(Tri(ethoxy/methoxy)silyl)propyl)urea, 50 wt. % solution in methyl alcohol
408	(-)-3',5'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)adenosine, 97%	332	(3-Bromopropoxy)-tert-butyltrimethylsilane, 97%
640	(-)-b-Methoxydiisopinocampheylborane	360	(3-Chloropropyl)triethoxysilane, 95%
637	(-)-Dip-chloride	358	(3-Chloropropyl)trimethoxysilane, 97%
1140	(+)-(S)-1-((R)-2-(Diphenylphosphino)ferrocenyl)ethyl methyl ether, 98%	413	(3-Mercaptopropyl)trimethoxysilane, 95%
1146	(+)-(S)-N,N-Dimethyl-1-((R)-1',2-bis(diphenylphosphino)ferrocenyl)ethylamine, 95%	605	(3-Trimethylsilyl-2-propynyl)triphenylphosphonium bromide
1142	(+)-(S)-N,N-Dimethyl-1-((R)-2-(diphenylphosphino)ferrocenyl)ethylamine, 99%	548	(4-Bromophenoxy)-tert-butyltrimethylsilane, 97%
407	(+)-3',5'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)cytidine, 97%	547	(4-Bromophenoxy)trimethylsilane, 98%
639	(+)-b-Methoxydiisopinocampheylborane	1225	(5,6)-Fullerene-C70
1024	(+)-Di-mu-chlorobis(2-(1-(dimethylamino)ethyl)phenyl-C,N)dipalladium, 98%	852	(9,10-Dihydro-9,10-anthracenediyl)tris(tetrahydrofuran)magnesium
1055	(1,2-Bis(diphenylphosphino)ethane)dichlorocobalt(II)	518	(9,10-Dihydro-9-anthracenyl)trimethylsilane, 99%
1054	(1,2-Bis(diphenylphosphino)ethane)dichloroiron(II), 96%	108	(Acetic anhydride)-d6, 99+ atom % D
1056	(1,2-Bis(diphenylphosphino)ethane)dichloronickel(II)	1162	(Acetylacetonato)dicarbonylrhodium(I), 98%
1057	(1,2-Bis(diphenylphosphino)ethane)dichloropalladium(II), 98%	64	(Ammonium sulfate)-d8, 98+ atom % D
1193	(1,2-Bis(diphenylphosphino)ethane)tungsten tetracarbonyl, 97%	1061	(Bicyclo(2.2.1)hepta-2,5-diene)((2S,3S)-bis(diphenylphosphino)butane)rhodium(I) perchlorate
1062	(1,3-Bis(diphenylphosphino)propane)dichloronickel(II)	1151	(Bicyclo(2.2.1)hepta-2,5-diene)(1,1'-bis(diphenylphosphino)ferrocene)rhodium(I) perchlorate
598	(1,3-Dioxan-2-ylethynyl)trimethylsilane, 96%	1064	(Bicyclo(2.2.1)hepta-2,5-diene)(1,4-bis(diphenylphos)butane)rhodium(I) tetrafluoroborate
1063	(1,4-Bis(diphenylphosphino)butane)(1,5-cyclooctadiene)rhodium(I) tetrafluoroborate, 98%	952	(Bicyclo(2.2.1)hepta-2,5-diene)(2,4-pentanedionato)rhodium(I), 97%
951	(1,5-Cyclooctadiene)(2,4-pentanedionato)rhodium(I), 99%	1051	(Bicyclo(2.2.1)hepta-2,5-diene)(bis(triphenylphosphine))rhodium(I) hexafluorophosphate
1033	(1,5-Cyclooctadiene)bis(methyldiphenylphosphine)iridium(I) pf6, 97%	899	(Bicyclo(2.2.1)hepta-2,5-diene)chlororhodium(I) dimer
1050	(1,5-Cyclooctadiene)bis(triphenylphosphine)rhodium(I) hexafluorophosphate dichloromethane complex (1:1)	900	(Bicyclo(2.2.1)hepta-2,5-diene)dichloropalladium(II)
893	(1,5-Cyclooctadiene)diiodoplatinum(II), 99.9%	897	(Bicyclo(2.2.1)hepta-2,5-diene)dichlororuthenium(II) polymer
889	(1,5-Cyclooctadiene)dimethylplatinum(II), 98%	1158	(Bicyclo(2.2.1)hepta-2,5-diene)molybdenum tetracarbonyl, 95%
244	(1-Bromovinyl)trimethylsilane, 97%	273	(Bromomethyl)chlorodimethylsilane, 97%
314	(1-Hydroxyallyl)trimethylsilane, 97%	523	(Chloromethyl)dimethylphenylsilane, 98%
378	(1-Methoxy-2-(trimethylsilyl)vinyl)oxy)trimethylsilane, 98%, mix of isomers	524	(Chloromethyl)methylbis(pentafluorophenyl)silane, 95%
491	(1S,9S)-(-)-1,9-Bis((tert-butyl)dimethylsilyloxy)methyl)-5-cyanosemicorrin, 97%	302	(Chloromethyl)trichlorosilane, 95%
579	(2-(Trimethylsilyl)ethoxymethyl)triphenylphosphonium chloride, 98%	1117	(Cumene)cyclopentadienyliron(II) hexafluorophosphate, 98%
1078	(2,2'-Bipyridine)dichloropalladium(II)	239	(Dichloromethyl)trimethylsilane, 97%
1079	(2,2'-Bipyridine)dichloroplatinum(II), 98%	822	(Dimethylamino)trimethyltin, 96%
331	(2-Bromoethoxy)-tert-butyltrimethylsilane, 99%	1122	(Dimethylaminomethyl)ferrocene, 96%
		242	(Heptafluoropropyl)trimethylsilane, 97%
		238	(Iodomethyl)trimethylsilane, 99%
		60	(Methyl sulfide)-1,1,1-d3, 99.5+ atom % D
		61	(Methyl sulfide)-d6, 99.9 atom % D
		119	(Methyl sulfoxide)-d6, 100.0 atom % D
		1172	(Methylcyclopentadienyl)manganese tricarbonyl, 97%
		186	(Methyl-d3)-triphenylphosphonium bromide, 99 atom % D
		185	(Methyl-d3)triphenylphosphonium iodide, 99 atom % D
		411	(Methylthio)trimethylsilane, 95%

No.	Compound Description	No.	Compound Description
1060	(N3-Allyl)((2S,3S)-(+)-bis(diphenylphosphino)butane)palladium(II) perchlorate, 97%	373	1,2-Bis(trimethylsilyloxy)ethane, 98%
562	(Phenylthiomethyl)trimethylsilane, 99%	21	1,2-Dichloroethane-d4, 99 atom % D
1123	(R)-(+)-N,N-Dimethyl-1-ferrocenylethylamine, 97%	253	1,2-Dichlorotetramethyldisilane, 98%
1091	(R,R)-(-)-N,N'-Bis(3,5-di-tert-butylsalicylidene)-1,2-cyclohexanediaminomanganese(III) chloride, 98%	1113	1,2-Diferrocenylethane, 98%
1124	(S)-(-)-N,N-Dimethyl-1-ferrocenylethylamine, 95+%	227	1,2-Dimethyldisilane, 97%
657	(S)-(+)-Pinanediol (dichloromethyl)boronate, 97%	730	1,2-Phenylenebisdimethylarsine
1092	(S,S)-(+)-N,N'-Bis(3,5-di-tert-butylsalicylidene)-1,2-cyclohexanediaminomanganese(III) chloride, 98%	737	1,2-Phenylenediarsonic acid, 95%
589	(Tert-butyltrimethylsilyl)acetylene, 99%	670	1,3,5,7-Tetramethylpyrazole, 98%
588	(Triethylsilyl)acetylene, 97%	154	1,3,5-Trichlorobenzene-d3, 98 atom % D
590	(Triisopropylsilyl)acetylene, 98%	489	1,3-Bis(3-cyanopropyl)tetramethyldisiloxane, 97%
445	(Trimethylsilyl)acetic acid, 99%	439	1,3-Bis(chloromethyl)-1,1,3,3-tetramethyldisilazane, 95%
485	(Trimethylsilyl)acetonitrile, 99%	389	1,3-Bis(chloromethyl)tetramethyldisiloxane, 99%
587	(Trimethylsilyl)acetylene, 98%	551	1,3-Bis(chloromethyl)dimethylsilyloxybenzene, 95%
310	(Trimethylsilyl)methanol, 98%	494	1,3-Bis(trimethylsilyl)carbodiimide, 98%
1032	(Tris(dimethylphenylphosphine))(2,5-norbornadiene)rhodium(I)pf6, 97%	481	1,3-Bis(trimethylsilyl)urea, 95%
482	1-(3-(Trimethoxysilyl)propyl)urea, 97%	829	1,3-Diacetoxy-1,1,3,3-tetra-butyl-distannoxane, 97%
1148	1-(Chloromercuri)ferrocene, 97%	390	1,3-Dichloro-1,1,3,3-tetraisopropyl-disiloxane, 97%
191	1-(Methyl-d3)-4-phenylpyridinium iodide, 99 atom % D	560	1,3-Dichlorotetraphenyldisiloxane, 90%
583	1-(Tert-butyltrimethylsilyl)imidazole, 97%	388	1,3-Dimethyltetra-vinyl-disiloxane, 97%
592	1-(Triisopropylsilyl)-1-propyne, 98%	168	1,3-Dinitrobenzene-d4, 99 atom % D
591	1-(Trimethylsilyl)-1-propyne, 99%	567	1,3-Diphenyl-1,1,3,3-tetramethyldisilazane, 96%
564	1-(Trimethylsilyl)cyclopropyl phenyl sulfide, 98%	438	1,3-Divinyl-1,1,3,3-tetramethyldisilazane, 97+%
311	1-(Trimethylsilyl)ethanol, 98%	175	1,4-Benzoquinone-d4, 98 atom % D
582	1-(Trimethylsilyl)imidazole, 97%	552	1,4-Bis(chloromethyl)dimethylsilyloxybenzene, 98%
480	1-(Trimethylsilylmethyl)urea, 97%	512	1,4-Bis(trimethylsilyl)benzene, 98%
327	1-(Trimethylsilyloxy)-1,3-butadiene, 98%, mixture of isomers	43	1,4-Butanediol-1,1,2,2,3,3,4,4-d8, 98 atom % D
1132	1,1'-((4,4'-Bipiperidine)-1,1'-diyl)dicarbonyl)bis(1'-methoxycarbonyl)ferrocene, 97%	153	1,4-Dichlorobenzene-d4, 98 atom % D
47	1,1,1,3,3,3-Hexafluoro-2-propan(ol-D), 98 atom % D	152	1,4-Difluorobenzene-d4, 98 atom % D
436	1,1,1,3,3,3-Hexamethyldisilazane, 98%	59	1,4-Dioxane-d8, 99+ atom % D
392	1,1,1,3,5,5,5-Heptamethyltrisiloxane, 98%	395	1,5-Dichloro-1,1,3,3,5,5-hexamethyltrisiloxane, 95%
565	1,1,1-Triphenylsilylamine, 97%	301	1,6-Bis(trichlorosilyl)hexane, 97%
275	1,1,2,2-Tetrachloro-1,2-dimethyldisilane, 98%	397	1,7-Dichlorooctamethyltetrasiloxane, 95%
24	1,1,2,2-Tetrachloroethane-d2, 99.5+ atom % D	31	1-Butan(ol-D), 98+ atom % D
229	1,1,2,2-Tetraisopropyl-disilane, 97%	32	1-Butanol-d10, 99+ atom % D
228	1,1,2,2-Tetramethyldisilane, 98%	328	1-Cyclohexenyltrimethylsilane, 99%
391	1,1,3,3,5,5-Hexamethyltrisiloxane, 95%	376	1-Cyclopropyl-1-(trimethylsilyloxy)-ethylene, 98%
385	1,1,3,3-Tetraisopropyl-disiloxane, 95%	35	1-Dodecan-d25-ol, 98 atom % D
384	1,1,3,3-Tetramethyldisiloxane, 97%	708	1-Naphthaleneboronic acid
1149	1,1'-Bis-(chloromercuri)ferrocene	165	1-Naphthol-d8, 97 atom % D
1137	1,1'-Bis(diphenylphosphino)ferrocene, 97%	76	1-Nitroethane-1,1-d2, 99 atom % D
1127	1,1'-Diacetylferrocene, 97%	169	1-Nitronaphthalene-d7, 98 atom % D
1135	1,1'-Dibenzoylferrocene	34	1-Octan-d17-ol, 98 atom % D
1111	1,1'-Dimethylferrocene, 97%	603	1-Phenyl-2-(trimethylsilyl)acetylene, 99%
430	1,1'-Ethylenebis(N,N,1,1-tetramethylsilanamine), 96%	585	1-Trimethylsilyl-1,2,4-triazole, 98%
1130	1,1'-Ferrocenedicarboxylic acid, 96%	593	1-Trimethylsilyl-1-hexyne, 99%
1178	1,2,3,4-Tetrahydronaphthalene chromium tricarbonyl, 98%	594	1-Trimethylsilyl-3,3-dimethyl-1-butyne, 98%
130	1,2,3,4-Tetrahydronaphthalene-d12, 98+ atom % D	316	2-((Trimethylsilyl)methyl)-2-propen-1-ol, 85%
183	1,2,4,5-Benzene-d2-tetracarboxylic dianhydride, 98 atom % D	454	2-((Trimethylsilyl)methyl)-2-propen-1-yl acetate, 99%
141	1,2-Benzanthracene-d12, 98 atom % D	55	2-(2-Ethoxyethoxy)ethan(ol-D), 97 atom % D
255	1,2-Bis(chlorodimethylsilyl)ethane, 96%	881	2-(Tributylstannyl)furan, 97%
256	1,2-Bis(dichloromethylsilyl)ethane, 98%	882	2-(Tributylstannyl)thiophene, 95%
511	1,2-Bis(dimethylsilyl)benzene, 98%	449	2-(Trichlorosilyl)ethyl acetate, 97%
304	1,2-Bis(trichlorosilyl)ethane, 97%	1182	2-(Trifluoromethyl)benzaldehyde chromium tricarbonyl
356	1,2-Bis(trimethoxysilyl)ethane, 96%	496	2-(Trimethylsilyl)ethanesulfonic acid, sodium salt, 95%
379	1,2-Bis(trimethylsilyloxy)cyclobutene, 95+%	312	2-(Trimethylsilyl)ethanol, 99%
		322	2-(Trimethylsilyl)ethoxymethyl chloride
		471	2-(Trimethylsilyl)ethyl chloroformate
		375	2-(Trimethylsilyloxy)-1,3-butadiene, 98%
		456	2-(Trimethylsilyloxy)ethyl methacrylate, 97%
		580	2-(Trimethylsilyloxy)furan, 98%

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
46	2,2,2-Trifluoroethan(ol-D), 99.5 atom % D	705	3-Nitrophenylboronic acid
45	2,2,2-Trifluoroethanol-d3, 99.5 atom % D	709	3-Thiopheneboronic acid, 95%
8	2,2,4-Trimethylpentane-d18, 98 atom % D	597	3-Trimethylsilyl-2-propyn-1-ol, 99%
440	2,2-Thiobis(1,1,1,3,3,3-hexamethylsilazane), 99%	571	4-(3-Methoxybenzyl)-2,2,6,6-tetramethyl-1-oxa-4-aza-2,6-disilacyclohexane hydrochloride, 99%
1023	2,2'-Thiobis(4-tert-octylphenolato)butylamine nickel(II)	872	4-(Hydroxymercuri)benzoic acid, sodium salt
233	2,3,5,5-Tetrakis(trimethylsilyl)-1,3-cyclopentadiene, 98%	444	4-(Tert-butyl)dimethylsilyloxy)-3-penten-2-one, 95%, mixture of cis & trans
221	2,3-Bis(trimethylsilyl)-1-propene, 97%	599	4-(Trimethylsilyl)-3-butyn-2-one, 98%
374	2,3-Bis(trimethylsilyloxy)-1,3-butadiene, 95%	434	4-(Trimethylsilyl)morpholine, 97%
405	2,4,6,8-Tetramethyl-2,4,6,8-tetravinylcyclotetrasiloxane	443	4-(Trimethylsilyloxy)-3-penten-2-one, 97%, mixture of cis and trans
403	2,4,6,8-Tetramethylcyclotetrasiloxane, 95%	654	4,4,5,5-Tetramethyl-1,3,2-dioxaborolane, 97%
568	2,4,6-Tri-tert-butyl-N-(trimethylsilyl)aniline	671	4,4,8,8-Tetraethylpyrazabole, 98%
1163	2,4-Cyclohexadienone iron tricarbonyl, 97%	674	4,4,8,8-Tetrakis(1H-pyrazol-1-yl)pyrazabole, 99%
232	2,5,5-Tris(trimethylsilyl)-1,3-cyclopentadiene, 99%	194	4,4'-Azoxyanisole-d14, 96 atom % D
673	2,6-Dibromo-4,4,8,8-tetraethylpyrazabole, 99%	569	4-Bromo-N,N-bis(trimethylsilyl)aniline, 97%
672	2,6-Dibromopyrazabole, 97%	739	4-Chlorobenzeneearsonic acid
235	2,7-Dimethyl-5-silaspiro(4.4)nona-2,7-diene, 97%	1029	4-Chlorobenzenediazonium hexafluorophosphate
655	2-Allyl-4,4,5,5-tetramethyl-1,3,2-dioxaborolane, 95%	871	4-Chloromercuribenzoic acid
54	2-Butoxyethan(ol-D), 98 atom % D	700	4-Chlorophenylboronic acid, 95%
662	2-Butyl-1,3,2-dioxaborinane, 98%	699	4-Fluorophenylboronic acid, 97%
16	2-Chloro-2-methylpropane-d9, 99 atom % D	741	4-Hydroxy-3-nitrobenzeneearsonic acid, 98%
330	2-Chloroethoxytrimethylsilane, 98%	721	4-Methoxybenzenediazonium tetrafluoroborate, 98%
247	2-Chloromethyl-3-trimethylsilyl-1-propene, 97%	703	4-Methoxyphenylboronic acid, 97%
161	2-Chlorophenol-3,4,5,6-d4, 99 atom % D	695	4-Vinylphenylboronic acid
656	2-Isopropoxy-4,4,5,5-tetramethyl-1,3,2-dioxaborolane, 98%	319	5-(Tert-butyl)dimethylsilyloxy)-1-pentanol, 90%
701	2-Methoxyphenylboronic acid, 95%	382	5-O-(Tert-butyl)dimethylsilyl)-2,3-O-isopropylidene-D-ribonic acid gamma-lactone, 97%
661	2-Methyl-1,3,2-dioxaborinane, 98%	380	6-(Tert-butyl)dimethylsilyloxy)-3,4-dihydro-2H-pyran, 97%
39	2-Methyl-2-propan(ol-D), 98+ atom % D	634	9-Bbn dimer, crystalline, 98%
40	2-Methyl-2-propanol-d10, 99 atom % D	138	Acenaphthylene-d8, 99 atom % D
136	2-Methylnaphthalene-d10, 98 atom % D	80	Acetaldehyde-d4, 99 atom % D
668	2-Phenyl-1,3,2-benzodiazaborole	111	Acetamide-d5, 99 atom % D
663	2-Phenyl-1,3,2-dioxaborinane, 99%	742	Acetarsone
36	2-Propan(ol-D), 98+ atom % D	82	Acetic-d3 acid-D, 99.9 atom % D
37	2-Propanol-1,1,1,3,3,3-d6, 99 atom % D	77	Acetone-d6, 99.5 atom % D
38	2-Propanol-d8, 99+ atom % D	116	Acetonitrile-d3, 99.95 atom % D
584	2-Trimethylsilyl-1,2,3-triazole, 95%	172	Acetophenone-2',3',4',5',6'-d5, 98+ atom % D
414	2-Trimethylsilyl-1,3-dithiane, 99+%	173	Acetophenone-d8, 99 atom % D
711	3-(5-Dimethylamino-1-naphthalenesulfonylamino)benzeneboronic acid hydrate, 98%	171	Acetophenone-methyl-d3, 98 atom % D
412	3-(Dimethoxymethylsilyl)-1-propanethiol, 95%	110	Acetyl-d3 chloride, 99+ atom % D
490	3-(Triethoxysilyl)propionitrile, 98%	1126	Acetylferrocene, 95%
492	3-(Triethoxysilyl)propyl isocyanate, 95+%	442	Acetyltrimethylsilane, 97%
696	3-(Trifluoromethyl)phenylboronic acid, 97%	92	Acrylic-d3 acid-D, 97 atom % D
457	3-(Trimethoxysilyl)propyl methacrylate, 97%	90	Adipic-d8 acid-d2, 98 atom % D
497	3-(Trimethylsilyl)-1-propanesulfonic acid, sodium salt, 99%	422	Allyl(diisopropylamino)dimethylsilane, 98%
313	3-(Trimethylsilyl)-1-propanol, 97%	270	Allylchlorodimethylsilane, 98%
446	3-(Trimethylsilyl)propionic acid, sodium salt, 99+%	243	Allylchloromethyl)dimethylsilane, 98%
458	3-(Tris(trimethylsilyloxy)silyl)propyl methacrylate, 98%	44	Allyl-d5 alcohol, 98 atom % D
836	3,3'-(1,3-Dioxo-1,3-digermoxanediy)bispropionic acid, 99%	282	Allyldichloromethylsilane, 97%
79	3,4-Dihydroxy-3-cyclobutene-1,2-dione-d2, 98 atom % D	326	Allyloxytrimethylsilane, 98%
707	3-Aminophenylboronic acid hemisulfate	886	Allylpalladium chloride dimer
706	3-Aminophenylboronic acid monohydrate, 98%	298	Allyltrichlorosilane, 95%
428	3-Aminopropyltriethoxysilane, 98%	352	Allyltriethoxysilane, 97%
427	3-Aminopropyltrimethoxysilane, 97%	217	Allyltriisopropylsilane, 98%
698	3-Bromophenylboronic acid, 97%	350	Allyltrimethoxysilane, 97%
305	3-Bromopropyltrichlorosilane, 98%	216	Allyltrimethylsilane, 99%
697	3-Chlorophenylboronic acid, 97%	842	Allyltriphenyltin, 97%
704	3-Formylphenylboronic acid, 95%	923	Aluminum acetylacetonate, 99%
362	3-Glycidoxypropyltrimethoxysilane, 96%	1369	Aluminum ammonium sulfate dodecahydrate, 99%
702	3-Methoxyphenylboronic acid		

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
802	Aluminum isopropoxide, 98+%	155	Anisole-methyl-d3, 99+ atom % D
1311	Aluminum nitrate nonahydrate, 98+%, A.C.S. reagent	139	Anthracene-d10, 98+ atom % D
787	Aluminum trihydroxide, 97%	495	Azidotrimethylsilane, 95%
956	Aluminum tris(2,2,6,6-tetramethyl-3,5- heptanedionate), 98%	922	Barium acetylacetonate hydrate
810	Aluminum tri-sec-butoxide, 97%	1282	Barium carbonate, 99+%, A.C.S. reagent
814	Aluminum tri-tert-butoxide	1414	Barium chlorate monohydrate, 98%
1285	Ammonium carbonate, A.C.S. reagent	1252	Barium iodide dihydrate, 95+%
1392	Ammonium cerium(IV) sulfate	801	Barium isopropoxide
1440	Ammonium chromate, 98%	1418	Barium perchlorate trihydrate, 99+%
1346	Ammonium dihydrogenphosphate, 99.999%	1417	Barium perchlorate, 99%
1445	Ammonium dimolybdate, A.C.S. reagent	1489	Barium selenite
1500	Ammonium disodium amminepentacyanoferrate(II) hydrate, 90%	1368	Barium sulfate, 99.999%
1497	Ammonium ferrocyanide(II) hydrate	170	Benz(aldehyde-D), 98 atom % D
1439	Ammonium heptafluorotantalate(V), 99.99%	1175	Benzene chromium tricarbonyl, 98%
1446	Ammonium heptamolybdate tetrahydrate, A.C.S. reagent	124	Benzene-D, 98+%
1468	Ammonium hexabromoplatinate(IV), 99.999%	125	Benzene-d6, 100.0 atom % D
1462	Ammonium hexachloroiridate(IV), 98%	1028	Benzenediazonium hexafluorophosphate
1461	Ammonium hexachloropalladate(IV), 99.99%	1020	Benzeneruthenium(II) chloride dimer
1467	Ammonium hexachloroplatinate(IV), 99.999%	868	Benzenethiol, sodium salt, tech., 90%
1459	Ammonium hexachlororhodate(III), 99.99%	145	Benzo(a)pyrene-7,8-d2, 98%
1304	Ammonium hexafluorogermanate(IV), 99.99%	143	Benzo(a)pyrene-7-D, 97%
1354	Ammonium hexafluorophosphate, 95+%	144	Benzo(a)pyrene-8-D, 98%
1303	Ammonium hexafluorosilicate, 99.999%	146	Benzo(a)pyrene-d12, 98 atom % D
1437	Ammonium hexafluorotantalate(V), 99.99%	177	Benzoic-d5 acid, 99+ atom % D
1300	Ammonium hydrogencarbonate, 99%	174	Benzophenone-2,3,4,5,6-d5, 98 atom % D
1244	Ammonium hydrogenfluoride, 95%	184	Benzoyl-d5 chloride, 99 atom % D
1343	Ammonium hydrogenphosphate, 98+%, A.C.S. reagent	1134	Benzoylferrocene, 95%
1406	Ammonium hydrogensulfate, 98%	163	Benzyl-2,3,4,5,6-d5, alcohol, 98 atom % D
1254	Ammonium iodide, 99.999%	164	Benzyl-d7 alcohol, 97 atom % D
1386	Ammonium iron(II) sulfate hexahydrate, 99.997%	151	Benzyl-d7 chloride, 99+ atom % D
1451	Ammonium metatungstate hydrate, +80 mesh	848	Benzyltriphenyltin
1435	Ammonium metavanadate, 99.99%	918	Beryllium acetylacetonate
1389	Ammonium nickel(II) sulfate hexahydrate, 98%	1365	Beryllium sulfate tetrahydrate, 99.99%
1315	Ammonium nitrate, 98+%, A.C.S. reagent	134	Biphenyl-d10, 98+ atom % D
1419	Ammonium perchlorate, 99.8%	1065	Bis((R)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl)rhodium(I) perchlorate, 96%
1455	Ammonium perrenate, 99.999%	1058	Bis(1,2-bis(diphenylphosphino)ethane)palladium(0)
1339	Ammonium sodium hydrogenphosphate tetrahydrate, 99%	1071	Bis(1,5-cyclooctadiene)bis(1H-pyrazolato)diiridium
1212	Ammonium sulfamate, 98+%, A.C.S. reagent	895	Bis(1,5-cyclooctadiene)nickel(0)
1372	Ammonium sulfate, 99.999%	894	Bis(1,5-cyclooctadiene)rhodium(I) tetrafluoroborate hydrate, 97%
1485	Ammonium sulfite monohydrate, 92%	1118	Bis(2,4-cyclopentadien-1-yl)((4-methylbicyclo(2.2.1)-heptane-2,3-diyl)methylene)titanium
1269	Ammonium tetraborate tetrahydrate, 99%	991	Bis(3-(heptafluoropropyl)hydroxymethylene)-(+)-camphorato)oxovanadium, 98%
1432	Ammonium tetrachlorocuprate(II) dihydrate, 98%	432	Bis(3-(trimethoxysilyl)propyl)amine, tech., 90+%
1463	Ammonium tetrachloroplatinate(II), 99.99%	1052	Bis(acetato)bis(triphenylphosphine)palladium(II), 99%
1273	Ammonium tetrafluoroborate, 99.99%	1004	Bis(acetonitrile)chloronitropalladium(II)
1452	Ammonium tetrathiotungstate, 99.9+%	1003	Bis(acetonitrile)dichloropalladium(II), 99%
1474	Ammonium thiocyanate, 97.5+%, A.C.S. reagent	1027	Bis(benzonitrile)dichloropalladium(II)
1411	Ammonium thiosulfate, 99%	898	Bis(bicyclo(2.2.1)hepta-2,5-diene)rhodium(I) perchlorate
1449	Ammonium tungstate, 99.999%	441	Bis(bis(trimethylsilyl)amino)tin(II)
1247	Ammonium-15N chloride, 10 atom % 15N	246	Bis(chloromethyl)dimethylsilane, 99%
1316	Ammonium-15N nitrate, 98 atom % 15N	910	Bis(cis-1,2-diaminocyclohexane)nickel(II) chloride, 99%
1373	Ammonium-15N sulfate, 10+ atom % 15N	1100	Bis(cyclopentadienyl)cobalt
98	Ammonium-d4 acetate-d3, 98 atom % D	1107	Bis(cyclopentadienyl)hafnium dichloride, 98%
63	Ammonium-d4 bromide, 98+ atom % D	1110	Bis(cyclopentadienyl)molybdenum dichloride, 98%
62	Ammonium-d4 chloride, 98+ atom % D	1109	Bis(cyclopentadienyl)niobium dichloride, 95%
1347	Ammonium-d4 dideuteriumphosphate, 99 atom % D	1101	Bis(cyclopentadienyl)ruthenium, 97%
201	Ammonium-d4 thiocyanate, 99 atom % D	1103	Bis(cyclopentadienyl)titanium dichloride, 97%
166	Aniline-2,3,4,5,6-d5, 99+ atom % D	1104	Bis(cyclopentadienyl)titanium pentasulfide, 98%
1180	Anisole chromium tricarbonyl, 99%		
156	Anisole-d8, 99 atom % D		

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
1108	Bis(cyclopentadienyl)vanadium dichloride, 95%	713	Boron trifluoride-methanol-d4 complex, 99+atom %D, in excess methanol-d4
1106	Bis(cyclopentadienyl)zirconium chloride hydride, 95%	714	Boron trifluoride-propanol complex, in excess propanol
1105	Bis(cyclopentadienyl)zirconium dichloride, 98+%	1253	Boron triiodide, 98+%
772	Bis(dibutylchlorotin) oxide, 98%	149	Bromobenzene-d5, 99.5 atom % D
1007	Bis(diethyldithiocarbamate)dioxomolybdenum(VI)	20	Bromochloromethane-d2, 99 atom % D
435	Bis(dimethylamino)dimethylsilane, 96%	14	Bromoethane-d5, 99 atom % D
1112	Bis(pentamethylcyclopentadienyl)ruthenium, 97%	23	Bromoform-D, 99 atom % D
1090	Bis(salicylideneiminato-3-propyl)methylaminocobalt(II), 97%	237	Bromomethyltrimethylsilane, 97%
754	Bis(tributyltin) oxide, 96%	1200	Bromopentacarbonyl bromide, 98%
753	Bis(tributyltin), 95%	1197	Bromopentacarbonylmanganese, 98%
461	Bis(trimethylsilyl) malonate, 98%	545	Bromo-tert-butylmethoxyphenylsilane, 95%
387	Bis(trimethylsilyl) peroxide, 96%	258	Bromotriethylsilane, 98%
504	Bis(trimethylsilyl) sulfate, 97%	251	Bromotrimethylsilane, 97%
595	Bis(trimethylsilyl)acetylene, 99%	1044	Bromotris(triphenylphosphine)rhodium(I)
231	Bis(trimethylsilyl)cyclopentadiene, 98%, mixture of isomers	1224	Buckminsterfullerene
225	Bis(trimethylsilyl)methane, 97%	120	Butadiene-2,2,5,5-d4 sulfone, 98+ atom % D
484	Bis(trimethylsilyl)sulfur diimide, 95%	690	Butylboronic acid, 97%
478	Bis(trimethylsilyl)trifluoroacetamide, 99+%	636	Butyldichloroborane
883	Bis(trimethylsilylmethyl)mercury	261	Butyldimethylsilyl chloride, 98%
820	Bis(trimethyltin) sulfide, 96%	1114	Butylferrocene, 97%
1034	Bis(triphenylphosphine)copper(I) borohydride	825	Butyltin chloride dihydroxide, 96%
1185	Bis(triphenylphosphine)dicarbonylnickel	826	Butyltin hydroxide oxide hydrate, 97%
688	Bis(triphenylphosphoranylidene)ammonium borohydride, 97%	771	Butyltin trichloride, 95%
572	Bis(triphenylsilyl) chromate	832	Butyltin tris(2-ethylhexanoate), 95%
867	Bis(triphenyltin) oxide, 97%	290	Butyltrichlorosilane, 99%
1333	Bismuth subnitrate, 98%	1378	Cadmium sulfate monohydrate, 99.999%
627	Borane-2,6-lutidine complex	920	Calcium acetylacetonate hydrate
628	Borane-4-(dimethylamino)pyridine complex, 97%	955	Calcium bis(2,2,6,6-tetramethyl-3,5-heptanedionate)
623	Borane-4-ethylmorpholine complex	1280	Calcium carbonate, 99.995+%
622	Borane-4-methylmorpholine complex, 97%	1345	Calcium dihydrogenphosphate, tech., 85%
625	Borane-4-phenylmorpholine complex	1342	Calcium hydrogenphosphate, 99%
614	Borane-diethylamine complex, 95%	1428	Calcium iodate, 98%
618	Borane-diisopropylamine complex	1310	Calcium nitrate hydrate, 99.997%
613	Borane-dimethylamine complex, 97%	1336	Calcium phosphate, powder
633	Borane-diphenylphosphine complex, 98%	1448	Calcium tungstate, powder, 99.9%
621	Borane-morpholine complex, 95%	1188	Carbonylchlorobis(triphenylphosphine)iridium(I), 99.99%
624	Borane-N,N-diethylaniline complex	1187	Carbonylchlorobis(triphenylphosphine)rhodium(I), 99.99%
619	Borane-N,N-diisopropylethylamine complex	1189	Carbonylchlorohydrodrotis(triphenylphosphine)ruthenium(II)
620	Borane-piperidine complex	1190	Carbonyldihydrodrotis(triphenylphosphine)ruthenium(II)
629	Borane-poly(2-vinylpyridine) complex	1192	Carbonylhydrodrotis(triphenylphosphine)iridium(I)
626	Borane-pyridine complex	1191	Carbonylhydrodrotis(triphenylphosphine)rhodium(I), 97%
612	Borane-tert-butylamine complex, powder, 97%	635	Catecholborane, 98%
630	Borane-tributylphosphine complex, 98%	933	Cerium(III) acetylacetonate hydrate
616	Borane-triethylamine complex, 97%	1292	Cerium(III) carbonate hydrate, 99.9%
615	Borane-trimethylamine complex, 97%	1324	Cerium(III) nitrate hexahydrate, 99.999%
632	Borane-triphenyl phosphite complex, 97%	1391	Cerium(III) sulfate octahydrate, 99.999%
631	Borane-triphenylphosphine complex, 97%	805	Cerium(IV) isopropoxide isopropanol complex
1228	Boric acid, 99+%	917	Cesium acetylacetonate
197	Boric acid-d3, 98 atom % D	1279	Cesium carbonate, 99.995%
1226	Boric-10b acid, 97 atom % 10b	1364	Cesium sulfate, 99.999%
1227	Boric-11b acid, 99 atom % 11b	896	Chloro(1,5-cyclooctadiene)rhodium(I) dimer, 98%
1251	Boron tribromide, 99.9%	887	Chloro(1,5-hexadiene)rhodium(I) dimer, 98%
717	Boron trifluoride dibutyl etherate	488	Chloro(3-cyanopropyl)dimethylsilane, 95%
716	Boron trifluoride diethyl etherate	272	Chloro(chloromethyl)dimethylsilane, 98%
712	Boron trifluoride dihydrate, 96%	424	Chloro(diisopropylamino)dimethylsilane, 97%
715	Boron trifluoride dimethyl etherate	1019	Chloro(pyridine)bis(dimethylglyoximate)cobalt(III), 98%
719	Boron trifluoride-acetic acid complex, 98%	1011	Chloro(triethylphosphine)gold(I), 97%
718	Boron trifluoride-ethylamine complex	1030	Chloro(trimethylphosphine)gold(I), 99%
		1035	Chloro(triphenylphosphine)gold(I), 99.9+%

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
148	Chlorobenzene-d5, 98.5+ atom % D	912	Cobalt(III) sepulchrate trichloride, 95%
1074	Chlorobis(2-phenylpyridine)rhodium(III) dimer, 98%	913	Cobalt(III) sepulchrate tris(tetraphenylborate)
888	Chlorobis(cyclooctene)rhodium(I) dimer, 98%	957	Copper bis(2,2,6,6-tetramethyl-3,5- heptanedionate), 99%
271	Chlorocyclohexyldimethylsilane, 98%	1239	Copper chromite
1120	Chlorocyclopentadienyl((4R,5R)-2,2-dimethyl-alpha,alpha,alpha',alpha'-tetraphenyl-1,3-dioxolane-4,5-dimethanolato)titanium, 97%	905	Copper(I) bromide-dimethyl sulfide complex, 99%
1121	Chlorocyclopentadienyl((4S,5S)-2,2-dimethyl-alpha,alpha,alpha',alpha'-tetraphenyl-1,3-dioxolane-4,5-dimethanolato)titanium, 97%	1261	Copper(I) cyanide, 99%
1150	Chlorocyclopentadienylbis(triphenylphosphine)ruthenium(II), 98%	1475	Copper(I) thiocyanate, 99%
267	Chlorodiisopropyloctylsilane, 98%	929	Copper(II) acetylacetonate, 97%
254	Chlorodimethylethylsilane, 97%	1286	Copper(II) carbonate, basic
259	Chlorodimethylisopropylsilane, 97%	789	Copper(II) ethoxide-ethanol complex
268	Chlorodimethyloctadecylsilane, 95%	971	Copper(II) hexafluoroacetylacetonate hydrate
266	Chlorodimethyloctylsilane, 97%	803	Copper(II) isopropoxide
528	Chlorodimethylpentafluorophenylsilane, 97%	1490	Copper(II) selenite dihydrate
526	Chlorodimethylphenylsilane, 99%	1375	Copper(II) sulfate pentahydrate, 99.999%
248	Chlorodimethylsilane, 98%	1374	Copper(II) sulfate, 98%
269	Chlorodimethylvinylsilane, 97%	1275	Copper(II) tetrafluoroborate
529	Chlorodiphenylmethylsilane, 98%	968	Copper(II) trifluoroacetylacetonate, 97%
527	Chlorodiphenylvinylsilane, 96%	1450	Copper(II) tungstate hydrate
22	Chloroform-D, 100.0 atom % D	1255	Cyanogen iodide, 93%
1041	Chlorohydridotris(triphenylphosphine)ruthenium(II)	1157	Cycloheptatriene chromium tricarbonyl, 98%
549	Chloromethyl(2-chlorophenoxy)dimethylsilane, 97%	1156	Cyclohexadienylmiron(0) tricarbonyl tetrafluoroborate
550	Chloromethyl(4-chlorophenoxy)dimethylsilane, 98%	9	Cyclohexane-d12, 99.5 atom % D
338	Chloromethyl(diisopropoxy)methylsilane, 98%	78	Cyclohexanone-2,2,6,6-d4, 99 atom % D
283	Chloromethyldichloromethylsilane, 98%	335	Cyclohexyldimethoxymethylsilane, 99+%
329	Chloromethyldimethylisopropoxysilane, 97%	222	Cyclohexyldimethylsilane, 98%
525	Chloromethylphenylsilane, 95%	300	Cyclohexyltrichlorosilane, 98%
359	Chloromethyltriethoxysilane, 95%	1169	Cyclopentadienylcobalt dicarbonyl
236	Chloromethyltrimethylsilane, 98%	1168	Cyclopentadienyliron dicarbonyl iodide, 97%
807	Chlorotitanium triisopropoxide, 95%	1166	Cyclopentadienylmanganese tricarbonyl
533	Chlorotriethylsilane, 97%	1164	Cyclopentadienylmolybdenum tricarbonyl dimer, 98%
365	Chlorotriethoxysilane, 98%	1170	Cyclopentadienylnickel carbonyl dimer
764	Chlorotriethylgermane, 97%	1167	Cyclopentadienylrhodium tricarbonyl, 97%
257	Chlorotriethylsilane, 99%	1102	Cyclopentadienyltitanium trichloride, 97%
264	Chlorotriisobutylsilane, 99%	1165	Cyclopentadienyltungsten tricarbonyl dimer
250	Chlorotrimethylsilane, 98%	610	Dc-193
262	Chlorotripropylsilane, 98%	611	Decaborane(14), white
1038	Chlorotris(triphenylphosphine)cobalt(I), 97%	11	Decahydronaphthalene-d18, 98+ atom % D, mixture of cis and trans
1043	Chlorotris(triphenylphosphine)rhodium(I), 99.99%	406	Decamethylcyclopentasiloxane, 97%
1194	Chromium hexacarbonyl, 99%	401	Decamethyltetrasiloxane, 97%
939	Chromium(III) acetylacetonate, 97%	4	Decane-d22, 99 atom % D
1320	Chromium(III) nitrate nonahydrate, 99%	294	Decyltrichlorosilane, 97%
142	Chrysene-d12, 98 atom % D	53	D-Glucose-13C6-1,2,3,4,5,6,6-d7, 98 atom % 13C, 50 atom % D
12	cis-Decahydronaphthalene-d18, 98+ atom % D	52	D-Glucose-2-D, 97 atom % D
1513	cis-Diamminedichloroplatinum(II), 99.999%	51	D-Glucose-6,6-d2, 98 atom % D
1516	cis-Diamminetetrachloroplatinum(IV), 98%	468	Diacetoxydimethylsilane, 98%
1072	cis-Dichlorobis(pyridine)platinum(II), 97%	218	Diallyldimethylsilane, 98%
1009	cis-Dichlorobis(triethylphosphine)platinum(II), 98%	521	Diallyldiphenylsilane, 97%
1048	cis-Dichlorobis(triphenylphosphine)platinum(II)	1515	Diammineplatinum(II) nitrite
1161	cis-Tetracarbonylbis(piperidine)molybdenum	187	Diazald-N-methyl-d3, 98 atom % D
943	Cobalt(II) acetylacetonate, 97%	1083	Dibromo(1,10-phenanthroline)copper(II), 98%
1026	Cobalt(II) benzoylacetate	892	Dibromo(1,5-cyclooctadiene)platinum(II), 98%
974	Cobalt(II) hexafluoroacetylacetonate hydrate, 98%	1013	Dibromobis(tributylphosphine)nickel(II), 97%
1322	Cobalt(II) nitrate hexahydrate, 99.999%	1039	Dibromobis(triphenylphosphine)nickel(II), 99%
1387	Cobalt(II) sulfate hydrate	18	Dibromomethane-d2, 99.6 atom % D
1477	Cobalt(II) thiocyanate hydrate	797	Dibutoxydibutyltin
944	Cobalt(III) acetylacetonate, 98%	664	Dibutylborinic acid ethanolamine ester, 98%
		831	Dibutyltin bis(2-ethylhexanoate)
		828	Dibutyltin diacetate

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
770	Dibutyltin dichloride, 96%	641	Diisopropoxymethylborane, 97%
833	Dibutyltin dilaurate, 95%	675	Diisopropoxyphenylborane, 97%
780	Dibutyltin dimethoxide	464	Diisopropyl O,O'-bis(trimethylsilyl)-D- tartrate, flukabrand chiraselect reagent, 99%
835	Dibutyltin maleate, 95%	465	Diisopropyl O,O'-bis(trimethylsilyl)-L- tartrate, flukabrand chiraselect reagent, 99%
755	Dibutyltin oxide, 98%	421	Diisopropyl dimethylaminoctylsilane, 99%
1174	Dicarbonylcyclopentadienyl(dimethylsulfoniummethylide)iron tetrafluoroborate, 98%	1198	Dimanganese decacarbonyl, 98%
1186	Dicarbonyldichlorobis(triphenylphosphine)ruthenium(II), 97%	677	Dimesitylborane, 90%
1143	Dichloro((R)-N,N-di-me-1-((S)-2- (diphenylphosphino)ferrocenyl)ethylamine)palladium(II)	334	Dimethoxydimethylsilane, 95%
1144	Dichloro((S)-N,N-di-me-1-((R)-2-(diphenyl- phosphino)ferrocenyl)ethylamine)palladium(II)	553	Dimethoxymethylphenylsilane, 95%
1082	Dichloro(1,10-phenanthroline)copper(II), 98%	348	Dimethoxymethylvinylsilane, 97%
1088	Dichloro(1,10-phenanthroline)palladium(II)	1131	Dimethyl 1,1'-ferrocenedicarboxylate, 98%
891	Dichloro(1,5-cyclooctadiene)platinum(II), 98%	506	Dimethyl trimethylsilyl phosphite, 95%
890	Dichloro(1,5-cyclooctadiene)ruthenium(II), polymer, 95%	602	Dimethyl(phenylethynyl)silane, 97%
284	Dichloro(2-chloroethyl)methylsilane, 97%	122	Dimethyl-d6 sulfate, 99+ atom % D
285	Dichloro(3-chloropropyl)methylsilane, 98%	70	Dimethyl-d6-amine hydrochloride, 98+ atom % D
906	Dichloro(ethylenediamine)platinum(II), 99%	118	Dimethyl-d6-cyanamide, 99 atom % D
908	Dichloro(N,N,N',N'-tetramethylethylenediamine)palladium(II), 99%	325	Dimethylethoxyvinylsilane, 98%
909	Dichloro(N,N,N',N'-tetramethylethylenediamine)zinc, 98%	208	Dimethylisopropylsilane, 98%
1022	Dichloro(p-cymene)ruthenium(II) dimer	746	Dimethylmercury, 95%
1155	Dichloro(rac-ethylenebis(indenyl))zirconium(IV)	522	Dimethylpentafluorophenylsilane, 98%
907	Dichlorobis(ethylenediamine)platinum(II), 98%	510	Dimethylphenylsilane, 98+%
1053	Dichlorobis(methylenebis(diphenylphosphine))dipalladium- dichloromethane adduct	265	Dimethylthexylsilyl chloride, 95%
1012	Dichlorobis(tributylphosphine)nickel(II)	502	Dimethylthexylsilyl trifluoromethanesulfonate, 97%
1015	Dichlorobis(tricyclohexylphosphine)palladium(II), 97%	827	Dimethyltin diacetate, 97%
1008	Dichlorobis(triethylphosphine)palladium(II), 97%	761	Dimethyltin dibromide, 97%
240	Dichlorobis(trimethylsilyl)methane, 97%	760	Dimethyltin dichloride, 97%
1037	Dichlorobis(triphenylphosphine)cobalt(II), 98%	1025	Di-mu-chlorobis(2-((dimethylamino)methyl)phenyl- C,N)dipalladium, 98%
366	Dichlorodiethoxysilane, 97%	1084	Dinitrato(1,10-phenanthroline)copper(II), 96%
277	Dichlorodimethylsilane, 99%	604	Diphenyl(trimethylsilyl)phosphine
536	Dichlorodiphenylsilane, 97%	676	Diphenylborinic acid, ethanolamine ester, 98%
278	Dichloroethylmethylsilane, 99%	710	Diphenylborinic anhydride, 95%
17	Dichloromethane-d2, 99.95 atom % D	857	Diphenylgermanium dichloride, 95%
535	Dichloromethyl(4-methylphenethyl)silane, 95%	851	Diphenylmercury, 97%
642	Dichloromethyldiisopropoxyborane	515	Diphenylmethylsilane, 98%
280	Dichloromethyloctadecylsilane, 95%	1136	Diphenylphosphinoferrrocene, 98%
534	Dichloromethylphenylsilane, 98%	514	Diphenylsilane, 97%
274	Dichloromethylsilane, 97%	543	Diphenylsilanediol, 95%
281	Dichloromethylvinylsilane, 97%	858	Diphenyltin dichloride, 96%
1087	Dichlorotriss(1,10-phenanthroline)ruthenium(II) hydrate, 98%	1257	Diphosphoryl chloride, 97%
1021	Dicumene chromium	1201	Dirhenium decacarbonyl, 98%
223	Dicyclohexylmethylsilane, 98%	249	Di-tert-butylchlorosilane, 99%
363	Diethoxy(3-glycidyloxypropyl)methylsilane, 97%	279	Di-tert-butyl dichlorosilane, 98%
336	Diethoxydimethylsilane, 97%	773	Di-tert-butyltin dichloride, 98%
555	Diethoxydiphenylsilane, 97%	205	Dodecamethylcyclohexasilane
554	Diethoxymethylphenylsilane, 97%	394	Dodecamethylpentasiloxane, 97%
337	Diethoxymethylvinylsilane, 97%	91	Dodecanedioic-d20 acid, 98 atom % D
508	Diethyl (difluoro(trimethylsilyl)methyl)- phosphonate, 96%	123	Dodecyl-d25 sulfate, sodium salt, 98 atom % D
106	Diethyl malonate-d2, 90 atom % D	295	Dodecyltrichlorosilane, 98%
765	Diethylgermanium dichloride, 97%	1330	Dysprosium(III) nitrate pentahydrate, 99.9%
638	Diethylmethoxyborane, 98%	1398	Dysprosium(III) sulfate octahydrate, 99.9%
206	Diethylmethylsilane, 97%	997	Erbium tris(3-(heptafluoropropylhydroxymethylene)-(-)- camphorate), 98%
215	Diethylmethylvinylsilane, 97%	996	Erbium tris(3-(heptafluoropropylhydroxymethylene)-(+)- camphorate), 98%
1138	Diferrocenylphenylphosphine, 98%	1296	Erbium(III) carbonate hydrate, 99.9%
1042	Dihydridotetrakis(triphenylphosphine)ruthenium(II), 95%	1400	Erbium(III) sulfate hydrate, 99.9%
19	Diiodomethane-d2, 99 atom % D	324	Ethoxytrimethylsilane, 98%
1203	Diiron nonacarbonyl, 98%	453	Ethyl (S)-(-)-2-(tert-butyl dimethylsilyloxy)propionate, 98%

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
451	Ethyl (trimethylsilyl)acetate, 99%	1503	Hexaamminecobalt(III) chloride, 99.999%
467	Ethyl 2-(trimethylsilylmethyl)acetoacetate, 95%	1505	Hexaamminenickel(II) chloride, 99.999%
196	Ethyl 3-(trimethylsilyl)propionate- 2,2,3,3-d4, 99 atom % D	1506	Hexaammineruthenium(II) chloride
452	Ethyl 3-(trimethylsilyl)propionate, 95%	1508	Hexaammineruthenium(III) chloride, 98%
601	Ethyl 3-(trimethylsilyl)propynoate, 99%	1246	Hexachlorodisilane, 96%
1002	Ethyl acetoacetate, sodium salt	402	Hexamethylcyclotrisiloxane, 98%
28	Ethyl alcohol-D, 99.5+ atom % D	230	Hexamethyldisilane, 98%
821	Ethyl tributyltin sulfide, 96%	415	Hexamethyldisilathiane
460	Ethyl trimethylsilyl malonate, 97%	386	Hexamethyldisiloxane, 98+%
29	Ethyl-1,1-d2 alcohol, 98 atom % D	745	Hexamethyliditin, 99%
30	Ethyl-2,2,2-d3 alcohol, 99 atom % D	1	Hexane-d14, 99 atom % D
128	Ethylbenzene-d10, 98+ atom % D	84	Hexanoic-d11 acid, 98 atom % D
127	Ethylbenzene-ring-d5, 97 atom % D	1205	Hexarhodium hexadecacarbonyl, 98%
42	Ethylene glycol-d2, 98 atom % D	7	Hexatriacontane-d74, 98 atom % D
732	Ethylenebis(diphenylarsine), 94%	33	Hexyl-d13 alcohol, 98 atom % D
1049	Ethylenebis(triphenylphosphine)platinum(0)	292	Hexyltrichlorosilane, 97%
41	Ethylene-d4 glycol (oh,od), 97 atom % D	1295	Holmium(III) carbonate hydrate, 99.9%
69	Ethylene-d4-diamine, 98 atom % D	1331	Holmium(III) nitrate pentahydrate, 99.9%
766	Ethylgermanium trichloride, 97%	1399	Holmium(III) sulfate octahydrate, 99.9%
287	Ethyltrichlorosilane, 98%	1218	Hydrazine dihydrochloride, 98+%
342	Ethyltrimethoxysilane, 97+%	1217	Hydrazine monohydrate, 98%
995	Europium tris(3-(heptafluoropropylhydroxymethylene)-(-)-camphorate), 97%	1219	Hydrazine sulfate, 99+%, A.C.S. reagent
994	Europium tris(3-(heptafluoropropylhydroxymethylene)-(+)-camphorate), 98%	1216	Hydrazine, anhydrous, 98%
989	Europium tris(3-(trifluoromethylhydroxymethylene)-(-)-camphorate)	1046	Hydridotetrakis(triphenylphosphine)rhodium(I)
988	Europium tris(3-(trifluoromethylhydroxymethylene)-(+)-camphorate)	1220	Hydroxylamine hydrochloride, 99%
934	Europium(III) acetylacetonate hydrate	1221	Hydroxylamine sulfate, 99%
1293	Europium(III) carbonate hydrate, 99.9%	65	Hydroxylamine-d3, deuteriochloride, 98+ atom % D
1328	Europium(III) nitrate pentahydrate, 99.9%	925	Indium(III) acetylacetonate, 97%
1396	Europium(III) sulfate hydrate, 99.9%	1312	Indium(III) nitrate pentahydrate, 99.999%
970	Ferric trifluoroacetylacetonate	1370	Indium(III) sulfate, 99.999%
1097	Ferrocene, 98%	1233	Iodic acid, 99.5+%, A.C.S. reagent
1129	Ferroceneacetic acid, 98%	1017	Iodo(triethyl phosphite)copper(I), 97%
1133	Ferroceneacetonitrile	1016	Iodo(trimethyl phosphite)copper(I), 98%
1125	Ferrocenecarboxaldehyde, 98%	150	Iodobenzene-d5, 98+ atom % D
1128	Ferrocenecarboxylic acid, 97%	1036	Iododioxobis(triphenylphosphine)rhenium(V)
1119	Ferrocenemethanol, 97%	15	Iodoethane-d5, 99 atom % D
1098	Ferrocenium hexafluorophosphate	13	Iodomethane-d3, 99.5+ atom % D
1099	Ferrocenium tetrafluoroborate	252	Iodo(trimethyl)silane, 97%
140	Fluoranthene-d10, 98 atom % D	1202	Iron pentacarbonyl
137	Fluorene-d10, 98 atom % D	1422	Iron(II) perchlorate hydrate, 98%
147	Fluorobenzene-d5, 97 atom % D	942	Iron(III) acetylacetonate, 97%
855	Fluorotriphenyltin, 98%	346	Isobutyltriethoxysilane, 95+%
81	Formic-D acid-D, 99+ atom % D	344	Isobutyltrimethoxysilane, 97%
189	Furan-d4, 99 atom % D	1519	Kaolin
935	Gadolinium(III) acetylacetonate dihydrate, 98%	102	L-Alanine-d7, 98 atom % D
1397	Gadolinium(III) sulfate octahydrate, 99.99+%	932	Lanthanum acetylacetonate hydrate
924	Gallium(III) acetylacetonate, 98%	1290	Lanthanum carbonate hydrate, 99.9%
778	Germanium(IV) methoxide, 97%	1382	Lanthanum sulfate hydrate, 99.9%
48	Glycer(ol-d3), 98 atom % D	790	Lanthanum(III) ethoxide, 98%
50	Glycerol-1,1,2,3,3-d5, 98 atom % D	181	L-Dopa-ring-d3, 98+ atom % D
49	Glycerol-d8, 98 atom % D	928	Lead(II) acetylacetonate, tech.
99	Glycine-2,2-d2, 98 atom % D	1284	Lead(II) carbonate, 99.99+%
101	Glycine-d5, 97 atom % D	1301	Lead(II) carbonate, basic, 99.999%
100	Glycine-N,N,O-d3, 98+ atom % D	1314	Lead(II) nitrate, 99.999%
1263	Gold(I) cyanide, 99.99%	1473	Lead(II) thiocyanate, 99.5%
1384	Hafnium sulfate, 99.9+%	914	Lithium acetylacetonate, 97%
437	Heptamethyldisilazane, 97%	472	Lithium bis(trimethylsilyl)amide, 97%
		1277	Lithium carbonate, 99.997%
		1267	Lithium metaborate, powder, -325 mesh, 99.9+%
		1436	Lithium niobate, 99.98%

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
1305	Lithium nitrate	67	Methyl-d3-amine hydrochloride, 98+ atom % D
1360	Lithium sulfate, 99.99+%	731	Methylenebis-(diphenylarsine)
811	Lithium tert-butoxide, 97%	763	Methyltin trichloride, 97%
1268	Lithium tetraborate, <20 micron, 99.9+%	469	Methyltriacetoxysilane
1460	Lithium tetrachloropalladate(II) hydrate	762	Methyltrichlorogermane
1271	Lithium tetrafluoroborate, 98%	286	Methyltrichlorosilane, 99%
320	Lithium trimethylsilanolate	345	Methyltriethoxysilane, 99%
841	Lithium tri-tert-butoxyaluminumhydride, 97%	341	Methyltrimethoxysilane, 98%
103	L-Methionine-methyl-d3, 99+ atom % D	747	Methyltrioxorhenium(VII)
1403	Lutetium(III) sulfate hydrate, 99.9%	353	Methyltripropoxysilane, 97%
919	Magnesium acetylacetonate dihydrate, 98%	361	Methyltris(2-methoxyethoxy)silane
954	Magnesium bis(2,2,6,6-tetramethyl-3,5- heptanedionate) hydrate, 97%	1520	Molecular sieves, organophilic
1250	Magnesium bromide diethyl etherate, 99%	1195	Molybdenum hexacarbonyl, 98%
786	Magnesium ethoxide, 98%	1080	Molybdenyl oxinate
977	Magnesium hexafluoroacetylacetonate dimethoxyethane complex	693	m-Tolylboronic acid, 97%
1416	Magnesium perchlorate, A.C.S. reagent	570	N-(3-(Trimethoxysilyl)propyl)aniline
1367	Magnesium sulfate heptahydrate, 98+%, A.C.S. reagent	431	N-(3-(Trimethoxysilyl)propyl)ethylenediamine, 97%
1366	Magnesium sulfate, 99.99+%	477	N-(Tert-butyl(dimethylsilyl)-N-methyltrifluoroacetamide, 97+%
89	Malonic-d2 acid-d2, 99+ atom % D	474	N-(Trimethylsilyl)acetamide, 95%
940	Manganese(II) acetylacetonate	566	N-(Trimethylsilylmethyl)benzylamine, 98%
973	Manganese(II) hexafluoroacetylacetonate trihydrate	1094	N,N'-Bis(salicylidene)-1,2-phenylenediaminocobalt(II) monohydrate, 98%
1483	Manganese(II) hypophosphite monohydrate	1093	N,N'-Bis(salicylidene)dianilinocobalt(II), 98%
1321	Manganese(II) nitrate hydrate, 99.99%	1089	N,N'-Bis(salicylidene)ethylenediaminocobalt(II) hydrate, 97%
1385	Manganese(II) sulfate monohydrate, 98+%, A.C.S. reagent	433	N,N'-Bis(trimethylsilyl)-1,4- butanediamine, 95%
941	Manganese(III) acetylacetonate	416	N,N-Diethyl(trimethylsilyl)methylamine, 97%
159	m-Cresol-d8, 98 atom % D	419	N,N-Diethyltrimethylsilylamine, 97%
1265	Mercury(II) cyanide, 99%	420	N,N-Diisopropyltrimethylsilylamine, 97%
1318	Mercury(II) nitrate monohydrate, 98+%, A.C.S. reagent	417	N,N-Dimethylformamide bis(2-(trimethylsilyl)ethyl) acetal, 95%
1421	Mercury(II) perchlorate hydrate, 98%	112	N,N-Dimethylformamide-1-D, 99 atom % D
1379	Mercury(II) sulfate, 98+%, A.C.S. reagent	113	N,N-Dimethylformamide-d7, 99.5 atom % D
1456	Mercury(II) tetrathiocyanatocobaltate(II), 99.99%	418	N,N-Dimethyltrimethylsilylamine, 97%
1476	Mercury(II) thiocyanate, 98%	475	N,O-Bis(trimethylsilyl)acetamide
873	Mersaly acid, 97%	426	N,O-Bis(trimethylsilyl)hydroxylamine, 97%
1031	Mer-trichlorotris(dimethylphenylphosphine)rhenium(III), 97%	1179	Naphthalene chromium tricarboxyl, 98%
1177	Mesitylene tungsten tricarbonyl, 98%	135	Naphthalene-d8, 98+ atom % D
1229	Metaphosphoric acid, chip, A.C.S. reagent	576	N-Benzyl-N-(trimethylsilylmethyl)aminoacetonitrile, 97%
323	Methoxytrimethylsilane, 99%	1326	Neodymium(III) nitrate hydrate, 99.99%
573	Methyl (diphenylmethylsilyl)acetate, 95%	1394	Neodymium(III) sulfate hydrate, 99.9%
450	Methyl (trimethylsilyl)acetate, 98%	946	Nickel(II) acetylacetonate hydrate
182	Methyl 9-anthracenecarboxylate-d9	945	Nickel(II) acetylacetonate, 95%
25	Methyl alcohol-D, 99.5+ atom % D	1291	Nickel(II) carbonate hydrate
837	Methyl ethyl(tributylstannyl)carbamate	975	Nickel(II) hexafluoroacetylacetonate hydrate, 98%
104	Methyl formate-D, 98+ atom % D	1323	Nickel(II) nitrate hexahydrate, 99.999%
459	Methyl trimethylsilyl malonate	1213	Nickel(II) sulfamate tetrahydrate, 98%
396	Methyl(3,3,3-trifluoropropyl)cyclopolysiloxanes, 98%, mix of tri- and tetra-	1388	Nickel(II) sulfate hexahydrate, 99%, A.C.S. reagent
27	Methyl-13C-d3 alcohol-D, 99 atom % 13C, 99 atom % D	903	Niobium(III) chloride-ethylene glycol dimethyl ether complex
66	Methylamine-d2 deuteriochloride, 98+ atom % D	904	Niobium(IV) chloride tetrahydrofuran complex
68	Methylamine-d5 deuteriochloride, 98+ atom % D	793	Niobium(V) ethoxide, 99.95%
399	Methylbis(trimethylsilyloxy)vinylsilane, 98%	167	Nitrobenzene-d5, 99.5 atom % D
689	Methylboronic acid, 97%	75	Nitromethane-d3, 99 atom % D
276	Methylchlorosilanes (mixed)	1274	Nitrosonium tetrafluoroborate
10	Methylcyclohexane-d14, 99 atom % D	1045	Nitrosyltris(triphenylphosphine)rhodium(I), 97%
1173	Methylcyclopentadienyliron dicarbonyl dimer	838	N-Lithiotrifluoromethanesulfonimide, 97%
1171	Methylcyclopentadienylmolybdenum tricarbonyl dimer, 97%	476	N-Methyl-N-(trimethylsilyl)trifluoroacetamide, 97%
26	Methyl-d3 alcohol-D, 99.95+ atom % D	3	Nonane-d20, 98 atom % D
107	Methyl-d3 methacrylate-d5, 99 atom % D	1018	N-Pyruvylidene-glycinatoaquocopper(II) dihydrate
105	Methyl-d3 tribromoacetate, 98 atom % D	425	O-(Trimethylsilyl)hydroxylamine, 97%
121	Methyl-d3 trifluoromethanesulfonate, 99 atom % D	586	O,O'-Bis(trimethylsilyl)uracil, 97%

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
667	O-Carborane, 98%	1256	Phosphorus oxychloride, 99%
204	Octadecylsilane, 98%	1248	Phosphorus pentachloride, 95%
296	Octadecyltrichlorosilane, 95%	1235	Phosphotungstic acid hydrate
404	Octamethylcyclotetrasiloxane, 98%	179	Phthalic-d4 acid, 98 atom % D
393	Octamethyltrisiloxane, 98%	74	Piperazine-2,2,3,3,5,5,6,6-d8 dihydrochloride monohydrate, 98 atom % D
2	Octane-d18, 98+ atom % D	73	Piperidine-d11, 98 atom % D
97	Octanoic-d15 acid, 98 atom % D	950	Platinum(II) acetylacetonate, 97%
519	Octaphenylcyclotetrasilane, 97%	609	Poly(dimethylsiloxane), vinyl terminated
561	Octaphenylcyclotetrasiloxane, 97%	606	Poly(methylhydrosiloxane)
293	Octyltrichlorosilane, 97%	1424	Potassium bromate, 99+%
347	Octyltriethoxysilane, 96+%	1413	Potassium chlorate, 98%
738	Ortho-arsanilic acid, 98%	1470	Potassium cyanate, 97%
178	o-Toluic-ring-d4-methyl-d3 acid, 99 atom % D	1259	Potassium cyanide, 97%, A.C.S. reagent
1014	Oxalatobis(triethylphosphine)platinum(II) hydrate	1260	Potassium cyanide-15N, 98 atom % 15N
88	Oxalic acid-d2, 99 atom % D	199	Potassium cyanoborodeuteride, 98 atom % D
1073	Oxodiperoxymolybdenum(pyridine)hexamethylphosphoramide	1341	Potassium deuteriumphosphate, 98 atom % D
1409	Oxone, monopersulfate compound	1443	Potassium dichromate, 99+%, A.C.S. reagent
949	Palladium(II) acetylacetonate, 99%	1433	Potassium dicyanoaurate(I), 98%
976	Palladium(II) hexafluoroacetylacetonate	202	Potassium dideuteriumphosphate, 98 atom % D
1241	Palladium(II) oxide hydrate	1344	Potassium dihydrogenphosphate, 99.99%
1390	Palladium(II) sulfate, 98%	785	Potassium ethoxide, 95%
203	Paraformaldehyde-d2, 99 atom % D	1498	Potassium ferricyanide(III), 99%
740	p-Arsanilic acid, 97%	1496	Potassium ferrocyanide(II) trihydrate, 99%, A.C.S. reagent
160	p-Cresol-d8, 98 atom % D	93	Potassium formate-D, 99 atom % D
1518	Pentaammine(dinitrogen)osmium(II) chloride	1457	Potassium heptafluoroniobate(V), 98%
1504	Pentaamminechlorocobalt(III) chloride, 98%	1438	Potassium heptafluorotantalate(V), 99%
1509	Pentaamminechlororuthenium(III) chloride	1502	Potassium hexacyanocobalt(II)ferrate(II)
1181	Pentacarbonyl(alpha-methoxybenzylidene)chromium	1458	Potassium hexacyanoruthenate(II)
162	Pentafluorophenol-D, 99 atom % D	1356	Potassium hexafluoroarsenate(V), 98%
1154	Pentamethylcyclopentadienyliridium(III) chloride dimer, 96%	1353	Potassium hexafluorophosphate, 98%
1153	Pentamethylcyclopentadienylrhodium chloride dimer, 97%	1302	Potassium hexafluorosilicate
1152	Pentamethylcyclopentadienylruthenium(III) chloride polymer	1357	Potassium hexahydroxyantimonate
291	Pentyltrichlorosilane, 97%, mixture of isomers	1495	Potassium hexathiocyanatochromate(III)
538	Phenethyltrichlorosilane, 95%	1299	Potassium hydrogencarbonate, granular, 99.7%, A.C.S. reagent
558	Phenethyltrimethoxysilane, 98%	1427	Potassium hydrogeniodate, 99%
157	Phenol-2,3,4,5,6-d5, 98 atom % D	1340	Potassium hydrogenphosphate, 98+%, A.C.S. reagent
158	Phenol-d6, 98+ atom % D	1405	Potassium hydrogensulfate, fused, A.C.S. reagent
544	Phenoxytrimethylsilane, 97%	1215	Potassium imidodisulfonate, 98%
577	Phenyl 2-(trimethylsilyl)ethyl sulfone, 98%	1426	Potassium iodate, 98%
870	Phenyl tributyltin sulfide, 95%	777	Potassium methoxide, 95%
176	Phenylacetic-alpha,alpha-d2 acid, 98 atom % D	1307	Potassium nitrate, 99.99%
193	Phenylacetylene-D, 98 atom % D	1308	Potassium nitrate-15N, 98 atom % 15N
733	Phenylarsine oxide, 97%	1431	Potassium periodate, 99.8%, A.C.S. reagent
736	Phenylarsonic acid, 97%	1453	Potassium permanganate, 99+%, A.C.S. reagent
692	Phenylboronic acid, 97%	1454	Potassium perhenate, 99.99%
876	Phenylmercuric acetate, 97%	1335	Potassium phosphate, 97%
850	Phenylmercuric borate	1478	Potassium selenocyanate, 97%
853	Phenylmercuric chloride	1362	Potassium sulfate, powder, 99+%, A.C.S. reagent
878	Phenylmercuric dimethyldithiocarbamate	1492	Potassium tellurite hydrate
863	Phenylmercuric hydroxide	813	Potassium tert-butoxide, 95%
849	Phenylmercuric nitrate, basic	1464	Potassium tetracyanoplatinate(II)
509	Phenylsilane, 97%	1465	Potassium tetracyanoplatinate(II) trihydrate, 98%
869	Phenylthiocopper(I), 98%	1466	Potassium tetrakis(thiocyanato)platinate(II), 97%
563	Phenylthiotrimethylsilane, 97%	1472	Potassium thiocyanate, 99+%, A.C.S. reagent
537	Phenyltrichlorosilane, 98%	1393	Praseodymium sulfate octahydrate, 99.999%
557	Phenyltriethoxysilane, 98%	993	Praseodymium tris(3-(heptafluoropropylhydroxymethylene)-(-)-camphorate)
556	Phenyltrimethoxysilane, 97%	992	Praseodymium tris(3-(heptafluoropropylhydroxymethylene)-(+)-camphorate), 98%
513	Phenyltrimethylsilane, 99%		
1223	Phosphonitric chloride trimer, 99%		

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
987	Praseodymium tris(3-(trifluoromethylhydroxymethylene)-(+)-camphorate), 98%	1337	Silver phosphate, 98%
1325	Praseodymium(III) nitrate hexahydrate, 99.9%	1376	Silver sulfate, 99.999%
83	Propionic-2,2-d ₂ acid, 99 atom % D	1441	Silver(I) chromate, 99%
57	Propylene-d ₆ oxide, 98 atom % D	819	Sodium 2-methyl-2-propanethiolate, tech., 90%
288	Propyltrichlorosilane, 98%	96	Sodium acetate-13C ₂ -2-d ₃ , 98 atom % 13C, 99 atom % D
578	p-Tolyl 2-(trimethylsilyl)ethynyl sulfone, 98%	95	Sodium acetate-2-13C-2-d ₃ , 97 atom % 13C, 97 atom % D
694	p-Tolylboronic acid, 97%	94	Sodium acetate-d ₃ , 99+ atom % D
539	p-Tolyltrichlorosilane, 94%	915	Sodium acetylacetonate monohydrate, 97%
131	p-Xylene-alpha, alpha, alpha, alpha', alpha', alpha'-d ₆ , 99+ atom % D	1499	Sodium amminepentacyanoferrate(II) hydrate
132	p-Xylene-d ₁₀ , 99+ atom % D	1266	Sodium azide, 99%
669	Pyrazabole, 97%	473	Sodium bis(trimethylsilyl)amide, 95%
192	Pyrazine-d ₄ , 98+ atom % D	1359	Sodium bismuthate, 85%
190	Pyridine-d ₅ , 100.0 atom % D	1236	Sodium borohydride, powder, 98%
1230	Pyrophosphoric acid	1423	Sodium bromate, 99+%
188	Pyrrole-d ₅ , 98 atom % D	1493	Sodium bromite trihydrate
962	Resolve-Al	735	Sodium cacodylate hydrate, 98%
979	Resolve-al agfod, 99%	1278	Sodium carbonate, granular, 99.5+%, A.C.S. reagent
964	Resolve-Al Dy, 98%	1412	Sodium chlorate, 99+%
983	Resolve-al dyfod, 99+%	1469	Sodium cyanate, 96%
985	Resolve-al erfod, 99+%	1258	Sodium cyanide, 95+%, A.C.S. reagent
981	Resolve-al eufod, 99%	198	Sodium cyanoborodeuteride, 96 atom % D
963	Resolve-Al Gd, 99+%	1237	Sodium cyanoborohydride, 95%
982	Resolve-al gdfod, 99+%	1442	Sodium dichromate dihydrate, 99%
965	Resolve-Al Ho, 99+%	1350	Sodium dihydrogenpyrophosphate, 97%
984	Resolve-al hofod, 99+%	784	Sodium ethoxide, 96%
960	Resolve-Al La, 99%	1276	Sodium hexafluoroaluminate, 99.98%
961	Resolve-Al Pr, 99%	1298	Sodium hydrogencarbonate, 99.7+%, A.C.S. reagent
980	Resolve-al prfod, 99+%	1338	Sodium hydrogenphosphate, 99+%, A.C.S. reagent
966	Resolve-Al Yb, 98%	1491	Sodium hydrogenselenite
986	Resolve-al ybfod, 99+%	1404	Sodium hydrogensulfate monohydrate, 99%
1199	Rhenium pentacarbonyl chloride, 98%	1486	Sodium hydrogensulfite, A.C.S. reagent
948	Rhodium(III) acetylacetonate, 97%	1487	Sodium hydrosulfite, tech., ca. 85%
1240	Rhodium(III) oxide hydrate	1482	Sodium hypophosphite hydrate
916	Rubidium acetylacetonate	1425	Sodium iodate, 98+%
1309	Rubidium nitrate, 99.99%	1488	Sodium metabisulfite, 97%
1363	Rubidium sulfate, 99.99%	776	Sodium methoxide, powder, 95%
684	Rubidium tetraphenylborate, 95%	1444	Sodium molybdate dihydrate, 99+%
1510	Ruthenium Red	1306	Sodium nitrate, 99.995%
947	Ruthenium(III) acetylacetonate, 97%	1479	Sodium nitrite, 97+%, A.C.S. reagent
1327	Samarium(III) nitrate hexahydrate, 99.9%	1480	Sodium nitrite-15N, 97 atom % 15N
1395	Samarium(III) sulfate octahydrate, 99.99%	1501	Sodium nitroferricyanide(III) dihydrate, 99%, A.C.S. reagent
1288	Scandium carbonate hydrate, 99.99%	1434	Sodium orthovanadate
1319	Scandium nitrate hydrate, 99.9%	1270	Sodium perborate tetrahydrate
1380	Scandium sulfate pentahydrate, 99.9%	1415	Sodium perchlorate, 98%
129	Sec-butylbenzene-d ₁₄ , 98 atom % D	1430	Sodium periodate, 99%
1231	Selenious acid, 99.999%	1407	Sodium persulfate, 98+%
1238	Silicon dioxide, 99.995+%	864	Sodium phenoxide trihydrate, 99%
607	Silicone oil, for melting point & boiling point apparatus	1351	Sodium polyphosphate, crystals, + 80 mesh, 96%
608	Silicone oil, high temperature	1349	Sodium pyrophosphate decahydrate, 99%, A.C.S. reagent
930	Silver acetylacetonate, 98%	1348	Sodium pyrophosphate, 98%
1287	Silver carbonate, 99%	1361	Sodium sulfate, 99.99+%
1262	Silver cyanide, 99%	1484	Sodium sulfite, 98+%, A.C.S. reagent
1358	Silver hexafluoroantimonate, 98%	812	Sodium tert-butoxide, 97%
1355	Silver hexafluorophosphate, 98%	815	Sodium tert-pentoxide, 95%
1429	Silver iodate, 98%	1272	Sodium tetrafluoroborate, 98%
1317	Silver nitrate, 99.998%	687	Sodium tetrakis(1-imidazolyl)borate, 97%
1481	Silver nitrite, 99%	686	Sodium tetrakis(4-fluorophenyl)borate dihydrate, 98%
1420	Silver perchlorate hydrate, 99%	683	Sodium tetraphenylborate, 99.5+%, A.C.S. reagent
		1408	Sodium tetrathionate dihydrate, 98%
		1471	Sodium thiocyanate, 98%

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
1410	Sodium thiosulfate, 99%	824	Tetrakis(diethylamino)zirconium
720	Sodium trimethoxyborohydride	234	Tetrakis(trimethylsilyl)silane, 98%
321	Sodium trimethylsilanolate, 95%	383	Tetrakis(trimethylsilyloxy)silane, 97%
1352	Sodium tripolyphosphate, tech., 85%	1069	Tetrakis(triphenyl phosphite)nickel(0)
1447	Sodium tungstate dihydrate, 99%, A.C.S. reagent	1047	Tetrakis(triphenylphosphine)palladium(0), 99%
85	Stearic-d35 acid, 98 atom % D	367	Tetramethyl orthosilicate, 98%
921	Strontium acetylacetonate, 97%	1160	Tetramethylammonium (1-hydroxyethylidene)pentacarbonylchromium
1281	Strontium carbonate, 99.995%	666	Tetramethylammonium triacetoxyborohydride, 95%
133	Styrene-d8, 98+ atom % D	195	Tetramethyl-d12 orthosilicate, 99 atom % D
87	Succinic-d4 acid, 98 atom % D	743	Tetramethylgermanium, 98%
109	Succinic-d4 anhydride, 98+ atom % D	744	Tetramethyltin, 99+%
117	Succinonitrile-d4, 98+ atom % D	372	Tetraoctyl orthosilicate
1211	Sulfamic acid, 99+%	846	Tetraphenylantimony bromide
1214	Sulfamide, 99%	728	Tetraphenylarsonium chloride hydrate, 97%
1210	Sulfuryl chloride, 97%	729	Tetraphenylarsonium chloride hydrochloride hydrate
1521	Talc, powder, <10 micron	843	Tetraphenylgermanium, 97%
800	Tantalum(V) butoxide, 98%	845	Tetraphenyllead, 97%
794	Tantalum(V) ethoxide, 99.98%	844	Tetraphenyltin, 97%
783	Tantalum(V) methoxide	369	Tetrapropyl orthosilicate, 95%
1232	Telluric acid	219	Tetravinylsilane, 97%
959	Terbium tris(2,2,6,6-tetramethyl-3,5-heptanedionate), 98%	756	Tetravinyltin, 97%
1294	Terbium(III) carbonate hydrate, 99.9%	1095	Thallium cyclopentadienide, 97%
1329	Terbium(III) nitrate pentahydrate, 99.9%	1283	Thallium(I) carbonate, 99.9%
180	Terephthalic-d4 acid, 97 atom % D	788	Thallium(I) ethoxide, 98%
56	Tert-butyl methyl-d3 ether, 99+ atom % D	1313	Thallium(I) nitrate, 99.9%
333	Tert-butyl(4-chlorobutoxy)dimethylsilane, 98%	1371	Thallium(I) sulfate, 99.995%
530	Tert-butylchlorodiphenylsilane, 98%	967	Thallium(I) trifluoroacetylacetonate, 97%
210	Tert-butyl dimethylsilane, 95%	1209	Thionyl bromide, 97%
318	Tert-butyl dimethylsilanol, 99%	1208	Thionyl chloride, 99+%
263	Tert-butyl dimethylsilyl chloride, 97%	1222	Thiophosphoryl chloride, 98%
487	Tert-butyl dimethylsilyl cyanide, 97%	115	Thiourea-d4, 98 atom % D
501	Tert-butyl dimethylsilyl trifluoromethanesulfonate, 98%	1297	Thulium(III) carbonate hydrate, 99.99%
546	Tert-butyl diphenylmethoxysilane, 99%	1332	Thulium(III) nitrate pentahydrate, 99.9%
575	Tert-butyl diphenylsilyl cyanide, 98%	1401	Thulium(III) sulfate octahydrate, 99.99%
289	Tert-butyl trichlorosilane, 96%	927	Tin(IV) bis(acetylacetonate) dibromide, 98%
1115	Tert-pentylferrocene, 98%	926	Tin(IV) bis(acetylacetonate) dichloride, 98%
220	Tetraallylsilane, 97%	953	Titanium diisopropoxide bis(2,4-pentanedionate), 75 wt. % soln. in 2-propanol
1494	Tetraamminecopper(II) sulfate monohydrate, 98%	911	Titanium(IV) (triethanolaminate)isopropoxide, 80 wt % soln. in 2-propanol
1512	Tetraamminepalladium(II) chloride monohydrate, 98%	816	Titanium(IV) 2-ethylhexoxide, 95%
370	Tetrabutyl orthosilicate, 97%	1000	Titanium(IV) bis(ammonium lactato)dihydroxide, 50 wt. % soln. in water
866	Tetrabutylammonium bis(3,6-dichloro-1,2-benzenedithiolato)nickelate, 98%	1001	Titanium(IV) bis(ethyl acetoacetato)diisopropoxide, tech.
865	Tetrabutylammonium bis(4-methyl-1,2-benzenedithiolato)nickelate, 98%	798	Titanium(IV) butoxide, 97%
617	Tetrabutylammonium borohydride, 98%	1249	Titanium(IV) chloride, 99.9%
856	Tetrabutylammonium difluorotriphenylstannate, 97%	791	Titanium(IV) ethoxide
752	Tetrabutyltin, tech., 93%	806	Titanium(IV) isopropoxide, 97%
5	Tetracosane-d50, 98 atom % D	782	Titanium(IV) methoxide, 95%
368	Tetraethyl orthosilicate, 98%	795	Titanium(IV) propoxide, 98%
1006	Tetraethylammonium bis(acetonitrile)tetrachlororuthenate(III)	1176	Toluene chromium tricarbonyl, 99%
748	Tetraethylgermanium, 99%	126	Toluene-d8, 100.0 atom % D
750	Tetraethyllead, 99.99+%	377	trans-1-Methoxy-3-(trimethylsilyloxy)-1,3-butadiene, 90%
749	Tetraethyltin, 97%	315	trans-3-(Trimethylsilyl)allyl alcohol, 97%
902	Tetrafluoroboric acid-diethyl ether complex, 85%	1147	trans-4-(2-(1-Ferrocenyl)vinyl)-1-methyl-pyridinium iodide, 97%
901	Tetrafluoroboric acid-dimethyl ether complex	1511	trans-Diamminedichloropalladium(II), 99.998%
371	Tetrahexyl orthosilicate	1514	trans-Diamminedichloroplatinum(II), 99.99%
58	Tetrahydrofuran-d8, 99.5 atom % D	1517	trans-Diamminetetrachloroplatinum(IV), 98%
1206	Tetrairidium dodecacarbonyl, 98%	1040	trans-Dibromobis(triphenylphosphine)palladium(II), 95%
1005	Tetrakis(acetonitrile)copper(I) hexafluorophosphate		
823	Tetrakis(diethylamino)titanium		

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
1010	trans-Dichlorobis(triethylphosphine)platinum(II), 98%	879	Trimethyl(phenylethynyl)tin, 97%
470	Triacetoxylvinylsilane, 97%	581	Trimethyl-2-thienylsilane, 97%
6	Triacotane-d62, 98 atom % D	685	Trimethylammonium tetraphenylborate, 98%
652	Tribenzyl borate	658	Trimethylboroxine, 99%
517	Tribenzylsilane, 98%	660	Trimethylene borate
649	Tributyl borate, 99%	757	Trimethylgermanium chloride, 98%
650	Tributyl borate-11b, 99 atom % 11b	817	Trimethyloxonium hexachloroantimonate, 95%
880	Tributyl(phenylethynyl)tin, 95%	830	Trimethylplumbyl acetate
723	Tributylantimony, 95%	574	Trimethylsilyl 3,5-bis(trimethylsilyloxy)benzoate, 99%
751	Tributylgermanium hydride, 99%	447	Trimethylsilyl acetate, 97%
834	Tributyltin acetate	462	Trimethylsilyl bromoacetate, 98%
768	Tributyltin chloride, 96%	503	Trimethylsilyl chlorosulfonate, 99%
839	Tributyltin cyanide, 97%	486	Trimethylsilyl cyanide, 98%
200	Tributyltin deuteride	493	Trimethylsilyl isothiocyanate, 99%
840	Tributyltin hydride, 97%	455	Trimethylsilyl methacrylate, 98%
769	Tributyltin iodide, tech., 90%	600	Trimethylsilyl propiolate, 97%
779	Tributyltin methoxide, 97%	463	Trimethylsilyl trifluoroacetate, 96%
1159	Tricarbonyl(4-methoxy-1-methylcyclohexadienyl)iron tetrafluoroborate	499	Trimethylsilyl trifluoromethanesulfonate, 99%
1507	Tricarbonyldichlororuthenium(II) dimer	448	Trimethylsilylmethyl acetate, 99%
1059	Trichloro(1,1,1-tris(diphenylphosphinomethyl)ethane)rhodium(III), 97%	498	Trimethylsilylmethyl trifluoromethanesulfonate, 96%
309	Trichloro(1H,1H,2H,2H-perfluorooctyl)silane, 97%	759	Trimethyltin bromide, 95%
306	Trichloro(2-(chloromethyl)allyl)silane, 98%	758	Trimethyltin chloride
307	Trichloro(3,3,3-trifluoropropyl)silane, 97%	381	Tri-O-(tert-butyl)dimethylsilyl)-D-glucal, 98%
540	Trichloro(4-(chloromethyl)phenyl)silane, 98%	211	Trioctylsilane, 97%
303	Trichloro-3-chloropropylsilane, 97%	1207	Triosmium dodecacarbonyl, 98%
299	Trichlorocyclopentylsilane, 97%	653	Tri-o-tolyl borate
1245	Trichlorosilane, 99%	682	Triphenyl borate
297	Trichlorovinylsilane, 97%	875	Triphenylantimony diacetate, 98%
774	Tricyclohexyltin chloride, tech., 90%	727	Triphenylantimony dichloride, 99%
665	Triethanolamine borate, 97%	726	Triphenylantimony, 99%
724	Triethoxyarsine, 97%	734	Triphenylarsine oxide, 97%
340	Triethoxysilane, 99%	725	Triphenylarsine, 97%
351	Triethoxyvinylsilane, 97%	847	Triphenylbismuth, 99%
241	Triethyl(trifluoromethyl)silane, 98%	678	Triphenylborane
818	Triethyloxonium hexachloroantimonate	860	Triphenylcarbenium hexachloroantimonate
207	Triethylsilane, 99%	859	Triphenylcarbenium pentachlorostannate
317	Triethylsilanol, 97%	854	Triphenylgermanium chloride, 96%
767	Triethyltin bromide, 97%	516	Triphenylsilane, 97%
214	Triethylvinylsilane, 97%	542	Triphenylsilanethiol, 98%
86	Trifluoroacetic acid-D, 99.5 atom % D	541	Triphenylsilanol, 98%
809	Triisopropoxyvanadium(V) oxide	532	Triphenylsilyl chloride, 97%
354	Triisopropoxyvinylsilane	531	Triphenylsilyl fluoride, 97%
648	Triisopropyl borate, 98+%	874	Triphenyltin acetate, 97%
209	Triisopropylsilane, 99%	862	Triphenyltin hydroxide
409	Triisopropylsilanethiol, 97%	877	Triphenyltin N,N-dimethyldithiocarbamate
260	Triisopropylsilyl chloride, 97%	520	Triphenylvinylsilane, 98%
500	Triisopropylsilyl trifluoromethanesulfonate, 97%	647	Tripentyl borate, 98%
679	Trimesitylborane, 97%	1204	Triruthenium dodecacarbonyl, 99%
364	Trimethoxy(2-(7-oxabicyclo(4.1.0)hept-3-yl)ethyl)silane, 98%	1085	Tris(1,10-phenanthroline)iron(II) hexafluorophosphate
355	Trimethoxy(7-octen-1-yl)silane, tech., 85%	1086	Tris(1,10-phenanthroline)iron(III) hexafluorophosphate
659	Trimethoxyboroxine, 95%	1075	Tris(2,2'-bipyridine)iron(II) hexafluorophosphate
343	Trimethoxypropylsilane, 98%	1076	Tris(2,2'-bipyridine)iron(III) hexafluorophosphate, 90%
339	Trimethoxysilane, 95%	1077	Tris(2,2'-bipyridyl)dichlororuthenium(II) hexahydrate
643	Trimethyl borate, 99%	479	Tris(3-(trimethoxysilyl)propyl) isocyanurate
646	Trimethyl borate, azeotrope with methanol	978	Tris(3-hydroxy-2-methyl-4H-pyran-4-onato)aluminum
644	Trimethyl borate-10b, 97 atom % 10b	680	Tris(4-fluorophenyl)borane, 98%
645	Trimethyl borate-11b, 97 atom % 11b	1096	Tris(cyclopentadienyl)scandium
224	Trimethyl(1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl)silane, 97%	466	Tris(dimethylamino)sulfur (trimethylsilyl)difluoride
		398	Tris(dimethylsilyloxy)methylsilane, 97%
		559	Tris(dimethylsilyloxy)phenylsilane, 96%

<u>No.</u>	<u>Compound Description</u>	<u>No.</u>	<u>Compound Description</u>
71	Tris(hydroxy-D-methyl)amino-d2-methane, 98 atom % D	213	Vinyltrimethylsilane, 97%
72	Tris(hydroxymethyl-d3)amino-d2-methane, 98 atom % D	999	Ytterbium tris(3-(heptafluoropropylhydroxymethylene)-(-)-camphorate), 98%
410	Tris(isopropylthio)silane	998	Ytterbium tris(3-(heptafluoropropylhydroxymethylene)-(+)-camphorate), 98%
1070	Tris(N-(diphenylphosphinyl)-p,p-diphenylphosphinic amidato-O,O')praseodymium, 97%	990	Ytterbium tris(3-(trifluoromethylhydroxymethylene)-(+)-camphorate)
775	Tris(trifluoromethyl)germanium iodide, 97%	1402	Ytterbium(III) sulfate octahydrate, 99.9%
722	Tris(trimethylsilyl) borate, 99%	1242	Yttrium barium copper hydroxy carbonate
507	Tris(trimethylsilyl) phosphite, 95%	1243	Yttrium barium copper oxide carbonate, 99.9%
423	Tris(trimethylsilyl)amine, 98%	1289	Yttrium carbonate hydrate, 99.9%
884	Tris(trimethylsilyl)germanium hydride, 97%	1381	Yttrium sulfate octahydrate, 99.999%
226	Tris(trimethylsilyl)methane, 97%	804	Yttrium(III) isopropoxide
505	Tris(trimethylsilyl)phosphine, 95%	781	Yttrium(III) methoxide, 99%
212	Tris(trimethylsilyl)silane, 97%	931	Zinc acetylacetonate hydrate
681	Tris(trimethylsilylmethyl)borane, 97%	958	Zinc bis(2,2,6,6-tetramethyl-3,5-heptane-dionate), 97%
357	Tris(trimethylsilyloxy)ethylene, 95%	1264	Zinc cyanide, 98%
400	Tris(trimethylsilyloxy)vinylsilane, 97%	972	Zinc hexafluoroacetylacetonate dihydrate, 98%
651	Tri-tert-butyl borate, 98%	1377	Zinc sulfate heptahydrate, 99.999%
861	Tropylium hexafluorophosphate	1383	Zirconium sulfate hydrate, 99.99%
1183	Tropyliumchromium tricarbonyl tetrafluoroborate, 95%	936	Zirconium(IV) acetylacetonate, mixture with zirconyl acetylacetonate
1184	Tropyliummolybdenum tricarbonyl tetrafluoroborate	799	Zirconium(IV) butoxide, 80 wt. % solution 1-butanol
1196	Tungsten hexacarbonyl, 99%	792	Zirconium(IV) ethoxide, 97%
1234	Tungstic acid, 99%	808	Zirconium(IV) isopropoxide isopropanol complex, 99.9%
1081	Tungstyl oxinate	796	Zirconium(IV) propoxide, 70 wt. % solution in 1-propanol
885	u-Dichlorotetraethylene dirhodium(I)	969	Zirconium(IV) trifluoroacetylacetonate, 97%
114	Urea-d4, 98+ atom % D	1334	Zirconyl nitrate hydrate, white
937	Vanadium(III) acetylacetonate, 97%		
938	Vanadyl acetylacetonate, 95%		
1116	Vinylferrocene, 97%		
349	Vinyltrimethoxysilane, 98%		