



thermoscientific

List of Supported Instruments

Chromleon 7

Chromatography Data System

Software Version 7.2.10 MUG • September 2023

Document Revision 2

thermoscientific

Copyright

© 2009-2023 Thermo Fisher Scientific Inc. All rights reserved.

Trademarks

Agilent is a trademark of Agilent Technologies.

PAL is a registered trademark of CTC Analytics AG.

Elysia Raytest is a trademark of Elysia.

ERC is a trademark of IDEX Corporation.

Fluke is a trademark of Fluke Corporation.

Gilson and NEBULA are trademarks of Gilson, Inc.

ISCO is a trademark of TELEDYNE ISCO, Inc.

Kontron is a trademark of Kontron AG.

Linear Instruments is a trademark of Linear Instruments Corporation.

Air Server-xr, CIA Advantage, CIA Satellite, Kori-xr, TD100-xr, ULTRA-xr and UNITY-xr are trademarks of Markes International Ltd.

PerkinElmer and Clarus are registered trademarks of PerkinElmer Inc.

Polymer Labs and Varian are trademarks of Varian, Inc.

Rheodyne is a trademark of Rheodyne, L.P.

SCIEX is a trademark of AB Sciex Pte. Ltd.

Shimadzu is a trademark of Shimadzu Corporation.

Shodex is a trademark of Showa Denko K.K.

URG and AIM are trademarks of URG, Inc.

Valco and VICI are trademarks of Valco Instruments Co. Inc. and VICI AG International.

ACQUITY and Waters are registered trademarks of Waters Corporation.

All other trademarks are property of Thermo Fisher Scientific Inc. and its subsidiaries.

This document contains links to third-party websites that are not under the control of Thermo Fisher Scientific and Thermo Fisher Scientific is not responsible for the content on any linked site. If you access a third-party website mentioned in this document, then you do so at your own risk. Thermo Fisher Scientific provides these links only as a convenience, and the inclusion of any link does not imply that Thermo Fisher Scientific endorses or accepts any responsibility for the content on third-party sites.

Thermo Fisher Scientific Inc. provides this document to its customers with a product purchase to use in the product operation. The document is copyright protected; any reproduction of the whole or any part of this document is strictly prohibited, except with the written authorization of Thermo Fisher Scientific Inc.

This manual is provided "as is". The contents of this manual are subject to being changed, without notice, in future revisions.

Thermo Fisher Scientific Inc. makes no representations that this document is complete, accurate, or error-free. Thermo Fisher Scientific Inc. assumes no responsibility and will not be liable for any errors, omissions, damage, or loss that might result from any use of this document, even if the information in the document is followed properly.

This document is not part of any sales contract between Thermo Fisher Scientific Inc. and a purchaser. This document shall in no way govern or modify any Terms and Conditions of Sale. The Terms and Conditions of Sale shall govern all conflicting information between the two documents.

Release history

| Revision | Date | Comment |
|----------|----------------|---|
| 1 | January 2023 | Initial Product Release |
| 2 | September 2023 | Added Agilent Drivers for Chromleon version 3.0, SCIEX PA 800 Plus driver, Vanquish Refractive Index Detector, Vanquish System Controller, CTC LC TriPlus RSH, and Shimadzu Drivers for Chromleon 3.30. Changes to AXP-MS, ASE 350 and Easion. Added information on Windows 11 and TDS6 (10) support. |

Table of contents

| | | |
|---|---|-----|
| 1 | Introduction..... | 5 |
| 2 | Thermo Scientific devices supported by Chromleon 7..... | 8 |
| 3 | Thermo Scientific MS support in Chromleon 7 | 47 |
| 4 | Third-party devices supported by Chromleon 7 | 48 |
| 5 | Obsolete device drivers | 130 |
| 6 | Device drivers available from third parties..... | 132 |

1 Introduction

This document lists all instruments/modules that Chromleon 7 currently supports. The following information is included:

- **Manufacturer – System/Family:** Lists the manufacturer and the name of the instrument system or family.
- **Type:** Shows the type of module (for example, Pump or Photodiode Array Detector).
- **Model:** Provides the model number of the instrument or module.
- **Firmware:** Displays the required firmware version (depending on module, check *Chromleon Online Help* for additional information).
 - For Thermo Scientific equipment, generally, the firmware version is shipped on the installation media with the current Chromleon version listed.
 - For third-party equipment, the firmware listed is usually the version used to test the driver and as such is considered the minimum firmware requirement for Chromleon. However, this does not necessarily imply that earlier versions of firmware are incompatible, but that some limitations in functionality may be observed when using older firmware. In general, newer firmware versions are expected to work.
- **Interface Type:** Describes the type of connection used between the instrument and the PC.
- **Instrument Class:** Displays the License Class required to control the instrument in Chromleon 7.
- **Options Required:** Displays additional licenses required to fully control the instrument and shows whether an analog-digital data converter (for example, UCI or A2D) is required for data acquisition (important for third-party detectors).

| License | Abbreviation | Description |
|---|--------------|--|
| Instrument Class 1 | 1 | License enabling control of Thermo Scientific Instruments – included in the Instrument Controller license |
| Instrument Class 2 | 2 | License enabling control of third-party GCs |
| Instrument Class 3 | 3 | License enabling control of third-party LCs |
| 3D Data Acquisition | 3D | License that enables recording 3D data, for example, from Photodiode Array Detectors |
| Universal Chromatography Interface | UCI | Device to convert analog signals to digital signals (also provides RS232 ports and relays) |
| Analog to Digital Converter | A2D | Device to convert analog signals to digital signals (also used as a remote injection device and to provide relays) |
| GC-MS Control | GC-MS | License enabling control of GC-MS devices |
| LC-MS Control | LC-MS | License enabling control of LC-MS and IC-MS devices |
| Fraction Collection | FC | License enabling Fraction Collection |

- **Required Chromleon Version:** Displays the minimum version required to control the Instrument. If a Service Release (SR) or Maintenance Update (MU) is required, the SR or MU number is mentioned in the table.
 - + Indicates the minimum recommended version (an earlier version, SR, or MU may support the device, but the recommended version adds significantly better support).
- **Operating Systems:** Displays the compatible operating systems for each module.

| Operating System | Abbreviation | Description |
|----------------------|-------------------|-----------------------------|
| Windows 8.1 (64 bit) | 8.1 ⁶⁴ | Professional or Enterprise* |
| Windows 10 (64 bit) | 10 ⁶⁴ | Professional or Enterprise* |
| Windows 11 (64 bit) | 11 ⁶⁴ | Professional or Enterprise* |

*Because the incremental features of the Enterprise edition are not relevant to Chromleon, Thermo Fisher Scientific Inc. does not expect any problems to occur when using Chromleon with the different Windows Enterprise versions.

Notes:

- Microsoft ended support for the Windows 7 Operating System on 14 January, 2020. Accordingly, with the release of Chromleon 7.2.10 MUa, official support for Windows 7 has been deprecated. However, for legacy reasons some devices in the tables below still list Windows 7 support. Those listings do not imply any official support for control under Windows 7.
- Some older and uncommon instrument modules do not list support for either Windows 8.1, Windows 10, or Windows 11. Based on the extensive validation on Windows 7 in the past it is anticipated, but not guaranteed, that these drivers will function correctly with Windows 8.1, Windows 10, and Windows 11.

- 247 Instrument Controller:** Displays the model of 247 Instrument Controller and firmware version on which this instrument is supported.

| Category | Abbreviation | Description |
|----------|--------------|--------------------------------------|
| Model | TDS5 (10) | 247 Instrument Controller TDS5 model |
| Firmware | WES7 | Windows Embedded Standard 7 (64 bit) |
| Firmware | 10 | Windows LTSC 10 (1809) |
| Model | TDS6 (10) | 247 Instrument Controller TDS6 model |
| Firmware | 10 | Windows LTSC 10 (21H2) |

Note: Changes to this document since the previous release of Chromleon 7 are highlighted in yellow.

Caution: Consult the *Chromleon Instrument Configuration Manager Help* for full details on licensing, cabling, and other requirements for control and data acquisition, supported functions, and limitations.

1.1 Other documents on compatibility

This document is limited to instrument drivers that are included on the Chromleon software distributable, and to drivers that are available directly from third-party manufacturers.

Other instrument drivers are available separate for download. These include control of:

- Thermo Scientific Mass Spectrometers (with the exception of the ISQ-EC/EM SQ LCMS)
- Other third-party chromatographic hardware

Compatibility information for these drivers is contained in the separate document entitled "Chromleon Driver Compatibility Matrix." This compatibility matrix and the drivers themselves are available to customers under support contract from the [Support Portal](#). Soon, all customers will have download access via the [Chromleon License Portal](#). For questions or problems, please contact your local Thermo Fisher Scientific representative.

2 Thermo Scientific devices supported by Chromleon 7

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---|--|---------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Thermo Scientific Dionex ASE | Accelerated Solvent Extraction Systems | | | | | | | | | |
| Dionex – ASE 350 | ASE System | ASE-350 | 3.3.0 | USB 2.0 | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex ICS Autosamplers and Accessories | IC Autosamplers | | | | | | | | | |
| Dionex – AS | IC Autosampler | AS | 2.30 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – AS-HV | IC Autosampler (high-volume) | AS-HV | - | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – AS-DV | IC Autosampler (displacement volume) | AS-DV | 1.6.0 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – AS-AP | IC Autosampler (advanced performance) and Fraction Collector | AS-AP | 1.9.0 | USB 1.1 & self-powered hub | 1 | FC | 7.2 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – AS-AP | Conductivity / pH Meter | AS-AP | 1.0.0 | USB 1.1 | 1 | AS-AP | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex ICS Standalone Detectors and Temperature Compartment | IC Detectors and Temperature Compartment | | | | | | | | | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|------------------------------|----------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – PDA | Photodiode Array Detector | PDA | 3.0.0 | USB 1.1 | 1 | 3D | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – PDA-100U | Photodiode Array Detector | PDA-100U | 3.0.0 | USB 1.1 | 1 | 3D | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – VWD | Variable Wavelength Detector | VWD | 1.60 | USB 1.1 | 1 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – TC | Thermal Compartment | TC | 2.04.01 | USB | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex ICS | Compact IC Systems | | | | | | | | | |
| Dionex – ERC 10 | Controller | ERC-10 | 1.0.0 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – ICS 600 | IC System | ICS-600 | 3.0.0 | USB 1.1 | 1 | | 7.1 SR1 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 900 | IC System | ICS 900 | 3.0.0 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – ICS 1000 | IC System | ICS 1000 | 3.1.0 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – ICS 1500 | IC System | ICS 1500 | 3.1.0 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-----------|-------------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – ICS 2000 | IC System | ICS 2000 | 3.1.0 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 1100 | IC System | ICS 1100 | 1.3.0 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – ICS 1600 | IC System | ICS 1600 | 1.1.0 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 2100 | IC System | ICS 2100 | 1.3.0 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 4000 | IC System | ICS 4000 | 1.1.0 | USB 1.1 & self-powered hub | 1 | | 7.1 SR2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – Easion | IC System | Easion | 4.0.0 | USB 1.1 | 1 | | 7.2.10 MUa | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – Aquion | IC System | Aquion | 3.1.0 | USB 1.1 & self-powered hub | 1 | | 7.2 SR4 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – Aquion | IC System | Aquion RFIC | 3.1.0 | USB 1.1 & self-powered hub | 1 | | 7.2.9 DUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|----------------------------|--|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – Integrion | IC System | Integrion HPIC Pump (Wellness) | 6.2.0 | USB 1.1 & self-powered hub | 1 | | 7.2 SR4 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – Integrion | IC System | Integrion HPIC System | 1.7.0 | USB 2.0 & self-powered hub | 1 | | 7.2 SR4 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex ICS-3000 | Modular IC System | | | | | | | | | |
| Dionex – ICS 3000 | Chromatography Compartment | DC Detector/Chromatography Compartment | 2.6.0 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 3000 | Conductivity Detector | DC:CD | 2.6.0 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 3000 | Electrochemical Detector | DC:ED-DC Amp | 2.6.0 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 3000 | Electrochemical Detector | DC:ED-Int Amp | 2.6.0 | USB 2.0 & self-powered hub | 1 | 3D | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 3000 | Pump | DP Dual Pump | 6.1.0 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---|----------------------------|--|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – ICS 3000 | Pump | SP Single Pump | 6.1.0 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 3000 | Eluent Generator | EG Eluent Generator | 1.4.0 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex ICS-5000+ (5000) | Modular IC System | | | | | | | | | |
| Dionex – ICS 5000+ | Chromatography Compartment | DC Detector / Chromatography Compartment | 2.1.0 | USB 2.0 & self-powered hub | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 5000+ | Conductivity Detector | DC:CD | 2.1.0 | USB 2.0 & self-powered hub | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 5000+ | Electrochemical Detector | DC:ED-DC Amp | 2.1.0 | USB 2.0 & self-powered hub | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 5000+ | Electrochemical Detector | DC:ED-Int Amp | 2.1.0 | USB 2.0 & self-powered hub | 1 | 3D | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS 5000+ | Pump | DP Dual Pump | 7.0.0 | USB 1.1 & self-powered hub | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|----------------------------|--|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – ICS 5000+ | Pump | SP Single Pump | 7.0.0 | USB 1.1 & self-powered hub | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS-5000+ | Eluent Generator | EG Eluent Generator | 2.1.0 | USB 2.0 & self-powered hub | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex ICS-6000 | Modular IC System | | | | | | | | | |
| Dionex – ICS-6000 | Chromatography Compartment | DC Detector / Chromatography Compartment | 1.2.0 | USB 2.0 & self-powered hub | 1 | | 7.2.7 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS-6000 | Conductivity Detector | DC:CD | 1.2.0 | USB 2.0 & self-powered hub | 1 | | 7.2.7 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS-6000 | Electrochemical Detector | DC:ED-DC Amp | 1.2.0 | USB 2.0 & self-powered hub | 1 | | 7.2.7 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS-6000 | Electrochemical Detector | DC:ED-Int Amp | 1.2.0 | USB 2.0 & self-powered hub | 1 | 3D | 7.2.7 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS-6000 | Consumables Device Monitor | CDM | 1.1.0 | USB 2.0 & self-powered hub | 1 | | 7.2.7 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---|-------------------------------|---------------------|----------|----------------------------|------------------|------------------|-----------------------------|------------------------|--|----------------------------|
| Dionex – ICS-6000 | Pump | DP Dual Pump | 7.0.0 | USB 1.1 & self-powered hub | 1 | | 7.2.7 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS-6000 | Pump | SP Single Pump | 7.0.0 | USB 1.1 & self-powered hub | 1 | | 7.2.7 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – ICS-6000 | Eluent Generator | EG Eluent Generator | 1.1.0 | USB 2.0 & self-powered hub | 1 | | 7.2.7 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex Integral | | | | | | | | | | |
| Dionex - Stream Selector | Stream Selector | SS | 1.0.0 | USB 1.1 & self-powered hub | 1 | | 7.2.9 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – Sample Preparer | Sample Preparer | SP | 1.0.0 | USB 1.1 & self-powered hub | 1 | | 7.2.9 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex UltiMate 3000 | | | | | | | | | | |
| Dionex – UltiMate 3000 | Dual Analytical Pump, ternary | DGP-3600A | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--|------------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Dual Analytical Pump, ternary Biocompatible | DGP-3600AB | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Dual Nano/Cap/Micro Pump, ternary, | DGP-3600M | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Dual Nano/Cap/Micro Pump, ternary, Biocompatible | DGP-3600MB | 3.43 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Pump, binary | HPG-3200A | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Dual Nano/Cap/Micro Pump, ternary | HPG-3200M | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Semiprep Pump, binary | HPG-3200P | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Pump, binary | HPG-3400A | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pump, binary | HPG-3400M | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---|------------|----------|----------------------------|------------------|------------------|-----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Analytical Pump, isocratic | ISO-3100A | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pump, ternary | LPG-3300 | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pump, ternary | LPG-3300M | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Pump, quaternary | LPG-3400A | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Pump, quaternary Biocompatible | LPG-3400AB | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pump, quaternary | LPG-3400M | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pump, quaternary Biocompatible | LPG-3400BM | 3.43 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Dual Nano/Cap/Micro Pump, ternary | LPG-3600 | 3.05 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--|--|------------|----------|----------------------------|------------------|------------------|-----------------------------|------------------------|--|----------------------------|
| Thermo Scientific Dionex UltiMate 3000 | Pumps – 2 nd Generation | | | | | | | | | |
| Dionex – UltiMate 3000 | Dual Nano/Cap/Micro Pump, ternary Biocompatible | DGP-3600BM | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Dual Rapid Separation Pump, ternary | DGP-3600RS | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Dual Nano/Cap/Micro Pump, ternary Biocompatible, extended pressure range | DGP-3600BM | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Dual Analytical Pump, ternary | DGP-3600SD | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Semi-prep Pump, Binary, Biocompatible | HPG-3200BX | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.1DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Rapid Separation Pump, binary | HPG-3200RS | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Pump, binary | HPG-3200SD | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--|------------|----------|----------------------------|------------------|------------------|-----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Rapid Separation Pump, quaternary | HPG-3400RS | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Pump, quaternary | HPG-3400SD | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Micro Pump, Isocratic, Biocompatible | ISO-3100BM | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Pump, isocratic | ISO-3100SD | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pump, quaternary Biocompatible | LPG-3400BM | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pump, quaternary Biocompatible, extended pressure range | LPG-3400BM | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.1DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Rapid Separation Pump, quaternary | LPG-3400RS | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--|------------------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Analytical Pump quaternary | LPG-3400SD | 3.45 | USB 2.0 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | 1250 bar Rapid Separation Analytical Pump, quaternary | LPG-3400XRS [22] | 5.7 | USB 2.0 | 1 | | 7.1 SR2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – UltiMate 3000 | Nano/Cap Pump, Binary | NCP-3200RS | 1.45 | USB 2.0 & self-powered hub | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano Pump, Cap Loading Pump, Column Oven | NCS-3500RS | 1.45 | USB 2.0 & self-powered hub | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano Pump, Cap Loading Pump, Column Oven, extended pressure range for loading pump | NCS-3500RS | 1.45 | USB 2.0 & self-powered hub | 1 | | 7.1DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Autosamplers | | | | | | | | | |
| Dionex – UltiMate 3000 | Autosampler Column Compartment | ACC-3000 | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Autosampler Column Compartment, Thermostatted | ACC-3000T | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---|-------------------------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Fraction Collector | AFC-3000 | 1.03 | USB 1.1 & self-powered hub | 1 | FC | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pulled Loop WP Autosampler | WPS-3000PL NANO, CAP | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pulled Loop WP Autosampler, Thermostatted | WPS-3000TPL NANO, CAP | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pulled Loop WP Autosampler, Biocompatible | WPS-3000BPL NANO, CAP | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro Pulled Loop WP Autosampler, Thermostatted, Biocompatible | WPS-3000TBPL NANO, CAP | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Pulled Loop WP Autosampler, Thermostatted, Biocompatible | WPS-3000TBPL ANALYTICAL | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Pulled Loop WP Autosampler and Fraction Collector, Thermostatted, Biocompatible | WPS-3000TBFC ANALYTICAL | 4.14 | USB 1.1 & self-powered hub | 1 | FC | 7.2 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---|-------------------------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Pulled Loop WP Autosampler and Fraction Collector, Thermostatted, Biocompatible | WPS-3000TFC ANALYTICAL | 4.14 | USB 1.1 & self-powered hub | 1 | FC | 7.2 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Split Loop WP Autosampler | WPS-3000SL ANALYTICAL | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Split Loop WP Autosampler, Thermostatted | WPS-3000TSL ANALYTICAL | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Analytical Split Loop WP Autosampler, Thermostatted, Biocompatible | WPS-3000TBSL ANALYTICAL | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Micro Split Loop WP Autosampler | WPS-3000SL MICRO | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Micro Split Loop WP Autosampler, Thermostatted | WPS-3000TSL MICRO | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Semi-preparative Split Loop WP Autosampler | WPS-3000SL SEMIPREP | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--|---|----------------------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Semi-preparative Split Loop WP Autosampler, Thermostatted | WPS-3000TSL SEMIPREP | 4.14 | USB 1.1 & self-powered hub | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Rapid Separation (Split Loop) WP Autosampler | WPS-3000RS | 4.14 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Biocompatible Rapid Separation (Split Loop) WP Autosampler, Thermostatted | WPS-3000TBRs | 4.14 | USB 1.1 | 1 | | 7.0 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Rapid Separation (Split Loop) WP Autosampler, Thermostatted | WPS-3000TRS | 4.14 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | 1250 bar Rapid Separation (Split Loop) WP Autosampler, Thermostatted | WPS-3000TXRS | 4.14 | USB 1.1 | 1 | | 7.1 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | LC Autosampler | OAS-3000 TXRS [22] | 4.15 | LAN (Default), RS232 | 1 | | 7.1 SR2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific Dionex UltiMate 3000 | Flow Managers and Column Ovens | | | | | | | | | |
| Dionex – UltiMate 3000 | Nano/Cap/Micro LC Flow Manager | FLM-3100 | 2.41 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Nano/Cap/Micro LC Flow Manager | FLM-3200 | 2.41 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--|--------------------------------|------------|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Nano/Cap/Micro LC Flow Manager | FLM-3300 | 2.41 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Column Oven / Thermostat | TCC-3000 | 2.41 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Column Oven / Thermostat | TCC-3100 | 2.41 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Column Oven / Thermostat | TCC-3200 | 2.41 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Column Oven / Thermostat | TCC-3000SD | 1.32 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Column Oven / Thermostat | TCC-3000RS | 1.32 | USB 1.1 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex UltiMate 3000 | Detectors | | | | | | | | | |
| Dionex – UltiMate 3000 | Variable Wavelength Detector | VWD-3100 | 4.10 | USB 1.1 | 1 | | 7.1 DU0a+ | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Variable Wavelength Detector | VWD-3400RS | 4.10 | USB 1.1 | 1 | | 7.1 DU0a+ | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Photodiode Array Detector | DAD-3000 | 2.70 | USB 2.0 & self-powered hub | 1 | 3D | 7.1 DU0a+ | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---------------------------------|---------------------------|------------|------------------------------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Dionex – UltiMate 3000 | Photodiode Array Detector | DAD-3000RS | 2.70 | USB 2.0 & self-powered hub | 1 | 3D | 7.1 DU0a+ | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Photodiode Array Detector | PDA-3000 | 3.0.0 | USB 1.1 | 1 | 3D | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Multi Wavelength Detector | MWD-3000 | 2.70 | USB 2.0 & self-powered hub | 1 | | 7.1 DU0a+ | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Multi Wavelength Detector | MWD-3000RS | 2.70 | USB 2.0 & self-powered hub | 1 | | 7.1 DU0a+ | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Fluorescence Detector | FLD-3100 | 1.45 | USB 2.0 | 1 | 3D | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Fluorescence Detector | FLD-3400RS | 1.45 | USB 2.0 | 1 | 3D | 7.0 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | pH & Conductivity Monitor | PCM-3000 | 2.30 DAD/MWD, 3.50 VWD | USB 2.0 (via detector) | 1 | | 7.1 DU0a | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex – UltiMate 3000 | Electrochemical Detector | ECD-3000RS | 1.10 | USB | 1 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Dionex Summit | Detectors and Valves | | | | | | | | | |
| Dionex – Summit | Pump | P680 | 2.66 | USB | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-----------------------------|---------------------|-----------|----------------|------------------|------------------|----------------------------|------------------------|---|---------------------------|
| Dionex – Summit | LC Autosampler | ASI-100 | 1.22 | RS232 | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Summit | LC Autosampler | GINA 50 | 3.0 | RS232 | 1 | | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Summit | LC Autosampler | GINA 50T | 3.0 | RS232 | 1 | | 7.1 SR1 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Summit | UV Detector | UVD170U | 1.10 | USB | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Summit | Photodiode Array Detector | UVD340U | 1.10 | USB | 1 | 3D | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Summit | Column Oven / Thermostat | TCC-100 | 1.04 | USB | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Summit | Fluorescence Detector | RF-2000 | 9.8B | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Summit | Refractive Index Detector | RI-101 | 1.19/1.09 | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Summit | Valve Module | Dionex External MSV | - | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific Dionex ESA | Specialty Pumps / Detectors | | | | | | | | | |
| Dionex / ESA | Isocratic Pump | 584 and 582 | 584 V1.01 | RS232 | 1 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex / ESA | Charged Aerosol Detector | Corona | 1.25 | USB | 1 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex / ESA | Charged Aerosol Detector | Corona Plus | 1.25 | USB | 1 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------------------|------------------------------|----------|----------------------|------------------|------------------|-----------------------------|------------------------|--|----------------------------|
| Dionex / ESA | Charged Aerosol Detector | Corona Ultra | 1.04 | USB | 1 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex / ESA [12] | Charged Aerosol Detector | Corona Ultra RS | 2.02 | USB | 1 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex / ESA [12] | Charged Aerosol Detector | Corona Veo RS, Corona Veo SD | 1.12 | USB | 1 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Dionex / ESA | Electrochemical Detector | Coulochem III | 3.12 | USB | 1 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific Dionex | Miscellaneous | | | | | | | | | |
| Dionex – Sharable Interfaces | A/D and RS232 interface | UCI-50 | 3.03 | USB | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Sharable Interfaces | A/D and RS232 interface | UCI-100 | 3.03 | USB | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Miscellaneous | Pump, sample loading | AXP | | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – Miscellaneous | Pump, sample loading | AXP-MS | | USB | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – General Purpose | Remote Inject | | | port in other driver | 1 | | 7.0 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – General Purpose | Assigned Relays and Inputs | | | port in other driver | 1 | | 7.0 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Dionex – General Purpose | Analog Signal Channel | | | port in other driver | 1 | | 7.0 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific GC Samplers | Gas Chromatography | | | | | | | | | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------------|---------------------------|-------------------------------------|----------|----------------|------------------|------------------|-----------------------------|------------------------|--|---------------------------------|
| Thermo Scientific – AS2000 | GC Autosampler | AS2000 | - | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – HS2000 | GC Headspace Autosampler | HS850, HS2000 | - | RS232 | 1 | | 7.2 SR4 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – AI/AS3000 | GC Autosampler | AS3000, AI3000 | 3.05 | RS232 | 1 | | 7.1 SR2 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – AI/AS1310 | GC Autosampler | AS1310, AI1310 | 3.05 | RS232 | 1 | | 7.1 SR2 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – AI/AS1310 | GC Autosampler | AS1310, AI1310 | 3.07 | RS232 | 1 | | 7.2.8 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – AI/AS1310 | GC Autosampler | AS1310, AI1310 | 3.08 | RS232 | 1 | | 7.2.10 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific FOCUS GC | Gas Chromatography | | | | | | | | | |
| Thermo Scientific – FOCUS GC | Gas Chromatograph | FOCUS GC | 2.15 | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [25] |
| Thermo Scientific – FOCUS GC | GC Detector | Flame Ionization Detector (FID) | 2.15 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [25] |
| Thermo Scientific – FOCUS GC | GC Detector | Thermal Conductivity Detector (TCD) | 2.15 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [25] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|------------------------------------|-----------------------------|---|----------|----------------|------------------|------------------|-----------------------------|------------------------|--|---------------------------------|
| Thermo Scientific – FOCUS GC | GC Inlet | Split/Splitless | 2.15 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [25] |
| Thermo Scientific TRACE 2000 GC | Gas Chromatography | | | | | | | | | |
| Thermo Scientific – TRACE 2000 GC | Gas Chromatograph | Trace 2000 | 4.01 | RS232; LAN | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TRACE 2000 GC | GC Inlet | Split/Splitless | | (via GC) | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TRACE 2000 GC | GC Inlet | Purged/Packed column injector (PPKD) | | (via GC) | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TRACE 2000 GC | Electronic pressure control | Electronic pressure control of column gas flow (DPFC) | 2.02 | (via GC) | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TRACE 2000 GC | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TRACE 2000 GC | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific TRACE GC Ultra | Gas Chromatography | | | | | | | | | |
| Thermo Scientific - TRACE GC Ultra | Gas Chromatograph | TRACE GC Ultra | 5.0.0 | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | Gas Chromatograph | TRACE GC Ultra | 5.0.0 | LAN | 1 | | 7.2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|------------------------------------|-------------------|--|----------|----------------|------------------|------------------|----------------------------|------------------------|---|---------------------------|
| Thermo Scientific - TRACE GC Ultra | Gas Chromatograph | TRACE GC Ultra with Ultrafast Oven option | 5.0.0 | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | Gas Chromatograph | TRACE GC Ultra with Ultrafast Oven option | 5.0.0 | LAN | 1 | | 7.2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Autoranging Flame Ionization Detector (FID-ar) | 5.0.0 | (via GC) | 1 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Flame Ionization Detector (FID) | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Thermal Conductivity Detector (TCD) | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Nitrogen Phosphorous Detector (NPD) | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Flame Photometric Detector (FPD) | 5.0.0 | (via GC) | 1 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Electron Capture Detector (ECD) | 5.0.0 | (via GC) | 1 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Pulse Discharge Detector (PDD) | 5.0.0 | (via GC) | 1 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Photoionization Detector (PID) | 5.0.0 | (via GC) | 1 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Detector | Other detectors | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|------------------------------------|-----------------------|---|-------------|----------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Thermo Scientific - TRACE GC Ultra | GC Inlet | Split/Splitless | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Inlet | Purged/Packed Column (PPKD) | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Inlet | Packed Column (PKD) | 5.0.0 | (via GC) | 1 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Inlet | On Column Inlet (OCI) | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Inlet | Large Volume On Column Inlet (LVOCI) | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | GC Inlet | Programmable Temperature Vaporization (PTV) | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | Valves | Valves, including Gas Sampling Valve (GSV) | 5.0.0 | (via GC) | 1 | | 7.1 DU0b | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | Aux Oven | Aux Oven | 5.0.0 | (via GC) | 1 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific - TRACE GC Ultra | Aux Temperature Zones | Aux Temperature Zones | 5.0.0 | (via GC) | 1 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific TRACE 1110 GC | Gas Chromatography | | | | | | | | | |
| Thermo Scientific - TRACE 1110 GC | GC Oven | TRACE 1110 | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|-------------|-----------------------|-------------|----------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Thermo Scientific - TRACE 1110 GC | GC Main | TRACE 1110 | M1.14/L1.09 | USB | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Inlet | Capillary (CAP) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Inlet | Capillary (CAP) (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Inlet | Packed | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Inlet | Packed (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Inlet | PTV | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Inlet | PTV (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | TCD | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | TCD (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | FID | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|-------------|-----------|-------------|----------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Thermo Scientific - TRACE 1110 GC | GC Detector | FID (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | ECD | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | ECD (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | NPD | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | NPD (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | FPD | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | FPD (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | PID | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | PID (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Detector | DID | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--|---------------------------|------------------------------|---------------------------------|----------------|------------------|------------------|-----------------------------|------------------------|--|----------------------------|
| Thermo Scientific - TRACE 1110 GC | GC Auxiliary | Auxiliary Temperature Module | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Auxiliary | Timed Event | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Auxiliary | Methanizer | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Auxiliary | Methanizer (EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Auxiliary | Valve Oven | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Auxiliary | Valve Oven(EPC) | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR4 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific - TRACE 1110 GC | GC Oven Cryogenics Module | Cryogenics Module | M1.14/L1.09 | (via GC) | 1 | | 7.2 SR3 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific TRACE 1300/1300E GC | Gas Chromatography | | | | | | | | | |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Main | TRACE1300 / 1310 | 7.05.14; 1.18 (HMI); 1.03 (AOI) | LAN | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Main | TRACE1300E | 7.05.14; 1.18 (HMI); 1.03 (AOI) | LAN | 1 | | 7.2 SR4 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--|--------------|--|-----------|----------------|------------------|------------------|-----------------------------|------------------------|--|----------------------------|
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Oven | TRACE1300 / 1310 | 3.00.03 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Auxiliary | Auxiliary Oven | 1.02 | (Via GC) | 1 | | 7.2 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Inlet | Split/Splitless with and without backflush | 2.03.01 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Inlet | Helium Saver Split/Splitless inlet | 2.03.01 | (Via GC) | 1 | | 7.2 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Inlet | GSV Split/Splitless inlet | 2.03.01 | (Via GC) | 1 | | 7.2 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Inlet | Programmable Temperature Vaporization (PTV) with and without backflush | 1.07.03 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Detector | Flame Ionization Detector (FID) | 1.08 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Detector | Flame Ionization Detector (FID) 600 Hz | 5.06 [13] | (Via GC) | 1 | | 7.2.10 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Detector | Thermal Conductivity Detector (TCD) | 1.09 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--|--------------------|--------------------------------------|----------|----------------|------------------|------------------|-----------------------------|------------------------|--|----------------------------|
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Detector | Nitrogen Phosphorus Detector (NPD) | 1.08 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Detector | Electron Capture Detector (ECD) | 1.07 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Detector | Flame Photometric Detector (FPD) | 1.06.01 | (Via GC) | 1 | | 7.2 MUb | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Detector | Pulse Discharge Detector (PDD) | 1.02 | (Via GC) | 1 | | 7.2 SR2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Detector | Generic Detector Interface (GDI) | 1.03 | (Via GC) | 1 | | 7.2 SR2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Auxiliary | Auxiliary Carrier Module | 1.04 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Auxiliary | Auxiliary Gas Module for TRACE 1300E | 1.04 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TRACE 1300 Series (current driver) | GC Auxiliary | Auxiliary Temperature Module | 3.04 | (Via GC) | 1 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific TriPlus Autosampler Family | Gas Chromatography | | | | | | | | | |
| Thermo Scientific – TriPlus Classic | GC Autosampler | TriPlus AS Classic | 2.02 | RS232 | 1 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-------------------------------------|--------------------------|--------------------|------------------------------|----------------|------------------|------------------|---|------------------------|--|----------------------------|
| Thermo Scientific – TriPlus Classic | GC Headspace Autosampler | TriPlus HS Classic | 2.02 | RS232 | 1 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus 100 LS | GC Liquid Autosampler | TriPlus 100 LS | 2.0 | LAN | 1 | | 7.2 MUC | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus 100 LS | GC Liquid Autosampler | TriPlus 100 LS | 2.0.1 | LAN | 1 | | 7.2 SR2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus 100 LS | GC Liquid Autosampler | TriPlus 100 LS | 2.2 | LAN | 1 | | 7.2 SR2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TriPlus 100 LS | GC Liquid Autosampler | TriPlus 100 LS | 2.4 | LAN | 1 | | 7.2 SR5 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TriPlus 300 HS | GC Headspace Autosampler | TriPlus 300 HS | 2001.4.x | LAN | 1 | | 7.2, 7.2 Mua, 7.2 Mub, 7.2 Muc, 7.2 SR1, 7.2 SR1 Mua and 7.2 SR2 Only | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus 300 HS | GC Headspace Autosampler | TriPlus 300 HS | 2001.9.0 | LAN | 1 | | 7.2 SR2 Mua, 7.2 SR3 and 7.2 SR3 Mua Only | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus 300 HS | GC Headspace Autosampler | TriPlus 300 HS | 2001.9.4-E | LAN | 1 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus 500 HS | GC Headspace Autosampler | TriPlus 500 HS | Discovery FW 2.07 FW 1.00.01 | LAN | 1 | | 7.2.9 DUa | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---------------------------------|-------------------------------------|-------------|------------------------|----------------|------------------|------------------|--|------------------------|--|----------------------------|
| Thermo Scientific – TriPlus RSH | GC Autosampler | TriPlus RSH | 1.4 | LAN | 1 | | 7.1 SR1 Mua through 7.1 SR2 Mua Only | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus RSH | GC Autosampler | TriPlus RSH | 1.6 | LAN | 1 | | 7.1 SR2 Mub, 7.1 SR3, 7.2, and 7.2 Mua Only | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus RSH | GC Autosampler | TriPlus RSH | 2.0 | LAN | 1 | | 7.2 MUb, 7.2 MUC, 7.2 SR1 and 7.2 SR1 MUa Only | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus RSH | GC Autosampler | TriPlus RSH | 2.0.1 | LAN | 1 | | 7.2 SR2 Only | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – TriPlus RSH | GC Autosampler | TriPlus RSH | 2.2 | LAN | 1 | | 7.2 SR2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – TriPlus RSH | GC Autosampler | TriPlus RSH | 2.4.2 | LAN | 1 | | 7.2 SR5 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific | IC-MS | | | | | | | | | |
| Thermo Scientific LC-MS | Single Quadrupole Mass Spectrometer | MSQ Plus | VI Driver 2.0 SP4 [11] | USB | 1 | LC-MS | 7.2 SR1 | yes | 7 ³² , 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------------------------|-------------|---|----------------|------------------|------------------|----------------------------|------------------------|---|---------------------------|
| Thermo Scientific IC-MS | Single Quadrupole Mass Spectrometer | ISQ EC ICMS | Digital Board 230.72.99.28 Controller Interface FPGA 64; Controller Interface MCU 19; Lens Driver Base 21; Lens Driver HV 3; Pressure Controller 18; Display Board 1; RF 9; Rod Driver 3 | LAN | 1 | LC-MS | 7.2.6 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------------------------|-------------|---|----------------|------------------|------------------|----------------------------|------------------------|---|---------------------------|
| Thermo Scientific IC-MS | Single Quadrupole Mass Spectrometer | ISQ EM ICMS | Digital Board 230.72.99.28 Controller Interface FPGA 64; Controller Interface MCU 19; Lens Driver Base 21; Lens Driver HV 3; Pressure Controller 18; Display Board 1; RF 9; Rod Driver 3 | LAN | 1 | LC-MS | 7.2.9 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Thermo Scientific | LC-MS | | | | | | | | | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------------------------|-----------------|---|----------------|------------------|------------------|----------------------------|------------------------|--|---------------------------|
| Thermo Scientific LC-MS | Single Quadrupole Mass Spectrometer | Vanquish ISQ EC | Digital Board 230.72.99.28 Controller Interface FPGA 64; Controller Interface MCU 19; Lens Driver Base 21; Lens Driver HV 3; Pressure Controller 18; Display Board 1; RF 9; Rod Driver 3 | LAN | 1 | LC-MS | 7.2.6 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Thermo Scientific LC-MS | Single Quadrupole Mass Spectrometer | Vanquish ISQ EM | Digital Board 230.72.99.28 Controller Interface FPGA 64; Controller Interface MCU 19; Lens Driver Base 21; Lens Driver HV 3; Pressure Controller 18; Display Board 1; RF 9; Rod Driver 3 | LAN | 1 | LC-MS | 7.2.9 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------------------------|------------------------------|--|----------------|------------------|------------------|----------------------------|------------------------|-------------------------------------|----------------------------|
| Thermo Scientific LC-MS | Single Quadrupole Mass Spectrometer | MSQ Plus | VI Driver 2.0 SP4 [11] | USB | 1 | LC-MS | 7.2 SR1 | yes | $7^{32}, 10^{64}$ | |
| Thermo Scientific | Liquid Chromatography | | | | | | | | | |
| Thermo Scientific Accela | Photodiode Array Detector | Accela PDA (20 Hz) | ROM: 2.02, App: 0.01, Pic: 0.01, Instr: 2.02 | LAN | 1 | 3D | 7.1 SR2 | no | $7^{32}, 7^{64}$ | TDS5 (WES7) |
| Thermo Scientific Accela | Photodiode Array Detector | Accela PDA (80 Hz) | ROM: 3.97, App: 0.01, Pic: 0.01, Instr: 3.97 | LAN | 1 | 3D | 7.1 SR2 | no | $7^{32}, 7^{64}$ | TDS5 (WES7) |
| Thermo Scientific Accela | LC Autosampler | Accela Autosampler [21] | 2.15 | LAN | 1 | | 7.1 SR2 | yes | $7^{32}, 7^{64}, 8.1^{64}$ | TDS5 (WES7) |
| Thermo Scientific Accela | LC Autosampler | Accela Open Autosampler [21] | 4.1.3 | RS232, LAN | 1 | | 7.1 SR2 | yes | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Accela | Pump | Accela Pump (600 bar) [21] | 23.67e | USB | 1 | | 7.1 SR2 | yes | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Accela | Pump | Accela Pump (1000 bar) [21] | 12.52c | USB | 1 | | 7.1 SR2 | yes | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Accela | Pump | Accela Pump (1250 bar) [21] | 23.67f | USB | 1 | | 7.1 SR2 | yes | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Finnigan Surveyor Plus | Autosampler | Autosampler Plus [8, 21] | 2.15 | LAN | 1 | | 7.1 SR2 | yes | $7^{32}, 7^{64}, 8.1^{64}$ | TDS5 (WES7) |
| Thermo Finnigan Surveyor Plus | Pump | LC Pump Plus | Pump 2.0, Adapter 2.00 | LAN | 1 | | 7.1 DU0b | yes | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|------------------------------|--------------------------|--|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Thermo Finnigan Surveyor | UV Detector | UV/VIS Detector | 3.12 | LAN | 1 | UCI | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Finnigan Surveyor Plus | UV Detector | UV/VIS Plus Detector | Not available | LAN | 1 | UCI | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Finnigan Surveyor Plus | Photodiode Array Detector | PDA Plus Detector | ROM: 2.02, App: 0.01, Pic: 0.01, Instr: 2.02 | LAN | 1 | 3D | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – SpectraSYSTEM | LC Autosampler | AS3000, AS3500 | 3.31.30 | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – SpectraSYSTEM | Binary Low-pressure Pump | P2000 | 3.03 | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – SpectraSYSTEM | Quaternary Low-Pressure Pump | P4000 | 4.04.40 | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – SpectraSYSTEM | UV Detector | UV1000 | 3.09 | RS232 | 1 | UCI | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – SpectraSYSTEM | UV Detector | UV2000 | 3.12 | RS232 | 1 | UCI | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – SpectraSYSTEM | UV Detector | UV3000 | Not available | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – SpectraSYSTEM | Photodiode Array Detector | UV6000 | 1.4, 1.8, ROM: 0.2 | RS232 | 1 | 3D | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – SpectraSYSTEM | Fluorescence Detector | FL2000 | 3.11 | RS232 | 1 | | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Thermo Scientific – Modules | Fraction Collector | ASX-280-FC (VF-F11) [14] | 1.03 | USB 1.1 & self-powered hub | 1 | FC | 7.2 SR5 MUD | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------|--|----------|----------------------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Thermo Scientific – Modules | Fraction Collector | ASX-280-FC (VF-F10) [14] (Cooled Version) | 1.11 | USB 1.1 & self-powered hub | 1 | FC | 7.2.10 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Autosamplers [19] | | | | | | | | | |
| Thermo Scientific Vanquish | Autosampler | VH-A10-A [14] | 2.06 | USB | 1 | | 7.2 SR1 MUa | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Autosampler | VF-A10-A [14] | 2.06 | USB | 1 | | 7.2 SR2 MUb | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Autosampler | VH-A40-A [14] | 2.06 | USB | 1 | | 7.2.8 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Autosampler | VF-A40-A [14] | 2.06 | USB | 1 | | 7.2.8 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Autosampler | VC-A12-A [14] | 2.06 | USB | 1 | | 7.2.10 MUa | no | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Autosampler | VC-A13-A [14] | 2.06 | USB | 1 | | 7.2.10 MUa | no | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Autosampler | VN-A10-A [14, 27] | 2.20 | USB | 1 | | 7.2.10 MUD | yes | 10 ⁶⁴ | Not supported |
| Thermo Scientific Vanquish | Charger | VH-A90-A [14, 17] | 1.12 | RS232 over USB | 1 | | 7.2 SR1 MUa | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Pumps [19] | | | | | | | | | |
| Thermo Scientific Vanquish | Binary Pump | VH-P10-A [14] | 2.03 | USB | 1 | | 7.2 SR1 MUa | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Binary Pump | VF-P10-A [14] | 2.03 | USB | 1 | | 7.2 SR4 MUb | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------------|-----------------------|----------|----------------|------------------|------------------|----------------------------|------------------------|------------------------|----------------------------|
| Thermo Scientific Vanquish | Binary Pump | VC-P10-A [14] | 2.03 | USB | 1 | | 7.2.10 MUa | no | 10^{64} | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Binary Pump | VN-P10-A [14, 27, 30] | 2.20 | USB | 1 | | 7.2.10 MUD | yes | 10^{64} | Not supported |
| Thermo Scientific Vanquish | Quaternary Pump | VF-P20-A [14] | 2.03 | USB | 1 | | 7.2 SR2 MUb | no | $8.1^{64}, 10^{64}$ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Quaternary Pump | VC-P20-A [14] | 2.03 | USB | 1 | | 7.2.10 MUa | no | 10^{64} | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Quaternary Pump | VC-P21-A [14] | 2.03 | USB | 1 | | 7.2.10 MUa | no | 10^{64} | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Isocratic Pump | VC-P40-A [14] | 2.03 | USB | 1 | | 7.2.10 MUa | no | 10^{64} | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Dual Pump | VF-P32-A [14] | 2.03 | USB | 1 | | 7.2.8 | no | $8.1^{64}, 10^{64}$ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Dual Pump | VC-P32-A [14] | 2.03 | USB | 1 | | 7.2.10 MUa | no | 10^{64} | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Dual Pump | VC-P33-A [14] | 2.03 | USB | 1 | | 7.2.10 MUa | no | 10^{64} | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Column Compartments [19] | | | | | | | | | |
| Thermo Scientific Vanquish | Column Compartment | VH-C10-A [14] | 2.02 | USB | 1 | | 7.2 SR1 MUa | no | $8.1^{64}, 10^{64}$ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Column Compartment | VC-C10-A [14] | 2.02 | USB | 1 | | 7.2.10 MUa | no | 10^{64} | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Column Compartment | VN-C10-A [14, 27] | 2.20 | USB | 1 | | 7.2.10 MUD | yes | 10^{64} | Not supported |
| Thermo Scientific Vanquish | Detectors [19] | | | | | | | | | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|------------------------------|---------------|----------|----------------|------------------|------------------|----------------------------|------------------------|--------------------------------------|----------------------------|
| Thermo Scientific Vanquish | Diode Array Detector HL | VH-D10-A [14] | 2.01 | USB | 1 | 3D | 7.2 SR1 MUa | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Diode Array Detector FG | VF-D11-A [14] | 2.10 | USB | 1 | 3D | 7.2.8 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Diode Array Detector | VC-D11-A [14] | 2.10 | USB | 1 | | 7.2.10 MUa | no | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Multiple Wavelength Detector | VC-D12-A [14] | 2.01 | USB | 1 | | 7.2.10 MUa | no | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Charged Aerosol Detector | VH-D20-A [14] | 2.01 | USB | 1 | | 7.2 SR2 MUa | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Charged Aerosol Detector | VF-D20-A [14] | 2.01 | USB | 1 | | 7.2 SR2 MUb | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Fluorescence Detector | VF-D50-A [14] | 2.02 | USB | 1 | 3D | 7.2 SR2 MUb | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Fluorescence Detector | VF-D51-A [14] | 2.02 | USB | 1 | 3D | 7.2 SR2 MUb | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Fluorescence Detector | VC-D50-A [14] | 2.02 | USB | 1 | 3D | 7.2.10 MUa | no | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Fluorescence Detector | VC-D51-A [14] | 2.02 | USB | 1 | 3D | 7.2.10 MUa | no | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Variable Wavelength Detector | VF-D40-A [14] | 2.01 | USB | 1 | | 7.2 SR3 MUa | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific Vanquish | Variable Wavelength Detector | VC-D40-A [14] | 2.01 | USB | 1 | | 7.2.10 MUa | no | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---|--|------------------------|------------------------------|----------------|------------------|------------------|----------------------------|------------------------|--|----------------------------|
| Thermo Scientific Vanquish | Refractive Index Detector | VC-D60-A [14, 28] | RA37E01 RA36E09 | USB | 1 | | 7.2.10 MUa | yes | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Fraction Collector [19] | | | | | | | | | |
| Thermo Scientific Vanquish | Integral Fraction Collector FT | VF-F20-A [14, 29] | 1.03 | USB | 1 | | 7.2.10 MUe | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | Miscellaneous [19] | | | | | | | | | |
| Thermo Scientific Vanquish | Solvent Monitor | n.a. | 2.03 | USB | 1 | | 7.2.10 MUa | no | 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Thermo Scientific Vanquish | System Controller | 6036.1130 [14, 30, 31] | 2.3 | TCP/IP | 1 | | 7.2.10 MUd | yes | 10 ⁶⁴ | Not supported |
| Thermo Scientific Vanquish | Neo System | VN-S10-A [14, 27] | - | USB, TCP/IP | 1 | | 7.2.10 MUd | yes | 10 ⁶⁴ | Not supported |
| Thermo Scientific | Miscellaneous | | | | | | | | | |
| Thermo Scientific – A2D Converter (Serial numbers 0 – 014999) | Analog to digital converter | A2D | Automatic download on demand | USB | 1 | | 7.1 SR2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – A2D Converter (Serial numbers 015000 - 019999) | Dual-Channel Analog to digital converter | A2D | Automatic download on demand | USB | 1 | | 7.2 SR4 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Thermo Scientific – A2D Converter (Serial numbers > 020000) | Dual-Channel Analog to digital converter | A2D | Automatic download on demand | USB | 1 | | 7.2.8 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

3 Thermo Scientific MS support in Chromleon 7

Drivers to control Thermo Scientific single quadrupole mass spectrometers are included in the Chromleon distributable. Specific model and compatibility information is provided in Section 2, above.

Control of other Thermo Scientific mass spectrometers is provided by separately installed drivers. Customers with support contracts may access the following download locations for the current drivers, as well as important information about model and version compatibility:

Thermo Scientific Digital Science Support Resource Center

<https://support.thermoinformatics.com/login.aspx>

Thermo Scientific Life Sciences Mass Spectrometry Software Download and Licensing Portal

<https://thermo.flexnetoperations.com/control/thmo/login>

If you do not have access to either of the above locations, please contact your local Thermo Scientific representative.

4 Third-party devices supported by Chameleon 7

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chameleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|------------------------|---|----------|----------------|-------------|---|----------------------------|------------------------|---|---------------------------|
| Agilent – 5890 GC | Gas Chromatograph | 5890 GC Series I, II, II Plus | - | RS232 | 2 | UCI required for Analogue acquisition, DICE card required for digital acquisition | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent – 5890 GC | GC Autosampler | 7673 | - | RS232 | 2 | | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent Drivers for Chameleon | GC Systems [33] | | | | | | | | | |
| Agilent Drivers for Chameleon | Gas Chromatograph | G2630A – 6850A (S/N <=US00003200) | A.03.07 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chameleon | Gas Chromatograph | G2630A – 6850A (S/N >=US10243001) | A.06.02 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chameleon | GC Inlet | Split/Splitless (S/SL) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chameleon | GC Inlet | Purged/Packed (PP) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chameleon | GC Inlet | Cool On-Column (COC) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chameleon | GC Inlet | Programmable Temperature Vaporization (PTV) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chameleon | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromleon | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Nitrogen Phosphorus Detector (NPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Photometric Detector (FPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Electron Capture Detector (ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Analogue Input Board (AIB) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | Gas Chromatograph | G1530A – 6890A | A.03.8 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | Gas Chromatograph | G1540A – 6890 Plus | A.03.8 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | Gas Chromatograph | G1530N/G1540N – 6890N | N.06.07 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Split/Splitless (S/SL) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Purged/Packed (PP) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Cool On-Column (COC) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Programmable Temperature Vaporization (PTV) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Pressure Control Module (PCM) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|---|-------------|----------------|-------------|------------------|----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromleon | GC Inlet | Volatile Inlet (VI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | LTM I | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Nitrogen Phosphorus Detector (NPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Photometric Detector (FPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Electron Capture Detector (ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Micro Electron Capture Detector (μ -ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Dual W FPD | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Analogue Input Board (AIB) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | Gas Chromatograph | G4350A - 7820 | A.01.15.012 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Split/Splitless (S/SL) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Purged/Packed (PP) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromleon | GC Inlet | Cool On-Column (COC) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Packed Column Inlet (PCI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Nitrogen Phosphorus Detector (NPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Photometric Detector (FPD/FPD+) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Micro Electron Capture Detector (μ -ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | Gas Chromatograph | G3440A/G3442A/G3443A/G3445A – 7890A | A.01.16 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Split/Splitless (S/SL) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Purged/Packed (PP) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Cool On-Column (COC) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Programmable Temperature Vaporization (PTV/HT-PTV) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | HCM | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|---|-----------|----------------|-------------|------------------|----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromleon | GC Inlet | Pressure Control Module (PCM) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Volatile Inlet (VI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Multi-mode Inlet (MMI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | LTM II | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Nitrogen Phosphorus Detector (NPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Photometric Detector (FPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Electron Capture Detector (ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Micro Electron Capture Detector (μ -ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Dual W FPD | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Analogue Input Board (AIB) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | Gas Chromatograph | G3440B/G3442B/G3443B/G3445B – 7890B & 7890A+ | B.02.03.2 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromleon | GC Inlet | Split/Splitless (S/SL) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Purged/Packed (PP) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Cool On-Column (COC) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Programmable Temperature Vaporization (PTV/HT-PTV) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | HCM | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Pressure Control Module (PCM) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Volatile Inlet (VI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | Multi-mode Inlet (MMI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Inlet | LTM II | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | HSM | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Nitrogen Phosphorus Detector (NPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|---|----------|----------------|-------------|------------------|-----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromeleon | GC Detector | Flame Photometric Detector (FPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Electron Capture Detector (ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Micro Electron Capture Detector (μ -ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Dual W FPD | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Analogue Input Board (AIB) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Sulfur/Nitrogen Chemiluminescence detectors (SCD/NCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | Gas Chromatograph | G2790A - 8860 | 1.0 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Split/Splitless (S/SL) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Purged/Packed (PP) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Cool On-Column (COC) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Packed Column Inlet (PCI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|--|----------|----------------|-------------|------------------|-----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromeleon | GC Detector | Nitrogen Phosphorus Detector (NPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Flame Photometric Detector (FPD/FPD+) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Micro Electron Capture Detector (μ -ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | Gas Chromatograph | G3540A/G3542A/G3543A/G345A - 8890 | 1.0 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Split/Splitless (S/SL) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Purged/Packed (PP) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Cool On-Column (COC) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Programmable Temperature Vaporization (PTV/HT-PTV) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Pressure Control Module (PCM) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Volatile Inlet (VI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Multi-mode Inlet (MMI) | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | HCM | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | LTM II | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|---|----------|----------------|-------------|------------------|-----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromeleon | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Nitrogen Phosphorus Detector (NPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Flame Photometric Detector (FPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Electron Capture Detector (ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Micro Electron Capture Detector (μ -ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Dual W FPD | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Analogue Input Board (AIB) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | Sulfur/Nitrogen Chemiluminescence detectors (SCD/NCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Detector | HSM | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | Gas Chromatograph | G3950A/G3952A/G3953A – Intuvo 9000 | A.01.04 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Split/Splitless (S/SL) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Inlet | Multi-mode Inlet (MMI) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromleon | GC Inlet | HCM | | (via GC) | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Nitrogen Phosphorus Detector (NPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Flame Photometric Detector (FPD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Electron Capture Detector (ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Micro Electron Capture Detector (μ -ECD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Detector | Sulfur/Nitrogen Chemiluminescence detectors (SCD/NCD) | | (via GC) | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Autosampler | G4567A – 7650 GC ALS Injector | A.10.02 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Autosampler | G4513A – 7693 GC ALS Injector | A.10.08 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Autosampler | G4514A – 7693 GC ALS Tray | A.10.16 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Autosampler | G4515A – 7693 GC ALS BCR/Mixer | A.10.04 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | GC Autosampler | G4516A – 7693 GC ALS External Controller | A.01.06 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------------|---|-----------|----------------|-------------|------------------|-----------------------------|------------------------|--------------------------------------|---------------------------|
| Agilent Drivers for Chromeleon | GC Autosampler | G4517A – 7693 GC ALS Injector 6890Plus ALS card upgrade | A.01.06 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G4521A – 7693 GC ALS LVI Syringe carriage | N/A | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G4522A – 7693 GC ALS Cooling Accessory | N/A | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G4520A – 7693 GC ALS tray with BCR Mixer | A.10.16 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G2913A – 7683B GC ALS Injector | A.11.03 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G2614A – 7683B GC ALS Tray | A.02.01 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G2615A – 7683B GC ALS BCR/Mixer | N/A | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G2613A – 7683A GC ALS Injector | A.10.07 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G2614A – 7683A GC ALS Tray | A.02.01 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Autosampler | G2615A – 7683A GC ALS BCR/Mixer | N/A | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Headspace sampler | G4557A/G4556A – 7697A Headspace sampler | A.01.08.2 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Headspace sampler | G4511A – 8697 Headspace sampler | 1.1.0.34 | LAN | 2 | | 7.2 SR5 | yes | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromeleon | GC Accessory valve | G3539A – High Pressure Liquid injection Valve | N/A | | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|---|----------------------------|
| Agilent Drivers for Chromleon | GC Accessory valve | G3535A – GC Gasifier | N/A | | 2 | | 7.2.10 MUf, 7.3.1 | no | 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent – 6850 GC | Gas Chromatograph | 6850 | A.03.XX | LAN | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ [1], 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent – 6850 GC | GC Autosampler | 6850 ALS (22 and 27 vials), 7683, 7693A | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ [1], 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent – 6850 GC | GC Inlet | Split/Splitless (S/SL) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ [1], 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent – 6850 GC | GC Inlet | Purged/Packed (PP) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ [1], 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent – 6850 GC | GC Detector | Flame Ionization Detector (FID) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ [1], 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent – 6850 GC | GC Detector | Thermal Conductivity Detector (TCD) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ [1], 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent – 6890 GC | Gas Chromatograph | 6890, 6890 Series II | A.03.XX | LAN | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | Gas Chromatograph | 6890N | N.06.07 | LAN | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Autosampler | 7673, 7683, 7693A | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|---|----------------------------|
| Agilent – 6890 GC | GC Autosampler | 7693A | - | (via GC) | 2 | | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Inlet | Split/Splitless (S/SL) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Inlet | Purged/Packed (PP) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Inlet | Cool On-Column (COC) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Inlet | Programmable Temperature Vaporization (PTV) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Detector | Flame Ionization Detector (FID) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Detector | Thermal Conductivity Detector (TCD) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Detector | Electron Capture Detector (ECD) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|--|-----------|----------------|-------------|------------------|----------------------------|------------------------|---|----------------------------|
| Agilent – 6890 GC | GC Detector | Nitrogen Phosphorus Detector (NPD) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Detector | Flame Photometric Detector (FPD) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Detector | Micro Electron Capture Detector (μ -ECD) | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 6890 GC | GC Detector | Other detectors | - | (via GC) | 2 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ [35] | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | Gas Chromatograph | 7890A | A.01.10.3 | LAN | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | Gas Chromatograph | 7890B | B.02.00 | LAN | 2 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | Gas Chromatograph | 7890 - Timebase Sharing / Dual Operation, Timed Events | A.01.10.3 | LAN | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Autosampler | 7683(B) Injector and tray | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------|---|-------------------------------------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent – 7890 GC | GC Autosampler | G7693A | Min GC FW A.1.11 | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Autosampler | 7650A | Min GC FW A.1.11; Min GC FW B.02.00 | LAN | 2 | | 7.2 MUa | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Inlet | Cool On-Column (COC) with EPC | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Inlet | Split/Splitless (S/SL) with EPC (standard pressure inlet version) | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Inlet | Split/Splitless (S/SL) with 100 EPC (standard pressure inlet version) | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Inlet | Split/Splitless (S/SL) with 150 EPC (high pressure inlet version) | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Inlet | Volatile Inlet (VI) | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Inlet | PTV inlet | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent – 7890 GC | GC Inlet | Multi-mode Inlet (MMI) with EPC | - | (via GC) | 2 | | 7.2.9 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Inlet | Pressure Control Module (PCM) | - | (via GC) | 2 | | 7.2.9 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Detector | Flame Ionization Detector (FID) with or without EPC | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Detector | Thermal Conductivity Detector (TCD) with or without EPC | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Detector | Micro Electron Capture Detector (uECD) with or without EPC | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Detector | Nitrogen-Phosphorous Detector (NPD) with or without EPC | - | (via GC) | 2 | | 7.2.9 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Auxiliary | Auxiliary pressure device (Aux EPC) | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – 7890 GC | GC Auxiliary | Pressure Control Module (PCM) | - | (via GC) | 2 | | 7.2.10 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------------------|--|--------------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent – 7890 GC | Valves | Gas sampling valves (GSV), multi-position valves, switching valves, remote start valves, other valves. | - | (via GC) | 2 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent – G1888 | GC Headspace Autosampler | G1888 | A.01.08 | LAN | 2 | | 7.1 DU0a | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Agilent – 7697A | ICF - GC Headspace Autosampler | 7697A [4] | See link [2] | LAN | 2 | | 7.2 SR4 | yes | 7 ³² , 7 ⁶⁴ [4], 10 ⁶⁴ [3] | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Systems [33] | | | | | | | | | |
| Agilent Drivers for Chromleon | HPLC Pump | G1310A - 1200 Isocratic Pump | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G1310B - 1260 Infinity Isocratic Pump | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G1311A - 1200 Series Quaternary Pump | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G1311B - 1260 Infinity Quaternary Pump | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G1311C - 1260 Infinity Quaternary Pump VL | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-----------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Pump | G1312A - 1200 Infinity Binary Pump | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G1312B - 1260 Infinity Binary Pump | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G1312C - 1260 Infinity Binary Pump VL | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G1361A - 1260 Infinity Preparative Pump | A.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G1376A - 1260 Infinity Capillary Pump | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G2226A - 1260 Infinity Nanoflow Pump | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G4204A - 1290 Quaternary Pump | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G4220A - 1290 Infinity Binary Pump | B.06.23 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-----------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Pump | G4220B - 1290 Infinity Binary Pump VL | B.06.43 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G4302A - 1260 Infinity SFC Binary Pump | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G4782A - 1260 Infinity II SFC Binary Pump | D.07.13 | LAN | 3 | | 7.2.8 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G5611A - 1260 Infinity Bio-inert Quaternary Pump | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G5654A - 1290 Infinity II Bio-Inert Quaternary Pump | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7104A - 1290 Infinity II Flexible Pump | B.06.71 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7104C - 1260 Infinity II Flexible Pump | B.07.20 | LAN | 3 | | 7.2.8 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7110B - 1260 Infinity II Isocratic Pump | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-----------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Pump | G7111A - 1260 Infinity II Quaternary Pump VL | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7111B - 1260 Infinity II Quaternary Pump | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7112B - 1260 Infinity II Binary Pump | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7120A - 1290 Infinity II High Speed Pump | B.06.71 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7131A – Infinity Bio Flexible Pump | B.07.34 | LAN | 3 | | 7.2.10 MUf, 7.3.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7131C – Infinity Bio Flexible Pump | B.07.34 | LAN | 3 | | 7.2.10 MUf, 7.3.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7132A – Infinity Bio Flexible Pump | B.07.34 | LAN | 3 | | 7.2.10 MUf, 7.3.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Pump | G7161A - 1260 Infinity II Preparative Binary Pump | D.07.20 | LAN | 3 | | 7.2.8 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Pump | G7161B - 1290 Infinity II Preparative Binary Pump | D.07.20 | LAN | 3 | | 7.2.8 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1328A/B – Manual Injector | N/A | LAN | 3 | | 7.2.10 MUf, 7.3.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1330A/B - Thermostat for Agilent Sampler | N/A | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1313A - 1100 Series Standard Autosampler | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1329A - 1100 Series Standard Autosampler | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1329B - 1260 Infinity Standard Autosampler | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1367A - 1100 Series Well-plate Autosampler | A.06.31 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1367B - 1200 Series High Performance Autosampler | A.06.31 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Sampler | G1367C - 1200 Series High Performance Autosampler SL | A.06.31 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1367D - 1200 Series High Performance Autosampler SL+ | A.06.31 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1367E - 1260 Infinity High Performance Autosampler | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1377A - 1260 Infinity High Performance Micro Autosampler | A.06.12 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G1389A - 1100 Series Micro Thermostatted Autosampler | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G2258A - 1260 Infinity Dual-Loop Autosampler | A.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G2260A - 1260 Infinity Preparative Autosampler (High flow) | A.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G4226A - 1290 Infinity Autosampler | A.06.31 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Sampler | G4303A - 1260 Infinity SFC Standard Autosampler | A.06.54 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G4767A- 1260 Infinity II SFC Multisampler | D.07.13 | LAN | 3 | | 7.2.8 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G5667A - 1260 Infinity Bio-inert High Performance Autosampler | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G5668A - 1260 Infinity II Bio-inert Multisampler | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G7129A - 1260 Infinity II Vialsampler | D.06.60 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G7129B - 1290 Infinity II Vialsampler | D.06.60 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G7129C - 1260 Infinity II Vialsampler | D.07.20 | LAN | 3 | | 7.2.8 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G7137A - 1290 Infinity II Bio Multisampler | D.07.33 | LAN | 3 | | 7.2.10 MUf, 7.3.1 | yes | 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Sampler | G7157A - 1260 Infinity II Preparative Autosampler | D.07.01 | LAN | 3 | | 7.2.10 MUf | yes | 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G7167A - 1260 Infinity II Multisampler | D.06.60 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Sampler | G7167B - 1290 Infinity II Multisampler | D.06.60 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1314A - 1100 Series Variable Wavelength Detector | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1314B - 1260 Infinity Variable Wavelength Detector VL | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1314C - 1260 Infinity Variable Wavelength Detector VL+ | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1314D - 1200 Series Variable Wavelength Detector | B.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1314E - 1290 Infinity Variable Wavelength Detector | B.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Detector | G1314F - 1260 Infinity Variable Wavelength Detector | B.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1315A - 1100 Series Diode Array Detector | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1315B - 1200 Series Diode Array Detector | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1315C - 1200 Series Diode Array Detector VL+ | B.06.30 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1315D - 1200 Series Diode Array Detector VL | B.06.30 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1365A - 1100 Series Multiple Wavelength Detector | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1365B - 1200 Series Multiple Wavelength Detector | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1365C - 1260 Infinity Multiple Wavelength Detector | B.06.30 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Detector | G1365D - 1260 Infinity Multiple Wavelength Detector VL | B.06.30 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1321A - 1200 Series Fluorescence Detector (FLD) | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1321B - 1260 Infinity Fluorescence Detector | A.06.32 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1321C - 1260 Infinity Fluorescence Detector | A.06.54 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G1362A - 1260 Infinity Refractive Index Detector | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G4212A - 1290 Infinity Diode Array Detector | B.06.30 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G4212B - 1260 Infinity Diode Array Detector | B.06.30 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7114A - 1260 Infinity II Variable Wavelength Detector | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Detector | G7114B - 1290 Infinity II Variable Wavelength Detector | D.06.70 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7115A - 1260 Infinity II Diode Array Detector WR | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7117A - 1260 Infinity II Diode Array Detector FS | D.06.70 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7117B - 1290 Infinity II Diode Array Detector | D.06.70 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7117C - 1260 Infinity II Diode Array Detector FS | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7121A - 1260 Infinity II Fluorescence Detector | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7121B - 1260 Infinity II Fluorescence Detector Spectra | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7165A - 1260 Infinity II Multi Wavelength Detector | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | HPLC Detector | G4260A - 380-ELSD | 25.00 | RS232 | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G4261A - 385-ELSD | 25.00 | RS232 | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G4260B - 1260 Infinity II Evaporative Light Scattering Detector | 32.06 | RS232 | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G4261B - 1290 Infinity Evaporative Light Scattering Detector | 32.06 | RS232 or LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7102A - 1290 Infinity II Evaporative Light Scattering Detector | 32.06 | RS232 or LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7162A - 1260 Infinity II Refractive Index Detector | D.06.76 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | HPLC Detector | G7162B - 1290 Infinity II Refractive Index Detector | D.06.76 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Column Compartment | G1316A - 1260 Infinity Thermostatted Column Compartment | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---|--|---|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | Column Compartment | G1316B - 1200 Series Column Compartment SL | A.06.10 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Column Compartment | G1316C - 1200 Series Thermostatted Column Compartment SL+ | A.06.14 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Column Compartment | G7116A - 1260 Infinity II Multicolumn Thermostat | D.07.01 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Column Compartment | G7116B - 1290 Infinity II Multicolumn Thermostat (Host with firmware B.06.75/D.06.75 required) | C.06.70 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Column Compartment / Valve Thermostat Cluster | G7130A - Integrated Column Compartment ICC | C.06.76 / D.06.76 (Module) | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Valve Thermostat Cluster | G7116B | C.06.75 (Module); B.06.75/D.06.75 (Host Module) | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Valve Thermostat Cluster | G1170A | C.06.75 (Module); B.06.75/D.06.75 (Host Module) | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Valve Thermostat Cluster | G1316C | A.06.55 (Module) | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------------|---|------------------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | Valve Thermostat Cluster | G1316A/B | A.06.10 (Module) | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Quick Change Valves | G1157A - 1200 Series 2-Position/10-Port Valve | A.06.02 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Quick Change Valves | G1158A - 1200 Series 2-Position/6-Port Valve | A.06.02 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Quick Change Valves | G1158B - 1200 Series 2-Position/6-Port Valve (600bar) | A.06.02 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Quick Change Valves | G1159A - 1200 Series 6-Position Selection Valve | A.06.02 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Quick Change Valves | G1160A - 1100 Series Multiple Purpose Switching Valve (12-Position/13-Port) | A.06.02 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Quick Change Valves | G1162A - 1200 Series 2-Position/6-Port Micro Valve | A.06.02 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Quick Change Valves | G1163A - 1200 Series 2-Position/10-Port Micro Valve | A.06.02 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | Quick Change Valves | G1170A - 1290 Infinity Valve Drive (Host required with firmware B.06.40/D.06.060) | C.06.40 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Other Modules | G1390A - 1100 Series Universal Interface Box (UIB) | A.06.02 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Other Modules | G1390B - 1200 Infinity Series Universal Interface Box II (Host required with B.06.53 firmware) | C.06.53 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Other Modules | G4227A - 1290 Infinity Flexible Cube (Host required with B.06.52 firmware) | C.06.52 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Other Modules | G4301A - 1260 Infinity Analytical SFC System | N/A | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Other Modules | G7170B - 1290 Infinity II MS Flow Modulator (Host required with B.07.20 firmware) | N/A | LAN | 3 | | 7.2.8 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4286A - 1120 Compact LC Isocratic | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4287A - 1120 Compact LC Isocratic with Oven and ALS | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | LC Systems | G4287B - 1220 Infinity LC Isocratic, ALS, TCC, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4288A - 1120 Compact LC Gradient | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4289A - 1120 Compact LC Gradient with Oven | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4289B - 1220 Infinity LC Gradient, ALS, TCC, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4290A - 1120 Compact LC Gradient with oven and ALS | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4290B - 1220 Infinity LC Gradient, ALS, Man. Inj., TCC, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4292B - 1220 Infinity LC Isocratic, ALS, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4293B - 1220 Infinity LC Gradient, ALS, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Agilent Drivers for Chromleon | LC Systems | G4294B - 1220 Infinity LC Gradient, ALS, TCC, DAD, 600 bar | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4290C - 1220 Infinity LC System VL Gradient, ALS, TCC, VWD, 400 bar | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | LC Systems | G4293C - 1220 Infinity LC System VL Gradient, ALS, VWD, 400 bar | B.06.50 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Capillary Electrophoresis | G7150A - G7100 Capillary Electrophoresis II | B.7.35 | LAN | 3 | | 7.2.10 MUf, 7.3.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Capillary Electrophoresis | G7151A – Diode Array Detector for CE | D.7.35 | LAN | 3 | | 7.2.10 MUf, 7.3.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Additional Driver Features | External Contacts Board G1351 | N/A | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Additional Driver Features | ISET G2197AA I | N/A | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Additional Driver Features | ISET G2197AA II | N/A | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent Drivers for Chromleon | Additional Driver Features | ISET G2197AA III | N/A | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Additional Driver Features | ISET G2197AA IV | N/A | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent Drivers for Chromleon | Additional Driver Features | G5617A – Buffer Advisor | N/A | LAN | 3 | | 7.2 SR5 | no | 7 ³² , 7 ⁶⁴ , 8.1 ³² , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Agilent LC-ICF Drivers | | | | | | | | | | |
| Agilent LC-ICF Drivers | HPLC Pump | G1310A - 1100 Isocratic Pump | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G1310B - 1260 Infinity Isocratic Pump | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G1311A - 1100 Series Quaternary Pump | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G1311B - 1260 Infinity Quaternary Pump | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-----------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Pump | G1311C - 1260 Infinity Quaternary Pump VL | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G1312A - 1260 Infinity Binary Pump | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G1312B - 1260 Infinity Binary Pump SL | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G1312C - 1260 Infinity Binary Pump VL | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G1361A - 1260 Infinity Preparative Pump | A.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G1376A - 1260 Infinity Capillary Pump | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G2226A - 1260 Infinity Nanoflow Pump | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G4204A - 1290 Quaternary Pump | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-----------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Pump | G4220A - 1290 Infinity Binary Pump | B.06.23 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G4220B - 1290 Infinity Binary Pump VL | B.06.43 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G4302A - 1260 Infinity SFC Binary Pump | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G4782A - 1260 Infinity II SFC Binary Pump | D.07.13 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G5611A - 1260 Infinity Bio-inert Quaternary Pump | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G5654A - 1290 Infinity II Bio-Inert Quaternary Pump | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G7104A - 1290 Infinity II Flexible Pump | B.06.71 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G7104C - 1260 Infinity II Flexible Pump | D.07.20 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Pump | G7110B - 1260 Infinity II Isocratic Pump | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G7111A - 1260 Infinity II Quaternary Pump | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G7111B - 1260 Infinity II Quaternary Pump VL | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G7112B - 1260 Infinity II Binary Pump | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G7120A - 1290 Infinity II High Speed Pump | B.06.71 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G7161A - 1260 Infinity II Preparative Binary Pump | D.07.20 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Pump | G7161B - 1290 Infinity II Preparative Binary Pump | D.07.20 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G1313A - 1100 Series Standard Autosampler | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Sampler | G1329A - 1100 Series Standard Autosampler | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G1329B - 1100 Series Standard Autosampler | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G1367A - 1100 Series Well-plate Sampler | A.06.31 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G1367B - 1200 Series High Performance Autosampler | A.06.31 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G1367C - 1200 Series High Performance Autosampler SL | A.06.31 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G1367D - 1200 Series High Performance Autosampler SL+ | A.06.31 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G1367E - 1260 Infinity High Performance Autosampler | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G1377A - 1260 Infinity High Performance Micro Autosampler | A.06.12 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Sampler | G1389A - 1100 Series Micro Thermostatted Autosampler | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G2258A - 1260 Infinity Dual-Loop Autosampler | A.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G2260A - 1260 Infinity Preparative Autosampler (High flow) | A.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G4226A - 1290 Infinity Autosampler | A.06.31 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G4303A - 1260 Infinity SFC standard autosampler | A.06.54 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G4767A- 1260 Infinity II SFC Multisampler | D.07.13 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G5667A - 1260 Infinity Bio-inert Autosampler | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G5668A - 1260 Infinity II Bio-inert Autosampler | D.07.13 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Sampler | G7167A - 1260 Infinity II Multisampler | D.07.13 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G7167B - 1290 Infinity II Multisampler | D.07.13 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G7129A - 1260 Infinity II Vialsampler | D.06.76 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G7129B - 1290 Infinity II Vialsampler | D.06.76 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G7129C - 1260 Infinity II Vialsampler | D.07.20 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Sampler | G7157A - 1290 Infinity II Preparative Autosampler | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1314A - 1100 Series Variable Wavelength Detector | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1314B - 1200 Series Variable Wavelength Detector | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Detector | G1314C - 1200 Series Variable Wavelength Detector | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1314D - 1200 Series Variable Wavelength Detector | B.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1314E - 1290 Infinity Variable Wavelength Detector | B.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1314F - 1260 Infinity Variable Wavelength Detector | B.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1315A - 1100 Series Diode Array Detector | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1315B - 1200 Series Diode Array Detector | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1315C - 1200 Series Diode Array Detector VL+ | B.06.30 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1315D - 1200 Series Diode Array Detector VL | B.06.30 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Detector | G1365A - 1100 Series Multiple Wavelength Detector | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1365B - 1100 Series Multiple Wavelength Detector | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1365C - 1260 Infinity Multiple Wavelength Detector | B.06.30 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1365D - 1260 Infinity Multiple Wavelength Detector VL | B.06.30 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1321A - 1100 Series Fluorescence Detector (FLD) | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1321B - 1260 Infinity Fluorescence Detector | A.06.32 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1321C - 1260 Infinity Fluorescence Detector | A.06.54 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G1362A - 1260 Infinity Refractive Index Detector | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Detector | G4212A - 1290 Infinity Diode Array Detector | B.06.57 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G4212B - 1260 Infinity Diode Array Detector | B.06.57 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7114A - 1260 Infinity II Variable Wavelength Detector | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7114B - 1290 Infinity II Variable Wavelength Detector | D.06.70 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7115A - 1260 Infinity II Diode Array Detector WR | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7117A - 1260 Infinity II Diode Array Detector WR | D.06.70 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7117B - 1290 Infinity II Diode Array Detector FS | D.06.70 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7117C - 1260 Infinity II Diode Array Detector HS | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Detector | G7121A - 1260 Infinity II Fluorescence Detector | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7121B - 1260 Infinity II Fluorescence Spectra Detector | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7165A - 1260 Infinity II Multi Wavelength Detector | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G4218A - 1260 Infinity Evaporative Light Scattering Detector | 1.3 | RS232 | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G4260B - 1260 Infinity Evaporative Light Scattering Detector | 32.06 | RS232 LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G4261B - 1290 Infinity Evaporative Light Scattering Detector | 32.06 | RS232 LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7102A - 1290 Infinity II Evaporative Light Scattering Detector | 32.06 | RS232 LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | HPLC Detector | G7162A - 1260 Infinity II Refractive Index Detector | D.06.76 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------------|--|---|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | HPLC Detector | G7162B - 1290 Infinity II Refractive Index Detector | D.06.76 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Column Compartment | G1316A - 1260 Infinity Thermostatted Column Compartment | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Column Compartment | G1316B - 1200 Series Column Compartment SL | A.06.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Column Compartment | G1316C - 1200 Series Thermostatted Column Compartment SL | A.06.14 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Column Compartment | G7116A - 1260 Infinity II Multicolumn Thermostat | D.07.01 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Column Compartment | G7116B - 1290 Infinity II Multicolumn Thermostat (Host with firmware B.06.75/D.06.75 required) | C.06.75 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Column Compartment | G7130A - Integrated Column Compartment ICC | C.06.76 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Valve Thermostat Cluster | G1170A | C.06.75 (Module); B.06.75/D.06.75 (Host Module) | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------------|---|---|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | Valve Thermostat Cluster | G7116B | C.06.75 (Module); B.06.75/D.06.75 (Host Module) | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Valve Thermostat Cluster | G7130A (option of G7129A/B) | D.06.76 (Module) | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Valve Thermostat Cluster | G1316C | A.06.55 (Module) | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Valve Thermostat Cluster | G1316A/B | A.06.10 (Module) | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Quick Change Valves | G1157A - 1200 Series 2-Position/10-Port Valve | A.06.02 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Quick Change Valves | G1158A - 1200 Series 2-Position/6-Port Valve | A.06.02 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Quick Change Valves | G1158B - 1200 Series 2-Position/6-Port Valve (600bar) | A.06.02 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Quick Change Valves | G1159A - 1200 Series 6-Position Selection Valve | A.06.02 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | Quick Change Valves | G1160A - 1100 Series Multiple Purpose Switching Valve (12-Position/13-Port) | A.06.02 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Quick Change Valves | G1162A - 1200 Series 2-Position/6-Port Micro Valve | A.06.02 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Quick Change Valves | G1163A - 1200 Series 2-Position/10-Port Micro Valve | A.06.02 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Quick Change Valves | G1170A - 1290 Infinity Valve Drive (Host required with firmware B.06.40/D.06.060) | C.06.40 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G1364A - 1100 Series Automatic Fraction Collector | A.06.53 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G1364B - 1260 Infinity Fraction Collector (preparative-scale) | A.06.53 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G1364C - 1260 Infinity Fraction Collector (analytical-scale) | A.06.53 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G1364D - 1100 Series Micro Fraction Collector | A.06.53 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | Fraction Collector | G1364E - 1260 Infinity II Preparative Fraction Collector | D.07.20 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G1364F - 1260 Infinity II Analytical Fraction Collector | D.07.20 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G5664A - 1260 Infinity Bio-inert Fraction Collector AS | A.06.53 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G5664B - 1260 Infinity II Bio-inert Fraction Collector | D.07.20 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G7159B - 1290 Infinity II Preparative Open-Bed Fraction Collector | D.07.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Fraction Collector | G7166A - 1260 Infinity II Preparative Valve-Based Collector | C.07.10 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Other Modules | G4227A - 1290 Infinity Flexible Cube (Host required with B.06.52 firmware) | C.06.52 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Other Modules | G7170B - 1290 Infinity II MS Flow Modulator (Host required with B.07.20 firmware) | C.07.20 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | LC Systems | G4286A - 1120 Compact LC Isocratic | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4287A - 1120 Compact LC Isocratic with Oven and ALS | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4287B - 1220 Infinity LC Isocratic, ALS, TCC, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4288A - 1120 Compact LC Gradient | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4289A - 1120 Compact LC Gradient with Oven | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4289B - 1220 Infinity LC Gradient, ALS, TCC, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4290A - 1120 Compact LC Gradient with oven and ALS | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4290B - 1220 Infinity LC Gradient, ALS, Man. Inj., TCC, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Agilent LC-ICF Drivers | LC Systems | G4292B - 1220 Infinity LC Isocratic, ALS, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4293B - 1220 Infinity LC Gradient, ALS, VWD, 600 bar | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4294B - 1220 Infinity LC Gradient, ALS, TCC, DAD, 600 bar | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4290C - 1220 Infinity LC System VL Gradient, ALS, TCC, VWD, 400 bar | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | LC Systems | G4293C - 1220 Infinity LC System VL Gradient, ALS, VWD, 400 bar | B.06.50 | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Additional Driver Features | External Contacts Board G1351 | N/A | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3, 35] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Additional Driver Features | ISET G2197AA I | N/A | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Additional Driver Features | ISET G2197AA II | N/A | LAN | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------------------|---------------------------------------|----------|----------------|-------------|--|----------------------------|------------------------|-------------------------------|---------------------------------|
| Agilent LC-ICF Drivers | Additional Driver Features | ISET G2197AA III | N/A | LAN | 3 | | 7.2 | yes | $7^{32}, 7^{64}, 10^{64}$ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent LC-ICF Drivers | Additional Driver Features | ISET G2197AA IV | N/A | LAN | 3 | | 7.2 | yes | $7^{32}, 7^{64}, 10^{64}$ [3] | TDS5 (WES7, 10), TDS6 (10) [23] |
| Agilent CE-ICF Drivers | CE Systems [2] | | | | | | | | | |
| Agilent CE-ICF Drivers | CE Systems | G7150A – Capillary Electrophoresis II | B.06.25 | LAN | 3 | | 7.2.9 | no info | $7^{32}, 7^{64}, 10^{64}$ [3] | |
| Agilent CE-ICF Drivers | CE Detector | G7151A – Diode Array Detector for CE | B.06.25 | LAN | 3 | | 7.2.9 | no info | $7^{32}, 7^{64}, 10^{64}$ [3] | |
| Berthold | Radioactivity Monitor | LB507/509 | | RS232 | 3 | | 7.2 SR4 | no info | $7^{32}, 7^{64}, 8.1^{64}$ | |
| Bruker GC | Gas Chromatograph | Varian / Bruker 3900-GC | 6.18 | LAN | 2 | (Driver not installed by default. Please launch standalone installer in the /Drivers/ folder of the Chromleon distributable) | 7.2 SR5 | no info | $7^{64}, 10^{64}$ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------------------|--------------------------------|----------|----------------|-------------|--|----------------------------|------------------------|---|---------------------------|
| Bruker GC | Gas Chromatograph | Varian / Bruker / SCION 430-GC | 7.0 | LAN | 2 | (Driver not installed by default. Please launch standalone installer in the /Drivers/ folder of the Chromleon distributable) | 7.2 SR5 | no info | 7 ⁶⁴ , 10 ⁶⁴ | |
| Bruker GC | Gas Chromatograph | Varian / Bruker / SCION 450-GC | 5.07 | LAN | 2 | (Driver not installed by default. Please launch standalone installer in the /Drivers/ folder of the Chromleon distributable) | 7.2 SR5 | no info | 7 ⁶⁴ , 10 ⁶⁴ | |
| Dostmann | Thermometer | P550 | - | RS232 | 1 | | 7.0 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Dostmann | Thermometer | P600 | - | RS232 | 1 | | 7.0 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Dostmann | Thermometer | P650 | - | RS232 | 1 | | 7.0 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Dostmann | Thermometer | P700 | - | USB | 1 | | 7.1 SR2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| ERC | Refractive Index Detector | RefractoMax 521, 523, 524 | RA21E01 | RS232 | 1 | | 7.1 SR2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------------------------|-----------------------------------|----------|----------------|-------------|------------------|-----------------------------|------------------------|---|---------------------------|
| Fluke | Multimeter | 189 | - | RS232 | 1 | | 7.1 | no | 7 ³² | |
| Fluke | Multimeter | 289 (replaces 189) | - | RS232 | 1 | | 7.1 | no | 7 ³² | |
| Gilson - NEBULA | LC Autosampler | 215 | - | RS232-GSIOC | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | LC Autosampler / Liquid Handler | 221XL, 222XL, 231XL, 232XL, 233XL | - | RS232-GSIOC | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | Pump | 331, 332 | - | RS232-GSIOC | 3 | | 7.2 MUb | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | Pump | 333, 334 | - | RS232-GSIOC | 3 | | 7.2 MUb | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | UV Detector | 151, 152 | - | RS232-GSIOC | 3 | | 7.2 MUb | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | UV Detector | 155, 156 | - | RS232-GSIOC | 3 | | 7.2 MUb | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | Valve Module | 817 | - | RS232-GSIOC | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | Valve Module | 819 | - | RS232-GSIOC | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | Valve Module | UVSM | - | RS232-GSIOC | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | Valve Module | ValveMate | - | RS232 | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Gilson | Valve Module | ValveMate II | - | USB | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| ISCO | Fraction Collector | Foxy Junior | - | RS232 | 1 | FC | 7.2 MUb | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-----------------------|---------------------------------------|---------------|----------------|-------------|------------------|----------------------------|------------------------|---|---------------------------|
| ISCO | Fraction Collector | Foxy 200 | - | RS232 | 1 | FC | 7.2 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| ISCO | Fraction Collector | Foxy R1 | - | RS232 | 1 | FC | 7.2 MUb | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Kontron | Fluorescence Detector | SFM25 | - | RS232 | 3 | | | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Linear Instruments | UV Detector | UV205 (same as TSP UV2000) | 3.12 | RS232 | 1 | UCI | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Linear Instruments | UV Detector | UV206 (same as TSP UV3000) | Not available | RS232 | 1 | | 7.1 DU0b | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Markes | Thermal Desorber | TD100-xr Standard | 4.5.5 | USB | 1 | | 7.2.6 | no info | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Markes | Thermal Desorber | TD100-xr Standard - Tube IS Accessory | n.a. | (via TD-100) | 1 | | 7.2.6 | no info | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Markes | Thermal Desorber | TD100-xr Advanced | 4.5.5 | (via TD-100) | 1 | | 7.2.6 | no info | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Markes | Thermal Desorber | TD100-xr Advanced - Tube IS Accessory | n.a. | (via TD-100) | 1 | | 7.2.6 | no info | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Markes | Thermal Desorber | UNITY-xr | 3.8.10 | RS232 | 1 | | 7.2.6 | no info | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Markes | Thermal Desorber | Air Server-xr | n.a. | (via UNITY-xr) | 1 | | 7.2.6 | no info | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Markes | Thermal Desorber | Kori-xr | 3.8.10 | RS232 | 1 | | 7.2.6 | no info | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | |
| Markes | Thermal Desorber | CIA Advantage-HL | n.a. | 2x USB | 1 | n.a. | 7.2.10 MUf | no info | 10 ⁶⁴ | |
| Markes | Thermal Desorber | CIA Advantage-T | n.a. | 2x USB | 1 | n.a. | 7.2.10 MUf | no info | 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---------------------------------------|-------------------|-------------------------------------|--|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------|
| Markes | Thermal Desorber | CIA Satellite | n.a. | USB | 1 | n.a. | 7.2.10 MUf | no info | 10^{64} | |
| Markes | Thermal Desorber | Ultra-xr | n.a. | USB | 1 | n.a. | 7.2.10 MUf | no info | 10^{64} | |
| Markes | Thermal Desorber | Ultra-xr sample recollection module | n.a. | USB | 1 | n.a. | 7.2.10 MUf | no info | 10^{64} | |
| Markes | Thermal Desorber | Nafion dryer | n.a. | USB | 1 | n.a. | 7.2.10 MUf | no info | 10^{64} | |
| PerkinElmer – AutoSystem GC | Gas Chromatograph | AutoSystem GC | 1.6 | RS232 | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem XL GC | Gas Chromatograph | AutoSystem XL GC | 3.500 | RS232 | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – Clarus GC | Gas Chromatograph | Clarus 400, 480, 580 [9] | Not known | RS232 | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ [15] | |
| PerkinElmer – Clarus GC | Gas Chromatograph | Clarus 590 [9] | Autosystem: 6.1.051, PPC: 3.70, Autosampler: 3.1.021 | RS232 | 2 | | 7.2.10 | no | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ [15] | |
| PerkinElmer – Clarus GC | Gas Chromatograph | Clarus 500 [7] | Autosystem: 4.110, PPC: 3.70 | RS232 | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ [15] | |
| PerkinElmer – Clarus GC | Gas Chromatograph | Clarus 600 [7] | Autosystem: 5.5.075, PPC: 3.70, Autosampler: 2.24 | RS232 | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ [15] | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---------------------------------|-------------------|---|--|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------|
| PerkinElmer – Clarus GC | Gas Chromatograph | Clarus 680 [7] | Autosystem: 7.0.086, PPC: 3.70, Autosampler: 3.0.010 | RS232 | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ [15] | |
| PerkinElmer – Clarus GC | Gas Chromatograph | Clarus 690 [9] | Not known | RS232 | 2 | | 7.2.10 | no | $7^{32}, 7^{64}, 8.1^{64}, 10^{64}$ [15] | |
| PerkinElmer – AutoSystem/Clarus | GC Inlet | Capillary Split/Splitless Injector (CAP) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Inlet | Gas Sampling Valve (GSV) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Inlet | Packed Column Injector (PKD) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Inlet | Programmable On-column Capillary Injector (POC) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Inlet | Programmable Split/Splitless Injector (PSS) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Detector | Electron Capture Detector (ECD) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Detector | Flame Ionization Detector (FID) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Detector | Nitrogen-Phosphorus Detector (NPD) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Detector | Thermal Conductivity Detector (TCD) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |
| PerkinElmer – AutoSystem/Clarus | GC Auxiliary | Auxiliary Pressure Module (e.g. Swafer) | - | (via GC) | 2 | | 7.1 DU0a | no | $7^{32}, 7^{64}, 8.1^{64}$ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------------------------------|----------------------------------|---------------|----------------|-------------|------------------|----------------------------|------------------------|---|---------------------------|
| PerkinElmer – Series 200 | Quaternary low-pressure pump | PE Series 200 LC Quaternary Pump | 2.43 | RS232 | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| PerkinElmer – Series 200 | Isocratic micro pump | PE Series 200 LC Micro Pump | 2.43 | RS232 | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| PerkinElmer – Series 200 | LC Autosampler | PE Series 200 LC Autosampler | 1.08 | RS232 | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| PerkinElmer – Series 200 | Column Oven | PE Series 200 Column Oven | 2.4 | RS232 | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| PerkinElmer – Series 200 | UV Detector | PE Series 200 UV/Vis Detector | 1.01 | RS232 | 3 | | 7.1 SR1 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| PerkinElmer – Series 200 | Photodiode Array Detector | PE Series 200 LC DAD | A6.03 | RS232 | 3 | | 7.1 SR1 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| PerkinElmer TurboMatrix | GC HS Autosampler | TurboMatrix | | RS232 | 2 | | 7.2 MUb | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Polymer Labs | Evaporative Light Scattering Detector | ELS-2100 | 1.5.5 | RS232 | 1 | | 7.0 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Polymer Labs | Evaporative Light Scattering Detector | ELS-2100 Ice | 1.5.5 | RS232 | 1 | | 7.0 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Rheodyne | Switching Valve | MX Series II Switching Valves | 41 | USB | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Rheodyne | Switching Valve | LabPro Valves | Not available | RS232 | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Rheodyne | Switching Valve | RV/EV Valves | Not available | RS232 | 1 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| SCIEX | Capillary Electrophoresis (CE) System | PA 800 Plus | 10.2.5-R | USB | 3 | | 7.2.10 Md 7.3.1 | yes | 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---|-------------------------------------|--------------------------------|----------|----------------|-------------|--|----------------------------|------------------------|---|---------------------------|
| SCION GC | Gas Chromatograph | Varian / Bruker / SCION 430-GC | 7.0 | LAN | 2 | (Driver not installed by default. Please launch standalone installer in the /Drivers/ folder of the Chromleon distributable) | 7.2 SR5 | no info | 7^{64} , 10^{64} | |
| SCION GC | Gas Chromatograph | Varian / Bruker / SCION 450-GC | 5.07 | LAN | 2 | (Driver not installed by default. Please launch standalone installer in the /Drivers/ folder of the Chromleon distributable) | 7.2 SR5 | no info | 7^{64} , 10^{64} | |
| Shimadzu LC Driver for Chromleon | LC Systems | | | | | | | | | |
| Shimadzu LC Driver for Chromleon | Nexera/Prominence System Controller | CBM-20A, CBM-20Alite | 3.70 | | 3 | | 7.2 | yes | 7^{32} , 7^{64} , 8.1^{64} , 10^{64} | |
| Shimadzu LC Driver for Chromleon | Nexera/Prominence Pump | LC-30AD | 3.21 | | 3 | | 7.2 | yes | 7^{32} , 7^{64} , 8.1^{64} , 10^{64} | |
| Shimadzu LC Driver for Chromleon | Nexera/Prominence Pump | LC-20ADXR | 2.12 | | 3 | | 7.2 | yes | 7^{32} , 7^{64} , 8.1^{64} , 10^{64} | |
| Shimadzu LC Driver for Chromleon | Nexera/Prominence Pump | LC-20AD | 2.11 | | 3 | | 7.2 | yes | 7^{32} , 7^{64} , 8.1^{64} , 10^{64} | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|---------------------------------|---|---|----------------|-------------|------------------|-----------------------------|------------------------|--|---------------------------|
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Pump | LC-20AT | 2.01 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Pump | LC-20Ai | 1.01 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Pump | LC-20AB | 2.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Column Oven | CTO-30AS | 3.10 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Column Oven | CTO-30A | 3.11 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Column Oven | CTO-20A, CTO-20AC | 2.10 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Autosampler | SIL-30ACMP | 3.21 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Autosampler | SIL-30AC | 3.22 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Autosampler | SIL-20A(HT, UFC), SIL-20AC(HT, UFC) SIL-20AXR, SIL-20ACXR | Old board: 1.31 New board: 2.12 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Autosampler | Rack Changer II | 2.00 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Autosampler | Rack Changer, Rack Changer C | 1.11 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Subcontroller | Subcontroller VP (Option Box VP) | 5.22 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Detector | SPD-M30A | 4.04 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|----------------------------|---|--------------|----------------|-------------|------------------|-----------------------------|------------------------|--|---------------------------|
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Detector | SPD-M20A | 2.03 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Detector | SPD-20A, SPD-20AV | 2.03 or 3.03 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Detector | RF-20A, RF-20AXS | 2.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Detector | RID-20A | 1.04 or 2.04 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera/Prominence Detector | AD | - | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series | LC-2030 LC-2030C LC-2030C 3D LC-2040C LC-2040C 3D LC-2030C LT LC-2040C LT LC-2040C MT LC-2040C 3D MT | 2.30 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series Plus | LC-2030 Plus LC-2030C Plus LC-2030C 3D Plus LC-2040C Plus LC-2040C 3D Plus LC-2030C LT Plus LC-2040C LT Plus LC-2040C MT Plus LC-2040C 3D MT Plus | 3.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|---|--|----------|----------------|-------------|------------------|-----------------------------|------------------------|--|---------------------------|
| Shimadzu LC Driver for Chromeleon | i-Series Plus Detector | RF-20A, RF-20AXS 2.02 | 2.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series Plus Detector | RID-20A | 2.04 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series Plus Detector | Optional AD Board - | - | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series Plus Mobile phase Flow line Switching valve | FCV-11AL, FCV-11ALS | - | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series Plus High pressure Flow line Switching valve | FCV-14AH, FCV-34AH | - | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series LC-2050/LC-2060 | LC-2035 [32] | 3.10 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series LC-2050/LC-2060 | LC-2050 LC-2050C LC-2050C 3D LC-2050C LT LC-2060C LC-2060C 3D LC-2060C 3D MT | 3.20 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series LC-2050/LC-2060 Mobile phase monitor | MPM-40 | 1.04 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | i-Series LC-2050/LC-2060 Detector | SPD-M40 | 2.01 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|----------------------------------|--|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------|
| Shimadzu LC Driver for Chromleon | i-Series LC-2050/LC-2060 Detector | RF-20A, RF-20AXS | 2.02 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | i-Series LC-2050/LC-2060 Detector | RID-20A | 2.04 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | i-Series LC-2050/LC-2060 Detector | Optional AD Board - | - | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | i-Series LC-2050/LC-2060 Mobile phase Flow line Switching valve | FCV-11AL, FCV-11ALS | - | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | i-Series LC-2050/LC-2060 High pressure Flow line Switching valve | FCV-14AH, FCV-34AH | - | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | Nexera series System Controller | SCL-40, CBM-40, CBM-40lite | 1.20 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | Nexera series Mobile Phase Monitor | MPM-40 | 1.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | Nexera series Pump | LC-40D, LC-40D XR, LC-40B XR, LC-40D XS, LC-40D X3, LC-40B X3 | 1.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | Nexera series Pump | LC-40D XSi | 1.07 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromleon | Nexera series Pump | LC-40i | 1.00 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|-------------------------------------|--|----------|----------------|-------------|------------------|-----------------------------|------------------------|--|---------------------------|
| Shimadzu LC Driver for Chromeleon | Nexera series Pump | LC-20AB | 2.02 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Autosampler | SIL-20A, SIL-20AC | 2.13 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Autosampler | SIL-30ACMP | 3.21 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Autosampler | SIL-40, SIL-40C, SIL-40 XR, SIL-40C XR, SIL-40C XS, SIL-40C X3 | 1.05 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Autosampler | SIL-40C XSi | 1.10 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Autosampler | PlateChanger | 1.04 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Column Oven | CTO-40C, CTO-40S | 1.00 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Column Oven | CTO-30A | 3.11 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Chemical reaction box | CRB-40 | 2.00 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Detector | SPD-40, SPD-40V | 1.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Detector | RID-20A | 2.04 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Detector | RF-20A, RF-20AXS | 2.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Detector | CDD-10Avp | 5.10 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|---|--|---------------|----------------|-------------|------------------|-----------------------------|------------------------|--|---------------------------|
| Shimadzu LC Driver for Chromeleon | Nexera series Detector | Optional AD Board | - | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Detector | SPD-M40 | 2.01 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Detector | SPD-M30A | 4.04 | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series Mobile phase Flow line Switching valve | LPGE Unit, FCV-11AL, FCV-11ALS, Reservoir Switching Valve, Recycling valve for UV detector | - | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series High pressure Flow line Switching valve | FCV-36AH | - | | 3 | | 7.2 SR1 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series High pressure Flow line Switching valve | FCV-0206, FCV-0607, FCV-0206H, FCV-0607H, FCV-0206H3, FCV-0607H3, FCV-0206H2i, FCV-0607H2i | - | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series High pressure Flow line Switching valve | FCV-BOX, FCV-S | - | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu LC Driver for Chromeleon | Nexera series High pressure Flow line Switching valve | FCV-DR | 1.02 | | 3 | | 7.2 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu GC Driver for Chromeleon | GC Systems | | | | | | | | | |
| Shimadzu GC Driver for Chromeleon | Gas Chromatograph | GC-2030 (Nexis) | 1.09 or later | | 2 | | 7.2 | yes | | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|----------------------------------|---------------------------------|-------------------------|--|----------------|-------------|------------------|----------------------------|------------------------|------------------------|---------------------------|
| Shimadzu GC Driver for Chromleon | GC Autoinjector | AOC-20i AOC-20i Plus | 2.10 or later | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Autoinjector and Autosampler | AOC-20i+s | 2.10 or later (AOC-20i) 1.40 or later (AOC-20s) 5.0 or later (AOC-20s U) | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Autoinjector | AOC-30i | 1.0 or later | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Autoinjector and Autosampler | AOC-30i+s | 1.0 or later (AOC-30i) 5.0 or later (AOC-20s U) | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Headspace Autosampler | HS-20 | 1.04.03 or later | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Headspace Autosampler | HS-20 NX | 2.00.00 or later | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Headspace Autosampler | HS-10 | 1.00 or later | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Injection port | SPL-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Injection port | WBI-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Injection port | OCI-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Injection port | PTV-2030 | | | 2 | | 7.2 | yes | | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|----------------------------------|---------------------------------|--------------------|----------|----------------|-------------|------------------|----------------------------|------------------------|------------------------|---------------------------|
| Shimadzu GC Driver for Chromleon | GC Injection port | SINJ-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Injection port | OCI-2030NX | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Detector | FID-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Detector | TCD-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Detector | ECD-2010 Exceed | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Detector | FPD-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Detector | FTD-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Detector | BID-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Detector | SCD-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | GC Detector | PTCD-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | Advanced Flow Technologies(AFT) | Back flush | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | Advanced Flow Technologies(AFT) | Detector Splitting | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromleon | Advanced Flow Technologies(AFT) | Detector Switching | | | 2 | | 7.2 | yes | | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromeleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|-----------------------------------|---------------------------------|---------------------|---|----------------|-------------|------------------|-----------------------------|------------------------|---|----------------------------|
| Shimadzu GC Driver for Chromeleon | Advanced Flow Technologies(AFT) | Heart-Cut | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromeleon | Additional heater | AUX heater | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromeleon | Additional flow | APC(Aux3ch) | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromeleon | Additional flow | APC(Aux2ch) | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromeleon | Additional flow | APC(Aux1ch) | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromeleon | Option | CRG-2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromeleon | Option | PRG-2010Plus | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromeleon | Option | PRG Box | | | 2 | | 7.2 | yes | | |
| Shimadzu GC Driver for Chromeleon | Option | GasSelector2030 | | | 2 | | 7.2 | yes | | |
| Shimadzu – GC 2010/GC 2010Plus | Gas Chromatograph | GC 2010/GC-2010Plus | GC-2010: 1.1150, GC-2010Plus: 2.1000 | RS232 | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Autoinjector | AOC-20i | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------|--|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Shimadzu – GC 2010/GC 2010Plus | GC Autosampler | AOC-20s | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Inlet | Split/Splitless Injection Unit (SPL-2010) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Inlet | On-column/Programmable Temperature Vaporizer Injection Unit (OCI/PTV-2010) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Detector | Electron Capture Detector (ECD), (ECD-2010 Plus) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Detector | Thermal Conductivity Detector (TCD), (TCD-2010 Plus) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Detector | Flame Photometric Detector (FPD), (FPD-2010 Plus) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Detector | Flame Thermionic Detector(FTD/NPD), (FTD-2010 Plus) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Shimadzu – GC 2010/GC 2010Plus | GC Detector | Pulsed Discharge Helium Ionization Detector (PDHID) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Relays | PRG-2010 Plus | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Detector | Other (allows digital acquisition of 3rd party detector using AD board) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2010/GC 2010Plus | GC Auxiliary | Auxiliary Advanced Pressure Control (AuxAPC) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2014 | Gas Chromatograph | GC 2014 | 1.1150 | RS232 | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2014 | GC Autoinjector | AOC-20i | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2014 | GC Autosampler | AOC-20s | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2014 | GC Inlet | Split/Splitless Injection Unit | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|------------------------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Shimadzu – GC 2014 | GC Inlet | On-column/Programmable Temperature Vaporizer Injection Unit | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2014 | GC Inlet | Dual Packed Injection Unit | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2014 | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – GC 2014 | GC Detector | Electron Capture Detector (ECD), (Packed ECD) | | (via GC) | 2 | | 7.1 SR2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu LC-10/20/30 | HPLC | | | | | | | | | |
| Shimadzu – LC 10 | System Controller (required) | SCL-10Avp or built-in (SIL-HTA / SIL-HTC) | 5.42 | RS232 [5] | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC 10 | Pump | LC-10AD, LC-10Ai, LC-10AT | 3.10 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Pump | LC10ADvp , LC-10ATvp | 5.28 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Pump | LC-10AS, LC-10ASvp | 5.28 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | LPG Solvent Valve Module | FCV-10AL(vp) | - | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------------|----------------------|----------|----------------|-------------|------------------|----------------------------|------------------------|---|---------------------------|
| Shimadzu – LC 10 | LPG Solvent Valve Module | FCV-11AL(S) | - | (via SCL) | 3 | | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | LPGE proportioning valve | LPGE Unit | - | (via SCL) | 3 | | 7.1 SR1 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Autosampler | SIL-HTA | 6.03 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Autosampler | SIL-HTC | 5.32 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Autosampler | SIL-10ADvp | 5.32 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Autosampler | SIL-10AXL | 3.61 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Autosampler | SIL-10A | 4.10 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Autosampler | SIL-10AF | 4.10 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Autosampler | SIL-10Ai | 4.10 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Column Oven | CTO-10A, CTO-10Avp | 5.24 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Column Oven | CTO-10AC, CTO-10ACvp | 5.24 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Column Oven | CTO-10ASvp | 5.24 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | UV-VIS Detector | SPD-10AVvp | 5.23 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|------------------------------|-----------------------|------------------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Shimadzu – LC 10 | UV-VIS Detector | SPD-10Avp | 5.23 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | UV-VIS Detector | SPD-10A | 3.00 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | UV-VIS Detector | SPD-10AV | 3.00 | (via SCL) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Refractive Index Detector | RID-10A | 3.13 | (via SCL) | 3 | | 7.2 SR4 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7) |
| Shimadzu – LC 10 | Photodiode Array Detector | SPD-M10Avp | 3.3 | SCSI [4,10] | 3 | 3D | 7.1 | no | 7 ³² , 7 ⁶⁴ [10] | TDS5 (WES7) |
| Shimadzu – LC 20 | Photodiode Array Detector | SPD-M20A | 1.05, 1.08, 1.10 | LAN [5] | 3 | 3D | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC 2010 | LC System | LC 2010A | 1.13, 3.01 | RS232 [5] | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC 2010 | LC System | LC 2010C | 1.13, 3.01 | RS232 [5] | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | System Controller (required) | CBM-20A / CBM-20Alite | 1.20 | LAN / RS232 | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | Degasser | DGU-20AS | - | (via CBM) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------|-----------------------|------------|----------------|-------------|------------------|----------------------------|------------------------|--|----------------------------|
| Shimadzu – LC-20A Prominence | Pump | LC-20AT | 1.06 | (via CBM) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | Pump | LC-20AD | 1.10 | (via CBM) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | Pump | LC-20AB | 1.10 | (via CBM) | 3 | | 7.2 SR5 | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | Pump | LC-20ADXR | 1.21 | (via CBM) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | Autosampler | SIL-20A, SIL-20AC | 1.04 | (via CBM) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | Autosampler | SIL-20AXR, SIL-20ACXR | 1.20 | (via CBM) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | Column Oven | CTO-20AC, CTO-20A | 1.06, 1.07 | (via CBM) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |
| Shimadzu – LC-20A Prominence | UV Detector | SPD-20AV, SPD-20A | 1.04 | (via CBM) | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|---|--|------------------------|--|----------------|-------------|------------------|----------------------------|------------------------|---|---------------------------|
| Shimadzu – LC-30A Nexera | Pump | LC-30AD | CBM-20A: 2.10, CBM-20A lite: 2.10, Pump: 2.10 | (via CBM) | 3 | | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu – LC-30A Nexera | Autosampler | SIL-30AC | CBM-20A: 2.10, CBM-20A lite: 2.10, Pump: 2.01 | (via CBM) | 3 | | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | |
| Shimadzu – LC-30A Nexera | Column Oven | CTO-30A | CBM-20A: 2.10, CBM-20A lite: 2.10, Oven: 2.01 | (via CBM) | 3 | | 7.1 SR1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Shodex | Refractive Index Detector | RI-101, RI-102, RI-104 | 1.19, 1.09 | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| SofTA | Evaporative Light Scattering Detector | ELSD 2300 | AE31 | USB | 1 | | 7.2 SR5 | no info | 7 ³² , 7 ⁶⁴ | |
| URG | Ambient Ion Monitor (AIM) | URG-9000 A, B, C, D | 1.0.3 | RS232 | 1 | | 7.2 MUa | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Valco / VICI | Valve | 2-position | I-PD-AHX88RD, I-PD-EHX88RH | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Valco / VICI | Valve | Multi-position | I-PD-AMX88RA | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Valco / VICI – Universal Electric Actuator series | Switching Valve | EUHB, EUHA | Dec 15 2011- 15:02:20- UA_MAIN_CT | RS232 | 1 | | 7.0 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 38x-LC | Evaporative Light Scattering Detector | 380-LC ELSD | 22.02.00 | RS232 | 1 | | 7.0 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 38x-LC | Evaporative Light Scattering Detector | 385-LC ELSD | 22.02.00 | RS232 | 1 | | 7.0 | yes | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|---|----------|----------------|-------------|------------------|----------------------------|------------------------|---|---------------------------|
| Varian/Rainin | Cooled | SD-1 | - | RS232 | 3 | | 7.2 MUb | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian/Rainin | LC Pump | SD-200 | - | RS232 | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian/Rainin | LC Pump | SD-300 | - | RS232 | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian/Rainin | LC Pump | ProStar PrepStar 2xx | - | RS232 | 3 | | 7.2 MUa | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | Gas Chromatograph | 3800 | 3.3.5D | LAN (Coax) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | Gas Autosampler | 8100/8200 | | (via GC) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | GC Autosampler | 8400/8410 | | (via GC) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | GC Inlet | On-Column Injector (1041) | | (via GC) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | GC Inlet | Universal Capillary Injector (1079) | | (via GC) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | GC Inlet | Split/Splitless Capillary Injector (1177) | | (via GC) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | GC Detector | Flame Ionization Detector (FID) | | (via GC) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | GC Detector | Thermal Conductivity Detector (TCD) | | (via GC) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |
| Varian – Varian 3800 | GC Detector | Electron Capture Detector (ECD) | | (via GC) | 2 | | 7.2 SR2 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|-------------------|-------------------------------------|----------|----------------|-------------|---|----------------------------|------------------------|----------------------------------|---------------------------|
| Varian – Varian 3800 | GC Detector | Thermionic Specific Detector (TSD) | | (via GC) | 2 | | 7.2 SR2 | no | $7^{32}, 7^{64}$, 8.1^{64} | |
| Varian – Varian 3900 GC | Gas Chromatograph | Varian / Bruker 3900-GC | 6.18 | LAN | 2 | (Driver not installed by default. Please launch standalone installer in the /Drivers/ folder of the Chromleon distributable) | 7.2 SR5 | no info | $7^{64}, 10^{64}$ | |
| Varian – Varian 3900 GC | Gas Chromatograph | Varian / Bruker / SCION 430-GC [20] | 7.0 | LAN | 2 | (Driver not installed by default. Please launch standalone installer in the /Drivers/ folder of the Chromleon distributable) | 7.2 SR5 | no info | $7^{64}, 10^{64}$ | |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------------------|--|------------------------------|----------------|-------------|--|----------------------------|------------------------|--|---------------------------------|
| Varian – Varian 3900 GC | Gas Chromatograph | Varian / Bruker / SCION 450-GC | 5.07 | LAN | 2 | (Driver not installed by default. Please launch standalone installer in the /Drivers/ folder of the Chromleon distributable) | 7.2 SR5 | no info | 7 ³² , 10 ⁶⁴ | |
| Waters | LC Separation Module | Alliance 2690/2695 (XE) Separations Module (e2695 supported via GPIB) [16] | 2.00 or later | GPIB | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [26] |
| Waters | Diode-Array Detector | 996/2996 | 2.30 | GPIB | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [26] |
| Waters | Fluorescence Detector | 474 | | RS232 | 3 | | 7.2 MUb | no info | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters [6] | Fluorescence Detector | 2475 | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | 3D (optional) | 7.2.9 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters | Refractive Index Detector | 2414 | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.2.9 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|---------------------------------------|------------------------|------------------------------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Waters | UV Detector, 2 channels | 2487 | 1.01 | GPIB | 3 | | 7.1 | no | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters [6] | UV-VIS Detector | 2489 | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters [6] | Diode-Array Detector | 2998 | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | 3D | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | Pump | Binary Solvent Manager | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | LC Autosampler | Sample Manager | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | Column Oven | Column Manager | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | Diode-Array Detector | PDA Detector | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | 3D | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | Evaporative Light Scattering Detcetor | ELS Detector | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.2.9 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|--------------------------|--------------------------------|------------------------------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Waters – ACQUITY [6] | UV Detector | Tunable UV Detector | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | Column Heater / Cooler | Column Heater / Cooler | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | Sample Organizer | Sample Organizer | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | Column Manager Auxiliary | Column Manager Aux | Driver Pack 2019 R1/ICS 1.73 | Proprietary | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY [6] | Fluorescence Detector | FLR Detector | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | 3D (optional) | 7.1 SR2 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY ARC [6] | Pump | Quaternary Solvent Manager - R | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.2.9 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY ARC [6] | LC Autosampler | Sample Manager (FTN) - R | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.2.9 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY H-Class [6] | Pump | Quaternary Solvent Manager | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Inst. Class | Options Required | Required Chromleon Version | Requires .NET 3.5 [18] | Operating Systems [34] | 247 Instrument Controller |
|--------------------------------|----------------|------------------------|------------------------------|----------------|-------------|------------------|----------------------------|------------------------|--|---------------------------------|
| Waters – ACQUITY H-Class [6] | LC Autosampler | Sample Manager (FTN) | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.1 SR1 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY I-Class [6] | Pump | Binary Solvent Manager | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY I-Class [6] | LC Autosampler | Sample Manager (FTN) | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |
| Waters – ACQUITY I-Class [6] | LC Autosampler | Sample Manager (FL) | Driver Pack 2019 R1/ICS 1.73 | LAN | 3 | | 7.2 SR5 | yes | 7 ³² , 7 ⁶⁴ , 10 ⁶⁴ | TDS5 (WES7, 10), TDS6 (10) [24] |

[1] The Agilent 6850 GC driver has not been tested on Windows 7 or Windows 8.1. Based on extensive validation on Windows XP in the past it is anticipated, but not guaranteed, that it will function correctly.

[2] Not all modules are controlled by all versions of Agilent ICF. Details of Agilent ICF instrument control support may be found at <http://www.agilent.com/en-us/products/liquid-chromatography/icf> and <http://www.agilent.com/cs/library/usermanuals/public/DriverReleaseNoteA0214.pdf>. Please also refer to the Chromleon Release Notes for limitations on the support of some modules.

[3] Windows 10 support requires Agilent Instrument Control Framework version A.02.14 or higher.

[4] Windows 7 only. Agilent 7697 Headspace requires Agilent Instrument Control Framework: A.02.03 DU1-HF2 or higher.

[5] Uses external OCX.

[6] Waters Driver Pack based driver. Waters Driver Pack 2017 R2 required (compatible with Windows 7 and Windows 10).

[7] PerkinElmer Clarus GC's provide a number of different FW versions: Entire system (not readable via RS232), AutoSystem board, PPC sub system, and Autosampler.

[8] Uses external DLL.

[9] Extended support for the PerkinElmer Clarus 400, 480, 580, 590, and 690 GC's has not been fully tested. It is anticipated, but not guaranteed, that it will function correctly.

[10] Please contact your local Shimadzu Customer Support for a driver appropriate to your operating system.

[11] This driver is compatible with Chromleon 7.2.6 and higher and supersedes the MS Software Installation Guide recommendation regarding the MSQ.

- [12] At high acquisition rates (100 to 200Hz) with long run times, there is an increased risk of problems which will then lead to a sequence abort.
- [13] After a TRACE 1300 GC firmware upgrade, a "Get Configuration" must be performed on any existing TRACE1300 instruments in order for the new firmware version to be stored in the configuration and option to use the 600 Hz acquisition rate to become available in Chromleon.
- [14] The model number listed and later versions (model number with suffixes such as -01 or -02) are supported, if not otherwise noted.
- [15] The PerkinElmer Clarus 500 GC driver has been tested with Chromleon 7.2 SR5 MUi on Windows 10. Support for the PerkinElmer Clarus 400, 480, 580, 590, 600, 680, and 690 on Windows 10 has not been tested. It is anticipated, but not guaranteed, that it will function correctly. Tests with Windows 10 and Startech PCI Multi I/O card did not reveal any differences in stability with respect to other Operating Systems. However, be aware that other Multi I/O solutions and corresponding Windows low level drivers still might have stability issues with Windows 10.
- [16] It is not possible to control a column selection valve installed in a Waters Alliance 2695.
- [17] The Vanquish Charger is only supported with Vanquish Autosamplers with temperature control.
- [18] A "yes" in the column "Requires .NET 3.5" indicates that a driver requires Microsoft .NET 3.5. For those drivers with a "no" in column "Requires .NET 3.5", .NET 3.5 does not need to be installed and can be uninstalled if it is installed.
- [19] For Vanquish modules firmware versions earlier than the one listed in the column "Firmware" may be supported, albeit with reduced functionality. Please refer to the Vanquish Firmware Release Notes to determine if an earlier firmware version is supported.
- [20] Varian 3900 GC (Scion 430 driver): The port needs to be set to 3900 using the Star software.
- [21] Driver will become obsolete in the near future as the hardware has reached End of General Support.
- [22] Driver will become obsolete in the near future as the hardware has been discontinued.
- [23] Thermo Scientific 247 Instrument Controllers with Windows 10 firmware require Agilent ICF version A.02.06 Update 2 or higher to be installed.
- [24] Thermo Scientific 247 Instrument Controllers with Windows 10 firmware require Waters Driver Pack 2019 R1 to be installed.
- [25] Thermo Scientific FOCUS GC control with Thermo Scientific 247 Instrument Controller with Windows 10 firmware is only supported with USB-to-RS232 cable; a defect has been raised regarding PCIe RS232 card.
- [26] Thermo Scientific 247 Instrument Controllers with Windows 10 firmware using Keysight USB-to-GPIB adapter require IOLibSuite_18_1_26209 or later.
- [27] Support for Vanquish Neo modules requires the additional installation of the Vanquish Neo System Device Driver Package. The Vanquish Neo system driver can be downloaded at the Digital Science Support Resource Center (<https://support.thermoinformatics.com/downloads/>) under Chromleon > Related Drivers.
- [28] Support for the Vanquish Refractive Index Detector module requires the additional installation of the Vanquish Refractive Index Detector Driver, which can be downloaded at the Digital Science Support Resource Center (<https://support.thermoinformatics.com/downloads/>) under Chromleon > Related Drivers.
- [29] Support for the Vanquish Integral Fraction Collector FT (VF-F20-A) under Chromleon 7.2.10 MUG requires Vanquish Fraction Collector Driver Package V1.0 and higher, which can be downloaded at the Digital Science Support Resource Center (<https://support.thermoinformatics.com/downloads/>) under Chromleon > Related Drivers.
- [30] Support for Vanquish Binary Pump N modules and the Vanquish System Controller outside of a Vanquish Neo System requires the additional installation of the Vanquish Binary Pump N Driver Package, which can be downloaded at the Digital Science Support Resource Center (<https://support.thermoinformatics.com/downloads/>) under Chromleon > Related Drivers.
- [31] The independent Vanquish System Controller Driver is only distributed as part of the Vanquish Binary Pump N Driver Package.
- [32] The Shimadzu i-Series LC-2050/LC-2060 LC-2035 requires Shimadzu LC Driver Version 3.10 or earlier.
- [33] Agilent Drivers for Chromleon version 3.0 are supported with Chromleon 7.2.10 MUF (and higher) and Chromleon 7.3.1 (and higher). ADC 3.0 drivers are supported under Windows 10, 64-bit and Microsoft .NET CLR 4. For Agilent Drivers for Chromleon that were already present in Agilent Drivers for Chromleon version 2.4 or earlier, the table lists the earliest Chromleon version supported, the respective Windows support and the .NET 3.5 requirement for the earliest version of Agilent Drivers for Chromleon.
- [34] All modules running on Windows 10 are expected to run on a Windows 11 PC without issues. Any known exceptions are explicitly mentioned.

[35] Not supported under Windows 11.

5 Obsolete device drivers

The following table lists instrument drivers that are considered obsolete. In some cases, they have been superseded by newer drivers which are incompatible with the old ones. They are included with the Chromeleon distributable for backward compatibility. However, support for these drivers is limited to a best effort as resources permit.

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Operating Systems |
|---|--------------------|--|----------|----------------|------------------|------------------|-----------------------------|---|
| CTC PAL-xt Series | Autosampler | | | | | | | |
| CTC PAL | GC Autosampler | GC PAL | 2.4 | RS232 | 2 | | 7.1 SR2 | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| CTC PAL | GC Autosampler | GC CombiPAL | 2.4 | RS232 | 2 | | 7.1 SR2 | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| CTC PAL | LC Autosampler | LC PAL | 2.4 | RS232 | 3 | | 7.1 SR2 | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| CTC PAL | LC Autosampler | HTC PAL | 2.4 | RS232 | 3 | | 7.1 SR2 | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| CTC PAL | LC Autosampler | HTS PAL | 2.4 | RS232 | 3 | | 7.1 SR2 | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific TRACE 1300 GC (Classic Driver) | Gas Chromatography | | | | | | | |
| Thermo Scientific – TRACE 1300 Series (classic driver) | Gas Chromatograph | TRACE 1300 / 1310 | 3.0 | LAN | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Oven | TRACE 1300 / 1310 | 1.06 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Auxiliary | Auxiliary Pressure Module, Auxiliary Temperature Module | 2.01 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |

| Manufacturer - System / Family | Type | Model | Firmware | Interface Type | Instrument Class | Options Required | Required Chromeleon Version | Operating Systems |
|--|--------------|--|----------|----------------|------------------|------------------|-----------------------------|---|
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Auxiliary | Auxiliary Oven | n.a. | (via GC) | 1 | | 7.1 SR2 MUb | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | HMI | TRACE 1310 | 1.12 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Detector | Flame Ionization Detector (FID) | 1.04 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Detector | Thermal Conductivity Detector (TCD) | 1.03 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Detector | Nitrogen Phosphorous Detector (NPD) | 1.06 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Detector | Electron Capture Detector (ECD) | 1.03 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Detector | Flame Photometric Detector (FPD) | 1.0 | (via GC) | 1 | | 7.1 SR2 MUb | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Inlet | Split/Splitless (with and without backflush) | 2.0 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Inlet | Helium Saver Split/Splitless inlet | 2.0 | (via GC) | 1 | | 7.2 MUb | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Inlet | GSV Split/Splitless inlet | 2.0 | (via GC) | 1 | | 7.2 MUb | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |
| Thermo Scientific – TRACE 1300 Series (classic driver) | GC Inlet | Programmable Temperature Vaporization (PTV) (with and without backflush) | 1.0 | (via GC) | 1 | | 7.1 SR1 MUa | 7 ³² , 7 ⁶⁴ , 8.1 ⁶⁴ |

6 Device drivers available from third parties

The following table lists drivers that are developed, maintained, validated and commercialized by third parties. The drivers have been certified by Thermo Fisher Scientific to comply with the rules for Chromeleon driver development. However, Thermo Fisher Scientific takes no responsibility for the functionality of these drivers. The provider takes full responsibility for support and maintenance. The list is provided for your information, without any warranty. If you want to control any of the listed instruments, please contact the Driver Manufacturer for additional details.

| Manufacturer | Type | Model | Instrument Class | Requires .NET 3.5 [18] | Driver Manufacturer |
|---------------------------------|---------------------------------------|---|------------------|------------------------|--------------------------------------|
| Antec Scientific | ECD Detector | DECADE Elite DECADE Lite ROXY Exceed | 3 | no info | Antec Scientific |
| CTC Analytics AG | Autosampler | CTC LC TriPlus RSH | 1 | yes | CTC Analytics AG |
| Elysia Raytest | Radio-detector | GABI Star | 3 | no info | Elysia Raytest |
| Elysia Raytest | Radio-detector | RAMONA Star | 3 | no info | Elysia Raytest |
| Hitachi | HPLC system | Chromaster | 3 | no info | Beyontics |
| Global Analyzer Solutions (GAS) | GC | GAS Compact GC 4 | 2 | no info | Persistent |
| Knauer | HPLC system | Azura | 3 | no info | Knauer Wissenschaftliche Geräte GmbH |
| Sedere | ELS Detector | SEDEX 90LT SEDEX 85LT SEDEX 80LT SEDEX 100LT SEDEX LC & FP | 3 | no info | Sedere |
| SCIEX | Capillary Electrophoresis (CE) System | PA 800 Plus | 3 | yes | Da Vinci Laboratory Solutions B.V. |
| Superon | Thermostat | Thermos | 3 | no info | Superon GmbH |
| Teledyne Tekmar | Purge and Trap Concentrator | Atomx XYZ | 2 | no info | Teledyne Technologies, Inc. |

| Manufacturer | Type | Model | Instrument Class | Requires .NET 3.5 [18] | Driver Manufacturer |
|-----------------|-----------------------------|---------|------------------|------------------------|-----------------------------|
| Teledyne Tekmar | Purge and Trap Concentrator | Lumin | 2 | no info | Teledyne Technologies, Inc. |
| Wyatt | Field Flow Fractionation | Eclipse | 3 | no info | Superon GmbH |

www.thermofisher.com

© 2009-2023 Thermo Fisher Scientific Inc. All rights reserved.

Thermo Fisher Scientific Inc.
168 Third Avenue
Waltham, MA 02451
USA

thermoscientific